

BRAZILIAN REPTILES – LIST OF SPECIES

Organized by

Renato Silveira Bérnils: repteisbrasil@sbherpetologia.org.br

COLLABORATORS

The present List would be cited as:

Bérnils, R. S. (org.). *Brazilian reptiles – List of species*. Accessible at <http://www.sbherpetologia.org.br/>. Sociedade Brasileira de Herpetologia. Captured on (date of your online consult).

TOTAL NUMBER OF SPECIES = 674

TESTUDINES (36 species)

Family Cheloniidae (4 species)

01. *Caretta caretta* (Linnaeus, 1758)
02. *Chelonia mydas* (Linnaeus, 1758)
03. *Eretmochelys imbricata* (Linnaeus, 1766)
04. *Lepidochelys olivacea* (Eschscholtz, 1829)

Family Dermochelyidae (1 species)

05. *Dermochelys coriacea* (Linnaeus, 1766)

Family Emydidae (2 species)

06. *Trachemys adiutrix* Vanzolini, 1995
07. *Trachemys dorbigni* (Duméril & Bibron, 1835)

Family Geoemydidae (1 species)

08. *Rhinoclemmys punctularia* (Daudin, 1801)

Family Kinosternidae (1 species)

09. *Kinosternon scorpioides* (Linnaeus, 1766)

Family Testudinidae (2 species)

10. *Geochelone carbonaria* Spix, 1824
11. *Geochelone denticulata* (Linnaeus, 1766)

Family Podocnemididae (5 species)

12. *Peltocephalus dumeriliana* (Schweigger, 1812)
13. *Podocnemis erythrocephala* (Spix, 1824)
14. *Podocnemis expansa* (Schweigger, 1812)
15. *Podocnemis sextuberculata* Cornalia, 1849
16. *Podocnemis unifilis* Troschel, 1848

Family Chelidae (20 species)

17. *Acanthochelys macrocephala* Rhodin, Mittermeier & McMorris, 1984
18. *Acanthochelys radiolata* (Mikan, 1820)
19. *Acanthochelys spixii* (Duméril & Bibron, 1835)
20. *Chelus fimbriatus* (Schneider, 1783)
21. *Hydromedusa maximiliani* (Mikan, 1820)
22. *Hydromedusa tectifera* Cope, 1869
23. *Mesoclemmys gibba* (Schweigger, 1812)
24. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2000)
25. *Mesoclemmys hoguei* (Mertens, 1967)
26. *Mesoclemmys nasuta* (Schweigger, 1812)
27. *Mesoclemmys perplexa* Bour & Zaher, 2005
28. *Mesoclemmys raniceps* (Gray, 1855)
29. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
30. *Mesoclemmys vanderhaegei* (Bour, 1973)
31. *Phrynops geoffroanus* (Schweigger, 1812)
32. *Phrynops hilarii* (Duméril & Bibron, 1835)
33. *Phrynops tuberosus* (Peters, 1870)
34. *Phrynops williamsi* Rhodin & Mittermeier, 1983
35. *Platemys platycephala* (Schneider, 1792)
36. *Rhinemys rufipes* (Spix, 1824)

CROCODYLIA (6 species)

Family Alligatoridae (6 species)

37. *Caiman crocodilus* (Linnaeus, 1758)
38. *Caiman latirostris* (Daudin, 1802)
39. *Caiman yacare* (Daudin, 1802)
40. *Melanosuchus niger* (Spix, 1825)
41. *Paleosuchus palpebrosus* (Cuvier, 1807)
42. *Paleosuchus trigonatus* (Schneider, 1801)

SQUAMATA - AMPHISBAENIANS (61 species)

Family Amphisbaenidae (61 species)

43. *Amphisbaena alba* Linnaeus, 1758
44. *Amphisbaena albocingulata* Boettger, 1885
45. *Amphisbaena amazonica* Vanzolini, 1951
46. *Amphisbaena anaemariae* Vanzolini, 1997
47. *Amphisbaena arda* Rodrigues, 2003
48. *Amphisbaena arenaria* Vanzolini, 1991
49. *Amphisbaena bolivica* Mertens, 1929
50. *Amphisbaena camura* Cope, 1862
51. *Amphisbaena carvalhoi* Gans, 1965
52. *Amphisbaena crisae* Vanzolini, 1997
53. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
54. *Amphisbaena dubia* L. Müller, 1924
55. *Amphisbaena frontalis* Vanzolini, 1991
56. *Amphisbaena fuliginosa* Linnaeus, 1758
57. *Amphisbaena hastata* Vanzolini, 1991
58. *Amphisbaena heathi* Schmidt, 1936

59. *Amphisbaena hogei* Vanzolini, 1950
60. *Amphisbaena hugoi* Vanzolini, 1989
61. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
62. *Amphisbaena ignatiana* Vanzolini, 1991
63. *Amphisbaena leeseri* Gans, 1964
64. *Amphisbaena leucocephala* Peters, 1878
65. *Amphisbaena lumbricalis* Vanzolini, 1996
66. *Amphisbaena mensae* Castro-Mello, 2000
67. *Amphisbaena mertensii* Strauch, 1881
68. *Amphisbaena miringoera* Vanzolini, 1971
69. *Amphisbaena mitchelli* Procter, 1923
70. *Amphisbaena munoai* Klappenbach, 1966
71. *Amphisbaena neglecta* Dunn & Piatt, 1936
72. *Amphisbaena nigricauda* Gans, 1966
73. *Amphisbaena pretrei* Duméril & Bibron, 1839
74. *Amphisbaena prunicolor* (Cope, 1885)
75. *Amphisbaena ridley* Boulenger, 1890
76. *Amphisbaena sanctaeritae* Vanzolini, 1994
77. *Amphisbaena silvestrii* Boulenger, 1902
78. *Amphisbaena slevini* Schmidt, 1938
79. *Amphisbaena talisiae* Vanzolini, 1995
80. *Amphisbaena trachura* Cope, 1885
81. *Amphisbaena tragorrhectes* Vanzolini, 1971
82. *Amphisbaena vanzolinii* Gans, 1963
83. *Amphisbaena vermicularis* Wagler, 1824
84. *Amphisbaena wiedi* Vanzolini, 1951
85. *Anops bilabialatus* Stimson, 1972
86. *Anops kingii* Bell, 1833
87. *Aulura anomala* Barbour, 1914
88. *Bronia bedai* Vanzolini, 1991
89. *Bronia brasiliiana* Gray, 1865
90. *Bronia kraoh* Vanzolini, 1971
91. *Bronia saxosa* Castro-Mello, 2003
92. *Cercolophia absaberi* Strüssmann & Carvalho, 2001
93. *Cercolophia bahiana* (Vanzolini, 1964)
94. *Cercolophia cuiabana* Strüssmann & Carvalho, 2001
95. *Cercolophia roberti* (Gans, 1964)
96. *Cercolophia steindachneri* (Strauch, 1881)
97. *Leposternon infraorbitale* (Bertold, 1859)
98. *Leposternon kisteumacheri* Porto, Soares & Caramaschi, 2000
99. *Leposternon microcephalum* Wagler, 1824
100. *Leposternon octostegum* (Duméril, 1851)
101. *Leposternon polystegum* (Duméril, 1851)
102. *Leposternon scutigerum* (Hemprich, 1829)
103. *Leposternon wuchereri* (Peters, 1879)

SQUAMATA - LIZARDS (227 species)

Family Iguanidae (1 species)

104. *Iguana iguana* (Linnaeus, 1758)

Family Hoplocercidae (3 species)

105. *Enyalioides laticeps* (Guichenot, 1855)
106. *Enyalioides palpebralis* (Boulenger, 1883)
107. *Hoplocercus spinosus* Fitzinger, 1843

Family Polychrotidae (17 species)

108. *Anolis auratus* Daudin, 1802
109. *Anolis bombiceps* Cope, 1876
110. *Anolis fuscoauratus* D'Orbigny, 1837
111. *Anolis meridionalis* Boettger, 1885
112. *Anolis nasofrontalis* Amaral, 1933
113. *Anolis nitens* (Wagler, 1830)
114. *Anolis ortonii* Cope, 1868
115. *Anolis philopunctatus* Rodrigues, 1988
116. *Anolis phyllorhinus* Myers & Carvalho, 1945
117. *Anolis pseudotigrinus* Amaral, 1933
118. *Anolis punctatus* Daudin, 1802
119. *Anolis trachyderma* Cope, 1876
120. *Anolis transversalis* Duméril, 1851
121. *Anolis williamsii* Bocourt, 1870
122. *Polychrus acutirostris* Spix, 1825
123. *Polychrus liogaster* Boulenger, 1908
124. *Polychrus marmoratus* (Linnaeus, 1758)

Family Leiosauridae (13 species)

125. *Anisolepis grilli* Boulenger, 1891
126. *Anisolepis longicauda* (Boulenger, 1891)
127. *Anisolepis undulatus* (Wiegmann, 1834)
128. *Enyalius bibronii* Boulenger, 1885
129. *Enyalius bilineatus* Duméril & Bibron, 1837
130. *Enyalius brasiliensis* (Lesson, 1828)
131. *Enyalius catenatus* (Wied, 1821)
132. *Enyalius erythrocephalus* Rodrigues, Freitas, Silva & Bertolotto, 2006
133. *Enyalius iheringii* Boulenger, 1885
134. *Enyalius leechii* (Boulenger, 1885)
135. *Enyalius perditus* Jackson, 1978
136. *Leiosaurus paronae* (Peracca, 1897)
137. *Urostrophus vautieri* Duméril & Bibron, 1837

Family Liolaemidae (3 species)

138. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003
139. *Liolaemus lutzae* Mertens, 1938
140. *Liolaemus occipitalis* Boulenger, 1885

Family Tropiduridae (35 species)

141. *Eurolophosaurus amathites* (Rodrigues, 1984)
142. *Eurolophosaurus nanuzae* (Rodrigues, 1981)
143. *Eurolophosaurus divaricatus* (Rodrigues, 1984)
144. *Plica plica* (Linnaeus, 1758)

145. *Plica umbra* (Linnaeus, 1758)
146. *Stenocercus azureus* (Müller, 1882)
147. *Stenocercus caducus* (Cope, 1862)
148. *Stenocercus dumerilii* (Steindachner, 1867)
149. *Stenocercus fimbriatus* Ávila-Pires, 1995
150. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
151. *Stenocercus roseiventris* Duméril & Bibron, 1837
152. *Stenocercus sinesaccus* Torres-Carvajal, 2005
153. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
154. *Stenocercus tricristatus* (Duméril, 1851)
155. *Strobilurus torquatus* Wiegmann, 1834
156. *Tropidurus azureus* (Linnaeus, 1758)
157. *Tropidurus cocorobensis* Rodrigues, 1987
158. *Tropidurus erythrocephalus* Rodrigues, 1987
159. *Tropidurus etheridgei* Cei, 1982
160. *Tropidurus flaviceps* (Guichenot, 1855)
161. *Tropidurus guarani* (Cope, 1862)
162. *Tropidurus helenae* (Manzani & Abe, 1990)
163. *Tropidurus hispidus* (Spix, 1825)
164. *Tropidurus hygomi* Reinhardt & Luetken, 1861
165. *Tropidurus insulanus* Rodrigues, 1987
166. *Tropidurus itambere* Rodrigues, 1987
167. *Tropidurus montanus* Rodrigues, 1987
168. *Tropidurus mucujensis* Rodrigues, 1987
169. *Tropidurus oreadicus* Rodrigues, 1987
170. *Tropidurus pinima* (Rodrigues, 1984)
171. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
172. *Tropidurus semitaeniatus* (Spix, 1825)
173. *Tropidurus spinulosus* (Cope, 1862)
174. *Tropidurus torquatus* (Wied, 1820)
175. *Uranoscodon superciliosus* (Linnaeus, 1758)

Family Gekkonidae (31 species)

176. *Bogertia lutzae* Loveridge, 1941
177. *Briba brasiliana* Amaral, 1935
178. *Coleodactylus amazonicus* (Andersson, 1918)
179. *Coleodactylus brachystoma* (Amaral, 1935)
180. *Coleodactylus meridionalis* (Boulenger, 1888)
181. *Coleodactylus natalensis* Freire, 1999
182. *Coleodactylus septentrionalis* (Vanzolini, 1980)
183. *Gonatodes annularis* Boulenger, 1887
184. *Gonatodes concinnatus* (O'Shaughnessy, 1881)
185. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
186. *Gonatodes hasemani* Griffin, 1917
187. *Gonatodes humeralis* (Guichenot, 1855)
188. *Gonatodes tapajonicus* Rodrigues, 1980
189. *Gymnodactylus darwinii* (Gray, 1845)
190. *Gymnodactylus geckoides* Spix, 1825
191. *Gymnodactylus guttulatus* Vanzolini, 1982
192. *Hemidactylus agrius* Vanzolini, 1978

193. *Hemidactylus mabouia* (Moreau de Jonnès, 1818)
194. *Hemidactylus palaichthus* Kluge, 1969
195. *Homonota fasciata* (Duméril & Bibron, 1836)
196. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
197. *Lepidoblepharis festae* Peracca, 1897
198. *Lepidoblepharis heyerorum* Vanzolini, 1978
199. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
200. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
201. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)
202. *Phyllopezus periosus* Rodrigues, 1986
203. *Phyllopezus pollicaris* (Spix, 1825)
204. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
205. *Pseudogonatodes guianensis* Parker, 1935
206. *Thecadactylus rapicauda* (Houttuyn, 1782)

Family Anguidae (5 species)

207. *Diploglossus fasciatus* (Gray, 1831)
208. *Diploglossus lessonae* Peracca, 1890
209. *Ophiodes striatus* (Spix, 1824)
210. *Ophiodes vertebralis* Bocourt, 1881
211. *Ophiodes yacupoi* Gallardo, 1966

Family Teiidae (31 species)

212. *Ameiva ameiva* (Linnaeus, 1758)
213. *Cnemidophorus abaetensis* Dias, Rocha & Vrcibradic, 2002
214. *Cnemidophorus cryptus* Cole & Dessauer, 1993
215. *Cnemidophorus lacertoides* Duméril & Bibron, 1839
216. *Cnemidophorus lemniscatus* (Linnaeus, 1758)
217. *Cnemidophorus littoralis* Rocha, Araújo, Vrcibradic & Costa, 2000
218. *Cnemidophorus mumbuca* Colli *et al.*, 2003
219. *Cnemidophorus nativo* Rocha, Bergallo & Peccinini-Seale, 1997
220. *Cnemidophorus ocellifer* (Spix, 1825)
221. *Cnemidophorus parecis* Colli *et al.*, 2003
222. *Cnemidophorus vacariensis* Feltrim & Lema, 2000
223. *Crocodylus amazonicus* Spix, 1825
224. *Dracaena guianensis* Daudin, 1802
225. *Dracaena paraguayensis* Amaral, 1950
226. *Kentropyx altamazonica* (Cope, 1876)
227. *Kentropyx calcarata* Spix, 1825
228. *Kentropyx intermedia* (Gray, 1831)
229. *Kentropyx paulensis* Boettger, 1893
230. *Kentropyx pelviceps* Cope, 1868
231. *Kentropyx striata* (Daudin, 1802)
232. *Kentropyx vanzoi* Gallagher & Dixon, 1980
233. *Kentropyx viridistriga* Boulenger, 1894
234. *Teius oculatus* (D'Orbigny & Bibron, 1837)
235. *Teius teyou* (Daudin, 1802)
236. *Tupinambis duseni* Lönnberg, 1896
237. *Tupinambis longilineus* Ávila-Pires, 1995
238. *Tupinambis meriana* (Duméril & Bibron, 1839)

239. *Tupinambis palustris* Manzani & Abe, 2002
240. *Tupinambis quadrilineatus* Manzani & Abe, 1997
241. *Tupinambis rufescens* (Günther, 1871)
242. *Tupinambis teguixin* (Linnaeus, 1758)

Family Gymnophthalmidae (74 species)

243. *Alopoglossus angulatus* (Linnaeus, 1758)
244. *Alopoglossus atriventris* Duellman, 1973
245. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
246. *Amapasaurus tetradactylus* Cunha, 1970
247. *Anotosaura collaris* Amaral, 1933
248. *Anotosaura vanzolinia* Dixon, 1974
249. *Arthrosaura kockii* (Lidth de Jeude, 1904)
250. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
251. *Arthrosaura versteegii* Lidth de Jeude, 1904
252. *Bachia bresslaui* (Amaral, 1935)
253. *Bachia cacerensis* Castrillon & Strüssmann, 1998
254. *Bachia dorbignyi* (Duméril & Bibron, 1839)
255. *Bachia flavescens* (Bonnaterre, 1789)
256. *Bachia panoplia* Thomas, 1965
257. *Bachia peruana* (Werner, 1901)
258. *Bachia scolecoides* Vanzolini, 1961
259. *Bachia trisanale* (Cope, 1868)
260. *Calyptommatus confusionibus* Rodrigues, Zaher & Curcio, 2001
261. *Calyptommatus leiolepis* Rodrigues, 1991
262. *Calyptommatus nicterus* Rodrigues, 1991
263. *Calyptommatus sinebrachiatus* Rodrigues, 1991
264. *Cercosaura argulus* Peters, 1863
265. *Cercosaura eigenmanni* (Griffin, 1917)
266. *Cercosaura ocellata* Wagler, 1830
267. *Cercosaura oshaughnessyi* (Boulenger, 1885)
268. *Cercosaura quadrilineatus* (Boettger, 1876)
269. *Cercosaura schreibersii* Wiegmann, 1834
270. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
271. *Colobodactylus taunayi* (Amaral, 1933)
272. *Colobosaura mentalis* Amaral, 1933
273. *Colobosaura modesta* (Reinhardt & Luetken, 1862)
274. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
275. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991
276. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites Jr., 2005
277. *Ecpleopus gaudichaudii* Duméril & Bibron, 1839
278. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991
279. *Gymnophthalmus underwoodi* Grant, 1958
280. *Gymnophthalmus vanzoi* Carvalho, 1999
281. *Heterodactylus imbricatus* Spix, 1825
282. *Heterodactylus lundii* Reinhardt & Luetken, 1862
283. *Iphisa elegans* Gray, 1851
284. *Leposoma annectans* Ruibal, 1952
285. *Leposoma baturitensis* Rodrigues & Borges, 1997
286. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005

287. *Leposoma guianense* Ruibal, 1952
288. *Leposoma nanodactylus* Rodrigues, 1997
289. *Leposoma osvaldoi* Ávila-Pires, 1995
290. *Leposoma parietale* (Cope, 1885)
291. *Leposoma percarinatum* (Müller, 1923)
292. *Leposoma puk* Rodrigues, 2002
293. *Leposoma scincoides* Spix, 1825
294. *Leposoma snethlageae* Ávila-Pires, 1995
295. *Micrablepharus atticolus* Rodrigues, 1996
296. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
297. *Neusticurus bicarinatus* (Linnaeus, 1758)
298. *Neusticurus ecleopus* Cope, 1875
299. *Neusticurus juruazensis* Ávila-Pires & Vitt, 1998
300. *Neusticurus ocellatus* Sinitsin, 1930
301. *Neusticurus racenisi* Roze, 1958
302. *Neusticurus rudis* Boulenger, 1900
303. *Neusticurus tatei* Burt & Burt, 1931
304. *Nothobachia ablephara* Rodrigues, 1984
305. *Placosoma cipoense* Cunha, 1966
306. *Placosoma cordylinum* Tschudi, 1847
307. *Placosoma glabellum* (Peters, 1870)
308. *Procellosaurinus erythrocerus* Rodrigues, 1991
309. *Procellosaurinus tetradactylus* Rodrigues, 1991
310. *Psilophthalmus paeminosus* Rodrigues, 1991
311. *Ptychoglossus brevifrontalis* Boulenger, 1912
312. *Rachysaurus brachylepis* (Dixon, 1974)
313. *Stenolepis ridleyi* Boulenger, 1887
314. *Tretioscincus agilis* (Ruthven, 1916)
315. *Tretioscincus oriximinensis* Ávila-Pires, 1995
316. *Vanzosaura rubricauda* (Boulenger, 1902)

Family Scincidae (14 species)

317. *Mabuya agilis* (Raddi, 1823)
318. *Mabuya agmosticha* Rodrigues, 2000
319. *Mabuya arajara* Rebouças-Spieker, 1981
320. *Mabuya bistriata* (Spix, 1825)
321. *Mabuya caissara* Rebouças-Spieker, 1974
322. *Mabuya carvalhoi* Rebouças-Spieker & Vanzolini, 1990
323. *Mabuya dorsivittata* Cope, 1862
324. *Mabuya frenata* (Cope, 1862)
325. *Mabuya guaporicola* Dunn, 1936
326. *Mabuya heathi* Schmidt & Inger, 1951
327. *Mabuya macrorhyncha* Hoge, 1947
328. *Mabuya nigropalmata* Andersson, 1918
329. *Mabuya nigropunctata* (Spix, 1825)
330. *Trachylepis atlantica* (Schmidt, 1945)

SQUAMATA - SNAKES (344 species)

Family Anomalepididae (6 species)

- 331. *Liotyphlops beui* (Amaral, 1924)
- 332. *Liotyphlops ternetzii* (Boulenger, 1896)
- 333. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
- 334. *Liotyphlops schubarti* Vanzolini, 1948
- 335. *Liotyphlops wilderi* (Garman, 1883)
- 336. *Typhlophis squamosus* (Schlegel, 1839)

Family Leptotyphlopidae (14 species)

- 337. *Leptotyphlops albifrons* (Wagler, 1824)
- 338. *Leptotyphlops australis* Freiberg & Orejas-Miranda, 1968
- 339. *Leptotyphlops borapeliotes* Vanzolini, 1996
- 340. *Leptotyphlops brasiliensis* Laurent, 1949
- 341. *Leptotyphlops cupinensis* Bailey & Carvalho, 1946
- 342. *Leptotyphlops diaplocius* Orejas-Miranda, 1969
- 343. *Leptotyphlops dimidiatus* (Jan, 1861)
- 344. *Leptotyphlops fuliginosus* Passos, Caramaschi & Pinto, 2006
- 345. *Leptotyphlops koppesi* Amaral, 1955
- 346. *Leptotyphlops macrolepis* (Peters, 1857)
- 347. *Leptotyphlops melanotermus* (Cope, 1862)
- 348. *Leptotyphlops munoai* Orejas-Miranda, 1961
- 349. *Leptotyphlops salgueiroi* Amaral, 1955
- 350. *Leptotyphlops septemstriatus* (Schneider, 1801)

Family Typhlopidae (6 species)

- 351. *Typhlops amoipira* Rodrigues & Juncá, 2002
- 352. *Typhlops brongersmianus* Vanzolini, 1976
- 353. *Typhlops minuisquamus* Dixon & Hendricks, 1979
- 354. *Typhlops paucisquamus* Dixon & Hendricks, 1979
- 355. *Typhlops reticulatus* (Linnaeus, 1758)
- 356. *Typhlops yonenagae* Rodrigues, 1991

Family Aniliidae (1 species)

- 357. *Anilius scytale* (Linnaeus, 1758)

Family Tropicophiidae (1 species)

- 358. *Tropicophis paucisquamis* (Müller, 1901)

Family Boidae (8 species)

- 359. *Boa constrictor* Linnaeus, 1758
- 360. *Corallus caninus* (Linnaeus, 1758)
- 361. *Corallus cropanii* (Hoge, 1953)
- 362. *Corallus hortulanus* (Linnaeus, 1758)
- 363. *Epicrates cenchria* (Linnaeus, 1758)
- 364. *Eunectes deschauenseei* Dunn & Conant, 1936
- 365. *Eunectes murinus* (Linnaeus, 1758)
- 366. *Eunectes notaeus* Cope, 1862

Family Colubridae (258 species)

- 367. *Apostolepis albicolaris* Lema, 2002
- 368. *Apostolepis ambinigra* (Peters, 1869)

369. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
370. *Apostolepis arenaria* Rodrigues, 1992
371. *Apostolepis assimilis* (Reinhardt, 1861)
372. *Apostolepis cearensis* Gomes, 1915
373. *Apostolepis cerradoensis* Lema, 2003
374. *Apostolepis christineae* Lema, 2002
375. *Apostolepis dimidiata* (Jan, 1862)
376. *Apostolepis dorbignyi* (Schlegel, 1837)
377. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
378. *Apostolepis freitasi* Lema, 2004
379. *Apostolepis gaboi* Rodrigues, 1992
380. *Apostolepis goiasensis* Prado, 1942
381. *Apostolepis intermedia* Koslowsky, 1898
382. *Apostolepis lineata* Cope, 1887
383. *Apostolepis longicaudata* Amaral, 1921
384. *Apostolepis niceforoi* Amaral, 1935
385. *Apostolepis nigroterminata* Boulenger, 1896
386. *Apostolepis polylepis* Amaral, 1921
387. *Apostolepis pymi* Boulenger, 1903
388. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
389. *Apostolepis rondoni* Amaral, 1925
390. *Apostolepis sanctaeritae* Werner, 1924
391. *Apostolepis striata* Lema, 2004
392. *Apostolepis vittata* (Cope, 1887)
393. *Atractus albuquerquei* Cunha & Nascimento, 1983
394. *Atractus alphonsehogei* Cunha & Nascimento, 1983
395. *Atractus badius* (Boie, 1827)
396. *Atractus caxiuana* Prudente & Santos-Costa, 2006
397. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
398. *Atractus elaps* (Günther, 1858)
399. *Atractus emersoni* Silva, 2004
400. *Atractus flammigerus* (Boie, 1827)
401. *Atractus guentheri* (Wucherer, 1861)
402. *Atractus insipidus* Roze, 1961
403. *Atractus latifrons* (Günther, 1868)
404. *Atractus maculatus* Günther, 1858
405. *Atractus major* Boulenger, 1894
406. *Atractus natans* Hoogmoed & Prudente, 2003
407. *Atractus pantostictus* Fernandes & Puerto, 1993
408. *Atractus poeppigi* (Jan, 1862)
409. *Atractus potschi* Fernandes, 1995
410. *Atractus reticulatus* (Boulenger, 1885)
411. *Atractus schach* (Boie, 1827)
412. *Atractus serranus* Amaral, 1930
413. *Atractus sneathlageae* Cunha & Nascimento, 1983
414. *Atractus taeniatus* Griffin, 1916
415. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
416. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
417. *Atractus trihedrurus* Amaral, 1926
418. *Atractus trilineatus* Wagler, 1828

419. *Atractus zebrinus* (Jan, 1862)
420. *Atractus zidoki* Gasc & Rodrigues, 1979
421. *Boiruna maculata* (Boulenger, 1896)
422. *Boiruna sertaneja* Zaher, 1996
423. *Calamodontophis paucidens* (Amaral, 1935)
424. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
425. *Cercophis auratus* (Schlegel, 1837)
426. *Chironius bicarinatus* (Wied, 1820)
427. *Chironius carinatus* (Linnaeus, 1758)
428. *Chironius cochranæ* Hoge & Romano, 1969
429. *Chironius exoletus* (Linnaeus, 1758)
430. *Chironius flavolineatus* (Boettger, 1885)
431. *Chironius foveatus* Bailey, 1955
432. *Chironius fuscus* (Linnaeus, 1758)
433. *Chironius laevicollis* (Wied, 1824)
434. *Chironius laurenti* Dixon, Wiest & Cei, 1993
435. *Chironius multiventris* Schmidt & Walker, 1943
436. *Chironius quadricarinatus* (Boie, 1827)
437. *Chironius scurrulus* (Wagler, 1824)
438. *Clelia bicolor* (Peracca, 1904)
439. *Clelia clelia* (Daudin, 1803)
440. *Clelia hussami* Morato, Franco & Sanches, 2003
441. *Clelia montana* Franco, Marques & Puerto, 1997
442. *Clelia plumbea* (Wied, 1820)
443. *Clelia quimi* Franco, Marques & Puerto, 1997
444. *Clelia rustica* (Cope, 1878)
445. *Dendrophidion dendrophis* (Schlegel, 1837)
446. *Dipsas albifrons* (Sauvage, 1884)
447. *Dipsas alternans* (Fischer, 1885)
448. *Dipsas catesbyi* (Sentzen, 1796)
449. *Dipsas incerta* (Jan, 1863)
450. *Dipsas indica* Laurenti, 1768
451. *Dipsas neivai* (Amaral, 1926)
452. *Dipsas pavonina* Schlegel, 1837
453. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
454. *Ditaxodon taeniatus* (Hensel, 1868)
455. *Drepanoides anomalus* (Jan, 1863)
456. *Drymarchon corais* (Boie, 1827)
457. *Drymobius rhombifer* (Günther, 1860)
458. *Drymoluber brazili* (Gomes, 1918)
459. *Drymoluber dichrous* (Peters, 1863)
460. *Echianthera affinis* (Günther, 1858)
461. *Echianthera amoena* (Jan, 1863)
462. *Echianthera bilineata* (Fischer, 1885)
463. *Echianthera brevirostris* (Peters, 1863)
464. *Echianthera cephalomaculata* Di-Bernardo, 1994
465. *Echianthera cephalostriata* Di-Bernardo, 1996
466. *Echianthera cyanopleura* (Cope, 1885)
467. *Echianthera melanostigma* (Wagler, 1824)
468. *Echianthera occipitalis* (Jan, 1863)

469. *Echinanthera persimilis* (Cope, 1869)
470. *Echinanthera poecilopogon* (Cope, 1863)
471. *Echinanthera undulata* (Wied, 1824)
472. *Elapomorphus lepidus* Reinhardt, 1861
473. *Elapomorphus quinquelineatus* (Raddi, 1820)
474. *Elapomorphus wuchereri* Günther, 1861
475. *Erythrolamprus aesculapii* (Linnaeus, 1766)
476. *Erythrolamprus mimus* (Cope, 1868)
477. *Gomesophis brasiliensis* (Gomes, 1918)
478. *Helicops angulatus* (Linnaeus, 1758)
479. *Helicops carinicaudus* (Wied, 1825)
480. *Helicops gomesi* Amaral, 1921
481. *Helicops hagmanni* Roux, 1910
482. *Helicops infrataeniatus* (Jan, 1865)
483. *Helicops leopardinus* (Schlegel, 1837)
484. *Helicops modestus* Günther, 1861
485. *Helicops polylepis* Günther, 1861
486. *Helicops tapajonicus* Frota, 2005
487. *Helicops trivittatus* (Gray, 1849)
488. *Hydrodynastes bicinctus* (Herrmann, 1804)
489. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
490. *Hydrops martii* (Wagler, 1824)
491. *Hydrops triangularis* (Wagler, 1824)
492. *Imantodes cenchoa* (Linnaeus, 1758)
493. *Imantodes lentiferus* (Cope, 1894)
494. *Leptodeira annulata* (Linnaeus, 1758)
495. *Leptophis ahaetulla* (Linnaeus, 1758)
496. *Lioheterophis iheringi* Amaral, 1935
497. *Liophis almadensis* (Wagler, 1824)
498. *Liophis amarali* Wettstein, 1930
499. *Liophis anomalus* (Günther, 1858)
500. *Liophis atraventer* Dixon & Thomas, 1985
501. *Liophis breviceps* Cope, 1861
502. *Liophis carajasensis* Cunha, Nascimento & Ávila-Pires, 1985
503. *Liophis cobella* (Linnaeus, 1758)
504. *Liophis dilepis* (Cope, 1862)
505. *Liophis festae* (Peracca, 1897)
506. *Liophis flavifrenatus* (Cope, 1862)
507. *Liophis frenatus* (Werner, 1909)
508. *Liophis jaegeri* (Günther, 1858)
509. *Liophis lineatus* (Linnaeus, 1758)
510. *Liophis maryellenae* Dixon, 1985
511. *Liophis meridionalis* (Schenkel, 1901)
512. *Liophis miliaris* (Linnaeus, 1758)
513. *Liophis mossoroensis* Hoge & Lima-Verde, 1972
514. *Liophis paucidens* (Hoge, 1953)
515. *Liophis poecilogyrus* (Wied, 1824)
516. *Liophis reginae* (Linnaeus, 1758)
517. *Liophis semiaureus* (Cope, 1862)
518. *Liophis taeniogaster* Jan, 1863

519. *Liophis typhlus* (Linnaeus, 1758)
520. *Liophis viridis* Günther, 1862
521. *Lystrophis dorbignyi* (Duméril, Bibron & Duméril, 1854)
522. *Lystrophis histricus* (Jan, 1863)
523. *Lystrophis matogrossensis* Scrocchi & Cruz, 1993
524. *Lystrophis nattereri* (Steindachner, 1867)
525. *Masticophis mentovarius* (Duméril, Bibron & Duméril, 1854)
526. *Mastigodryas bifossatus* (Raddi, 1820)
527. *Mastigodryas boddaerti* (Sentzen, 1796)
528. *Ninia hudsoni* Parker, 1940
529. *Oxybelis aeneus* (Wagler, 1824)
530. *Oxybelis fulgidus* (Daudin, 1803)
531. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
532. *Oxyrhopus formosus* (Wied, 1820)
533. *Oxyrhopus guibei* Hoge & Romano, 1977
534. *Oxyrhopus melanogenys* (Tschudi, 1845)
535. *Oxyrhopus petola* (Linnaeus, 1758)
536. *Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854
537. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
538. *Phalotris concolor* Ferrarezzi, 1993
539. *Phalotris labiomaculatus* Lema, 2002
540. *Phalotris lativittatus* Ferrarezzi, 1993
541. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
542. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
543. *Phalotris mertensi* (Hoge, 1955)
544. *Phalotris multipunctatus* Puerto & Ferrarezzi, 1993
545. *Phalotris nasutus* (Gomes, 1915)
546. *Phalotris reticulatus* (Peters, 1860)
547. *Phalotris tricolor* Cope, 1861
548. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
549. *Philodryas arnaldoi* (Amaral, 1932)
550. *Philodryas livida* (Amaral, 1923)
551. *Philodryas mattogrossensis* Koslowsky, 1898
552. *Philodryas nattereri* Steindachner, 1870
553. *Philodryas olfersii* (Lichtenstein, 1823)
554. *Philodryas oligolepis* Gomes, 1921
555. *Philodryas patagoniensis* (Girard, 1857)
556. *Philodryas psammophidea* Günther, 1872
557. *Philodryas viridissima* (Linnaeus, 1758)
558. *Phimophis chui* Rodrigues, 1993
559. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
560. *Phimophis guianensis* (Troschel, 1848)
561. *Phimophis iglesiasi* (Gomes, 1915)
562. *Phimophis scriptorcibatus* Rodrigues, 1993
563. *Pliocercus euryzona* Cope, 1862
564. *Pseudablabe agassizii* (Jan, 1863)
565. *Pseudoboa coronata* Schneider, 1801
566. *Pseudoboa haasi* (Boettger, 1905)
567. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
568. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)

569. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
570. *Pseudoeryx plicatilis* (Linnaeus, 1758)
571. *Pseustes cinnamomeus* (Wagler, 1824)
572. *Pseustes poecilonotus* (Günther, 1858)
573. *Pseustes sexcarinatus* (Wagler, 1824)
574. *Pseustes sulphureus* (Wagler, 1824)
575. *Psomophis genimaculatus* (Boettger, 1885)
576. *Psomophis joberti* (Sauvage, 1884)
577. *Psomophis obtusus* (Cope, 1864)
578. *Ptychophis flavovirgatus* Gomes, 1915
579. *Rhachidelus brazili* Boulenger, 1908
580. *Rhinobothryum lentiginosum* (Scopoli, 1785)
581. *Sibon nebulata* (Linnaeus, 1758)
582. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
583. *Sibynomorphus mikanii* (Schlegel, 1837)
584. *Sibynomorphus neuwiedi* (Ihering, 1911)
585. *Sibynomorphus turgidus* (Cope, 1868)
586. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)
587. *Simophis rhinostoma* (Schlegel, 1837)
588. *Siphlophis cervinus* (Laurenti, 1768)
589. *Siphlophis compressus* (Daudin, 1803)
590. *Siphlophis leucocephalus* (Günther, 1863)
591. *Siphlophis longicaudatus* (Andersson, 1907)
592. *Siphlophis pulcher* (Raddi, 1820)
593. *Siphlophis worontzowi* (Prado, 1940)
594. *Sordellina punctata* (Peters, 1880)
595. *Spilotes pullatus* (Linnaeus, 1758)
596. *Taeniophallus nicagus* (Cope, 1895)
597. *Tantilla boipiranga* Sawaya & Sazima, 2003
598. *Tantilla marcovani* Lema, 2004
599. *Tantilla melanocephala* (Linnaeus, 1758)
600. *Thamnodynastes almae* Franco & Ferreira, 2003
601. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993
602. *Thamnodynastes hypoconia* (Cope, 1860)
603. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
604. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
605. *Thamnodynastes pallidus* (Linnaeus, 1758)
606. *Thamnodynastes rutilus* (Prado, 1942)
607. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
608. *Thamnodynastes strigatus* (Günther, 1858)
609. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
610. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854
611. *Tropidodryas serra* (Schlegel, 1837)
612. *Tropidodryas striaticeps* (Cope, 1869)
613. *Umbrivaga pygmaea* (Cope, 1868)
614. *Uromacerina ricardinii* (Peracca, 1897)
615. *Urotheca euryzona* Cope, 1862
616. *Waglerophis merremii* (Wagler, 1824)
617. *Xenodon guentheri* Boulenger, 1894
618. *Xenodon neuwiedii* Günther, 1863

- 619. *Xenodon rhabdocephalus* (Wied, 1824)
- 620. *Xenodon severus* (Linnaeus, 1758)
- 621. *Xenopholis scalaris* (Wucherer, 1861)
- 622. *Xenopholis undulatus* (Jensen, 1900)
- 623. *Xenoxybelis argenteus* (Daudin, 1803)
- 624. *Xenoxybelis boulengeri* (Procter, 1923)

Family Elapidae (23 species)

- 625. *Leptomicrurus collaris* (Schlegel, 1837)
- 626. *Leptomicrurus narduccii* (Jan, 1863)
- 627. *Leptomicrurus scutiventris* (Cope, 1870)
- 628. *Micrurus altirostris* (Cope, 1860)
- 629. *Micrurus annelatus* (Peters, 1871)
- 630. *Micrurus averyi* Schmidt, 1939
- 631. *Micrurus brasiliensis* Roze, 1967
- 632. *Micrurus corallinus* (Merrem, 1820)
- 633. *Micrurus decoratus* (Jan, 1858)
- 634. *Micrurus filiformis* (Günther, 1859)
- 635. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
- 636. *Micrurus hemprichii* (Jan, 1858)
- 637. *Micrurus ibiboboca* (Merrem, 1820)
- 638. *Micrurus langsdorffii* Wagler, 1824
- 639. *Micrurus lemniscatus* (Linnaeus, 1758)
- 640. *Micrurus nattereri* Schmidt, 1952
- 641. *Micrurus pacaraimae* Carvalho, 2002
- 642. *Micrurus paraensis* Cunha & Nascimento, 1973
- 643. *Micrurus psyches* (Daudin, 1803)
- 644. *Micrurus pyrrhocryptus* (Cope, 1862)
- 645. *Micrurus spixii* Wagler, 1824
- 646. *Micrurus surinamensis* (Cuvier, 1817)
- 647. *Micrurus tricolor* Hoge, 1956

Family Viperidae (27 species)

- 648. *Bothriopsis bilineata* (Wied, 1825)
- 649. *Bothriopsis taeniata* (Wagler, 1824)
- 650. *Bothrocophias hyoprora* (Amaral, 1935)
- 651. *Bothrops alcatraz* Marques, Martins & Sazima, 2002
- 652. *Bothrops alternatus* Duméril, Bibron & Duméril, 1854
- 653. *Bothrops atrox* (Linnaeus, 1758)
- 654. *Bothrops brazili* Hoge, 1954
- 655. *Bothrops cotiara* (Gomes, 1913)
- 656. *Bothrops diporus* Cope, 1862
- 657. *Bothrops erythromelas* Amaral, 1923
- 658. *Bothrops fonsecai* Hoge & Belluomini, 1959
- 659. *Bothrops insularis* (Amaral, 1921)
- 660. *Bothrops itapetiningae* (Boulenger, 1907)
- 661. *Bothrops jararaca* (Wied, 1824)
- 662. *Bothrops jararacussu* Lacerda, 1884
- 663. *Bothrops leucurus* Wagler, 1824
- 664. *Bothrops lutzi* (Miranda-Ribeiro, 1915)

- 665. *Bothrops marajoensis* Hoge, 1966
- 666. *Bothrops mattogrossensis* Amaral, 1925
- 667. *Bothrops moojeni* Hoge, 1966
- 668. *Bothrops muriciensis* Ferrarezzi & Freire, 2001
- 669. *Bothrops neuwiedi* Wagler, 1824
- 670. *Bothrops pauloensis* Amaral, 1925
- 671. *Bothrops pirajai* Amaral, 1923
- 672. *Bothrops pubescens* (Cope, 1870)
- 673. *Crotalus durissus* Linnaeus, 1758
- 674. *Lachesis muta* (Linnaeus, 1766)