

## **BRAZILIAN REPTILES – LIST OF SPECIES**

Organized by

**Renato Silveira Bérnils**, renatobernils@terra.com.br

### **COLLABORATORS**

The present List would be cited as:

SBH. 2008. *Brazilian reptiles – List of species*. Accessible at <http://www.sbherpetologia.org.br/>. Sociedade Brasileira de Herpetologia. Captured on date of your online consult.

---

**TOTAL NUMBER OF SPECIES = 693**

---

### **TESTUDINES (36 species)**

#### **Family Cheloniidae (4 species)**

01. *Caretta caretta* (Linnaeus, 1758)
02. *Chelonia mydas* (Linnaeus, 1758)
03. *Eretmochelys imbricata* (Linnaeus, 1766)
04. *Lepidochelys olivacea* (Eschscholtz, 1829)

#### **Family Dermochelyidae (1 species)**

05. *Dermochelys coriacea* (Linnaeus, 1766)

#### **Family Emydidae (2 species)**

06. *Trachemys adiutrix* Vanzolini, 1995
07. *Trachemys dorbigni* (Duméril & Bibron, 1835)

#### **Family Geoemydidae (1 species)**

08. *Rhinoclemmys punctularia* (Daudin, 1801)

#### **Family Kinosternidae (1 species)**

09. *Kinosternon scorpioides* (Linnaeus, 1766)

#### **Family Testudinidae (2 species)**

10. *Chelonoidis carbonaria* (Spix, 1824)
11. *Chelonoidis denticulata* (Linnaeus, 1766)

#### **Family Podocnemididae (5 species)**

12. *Peltocephalus dumeriliana* (Schweigger, 1812)
13. *Podocnemis erythrocephala* (Spix, 1824)
14. *Podocnemis expansa* (Schweigger, 1812)
15. *Podocnemis sextuberculata* Cornalia, 1849
16. *Podocnemis unifilis* Troschel, 1848

#### **Family Chelidae (20 species)**

17. *Acanthochelys macrocephala* Rhodin, Mittermeier & McMorris, 1984
18. *Acanthochelys radiolata* (Mikan, 1820)
19. *Acanthochelys spixii* (Duméril & Bibron, 1835)
20. *Chelus fimbriatus* (Schneider, 1783)
21. *Hydromedusa maximiliani* (Mikan, 1820)
22. *Hydromedusa tectifera* Cope, 1869
23. *Mesoclemmys gibba* (Schweigger, 1812)
24. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2000)
25. *Mesoclemmys hoguei* (Mertens, 1967)
26. *Mesoclemmys nasuta* (Schweigger, 1812)
27. *Mesoclemmys perplexa* Bour & Zaher, 2005
28. *Mesoclemmys raniceps* (Gray, 1855)
29. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
30. *Mesoclemmys vanderhaegei* (Bour, 1973)
31. *Phrynops geoffroanus* (Schweigger, 1812)
32. *Phrynops hilarii* (Duméril & Bibron, 1835)
33. *Phrynops tuberosus* (Peters, 1870)
34. *Phrynops williamsi* Rhodin & Mittermeier, 1983
35. *Platemys platycephala* (Schneider, 1792)
36. *Rhinemys rufipes* (Spix, 1824)

## **CROCODYLIA (6 species)**

### **Family Alligatoridae (6 species)**

37. *Caiman crocodilus* (Linnaeus, 1758)
38. *Caiman latirostris* (Daudin, 1802)
39. *Caiman yacare* (Daudin, 1802)
40. *Melanosuchus niger* (Spix, 1825)
41. *Paleosuchus palpebrosus* (Cuvier, 1807)
42. *Paleosuchus trigonatus* (Schneider, 1801)

## **SQUAMATA - AMPHISBAENIANS (62 species)**

### **Family Amphisbaenidae (62 species)**

43. *Amphisbaena alba* Linnaeus, 1758
44. *Amphisbaena albocingulata* Boettger, 1885
45. *Amphisbaena amazonica* Vanzolini, 1951
46. *Amphisbaena anaemariae* Vanzolini, 1997
47. *Amphisbaena arda* Rodrigues, 2003
48. *Amphisbaena arenaria* Vanzolini, 1991
49. *Amphisbaena bolivica* Mertens, 1929
50. *Amphisbaena camura* Cope, 1862
51. *Amphisbaena carvalhoi* Gans, 1965
52. *Amphisbaena crisae* Vanzolini, 1997
53. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
54. *Amphisbaena dubia* L. Müller, 1924
55. *Amphisbaena frontalis* Vanzolini, 1991
56. *Amphisbaena fuliginosa* Linnaeus, 1758
57. *Amphisbaena hastata* Vanzolini, 1991
58. *Amphisbaena heathi* Schmidt, 1936

59. *Amphisbaena hogei* Vanzolini, 1950
60. *Amphisbaena hugoi* Vanzolini, 1989
61. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
62. *Amphisbaena ignatiana* Vanzolini, 1991
63. *Amphisbaena leeseri* Gans, 1964
64. *Amphisbaena leucocephala* Peters, 1878
65. *Amphisbaena lumbricalis* Vanzolini, 1996
66. *Amphisbaena mensae* Castro-Mello, 2000
67. *Amphisbaena mertensii* Strauch, 1881
68. *Amphisbaena miringoera* Vanzolini, 1971
69. *Amphisbaena mitchelli* Procter, 1923
70. *Amphisbaena munoai* Klappenbach, 1966
71. *Amphisbaena neglecta* Dunn & Piatt, 1936
72. *Amphisbaena nigricauda* Gans, 1966
73. *Amphisbaena pretrei* Duméril & Bibron, 1839
74. *Amphisbaena prunicolor* (Cope, 1885)
75. *Amphisbaena ridley* Boulenger, 1890
76. *Amphisbaena sanctaeritae* Vanzolini, 1994
77. *Amphisbaena silvestrii* Boulenger, 1902
78. *Amphisbaena slevini* Schmidt, 1938
79. *Amphisbaena talisiae* Vanzolini, 1995
80. *Amphisbaena trachura* Cope, 1885
81. *Amphisbaena tragorrhectes* Vanzolini, 1971
82. *Amphisbaena uroxena* Mott, Rodrigues, Freitas & Silva, 2008
83. *Amphisbaena vanzolinii* Gans, 1963
84. *Amphisbaena vermicularis* Wagler, 1824
85. *Amphisbaena wiedi* Vanzolini, 1951
86. *Anops bilabialatus* Stimson, 1972
87. *Anops kingii* Bell, 1833
88. *Aulura anomala* Barbour, 1914
89. *Bronia bedai* Vanzolini, 1991
90. *Bronia brasiliiana* Gray, 1865
91. *Bronia kraoh* Vanzolini, 1971
92. *Bronia saxosa* Castro-Mello, 2003
93. *Cercolophia absaberi* Strüssmann & Carvalho, 2001
94. *Cercolophia bahiana* (Vanzolini, 1964)
95. *Cercolophia cuiabana* Strüssmann & Carvalho, 2001
96. *Cercolophia roberti* (Gans, 1964)
97. *Cercolophia steindachneri* (Strauch, 1881)
98. *Leposternon infraorbitale* (Bertold, 1859)
99. *Leposternon kisteumacheri* Porto, Soares & Caramaschi, 2000
100. *Leposternon microcephalum* Wagler, 1824
101. *Leposternon octostegum* (Duméril, 1851)
102. *Leposternon polystegum* (Duméril, 1851)
103. *Leposternon scutigerum* (Hemprich, 1829)
104. *Leposternon wuchereri* (Peters, 1879)

## **SQUAMATA - LIZARDS (232 species)**

### **Family Iguanidae (1 species)**

105. *Iguana iguana* (Linnaeus, 1758)

**Family Hoplocercidae (3 species)**

106. *Enyalioides laticeps* (Guichenot, 1855)  
107. *Enyalioides palpebralis* (Boulenger, 1883)  
108. *Hoplocercus spinosus* Fitzinger, 1843

**Family Polychrotidae (17 species)**

109. *Anolis auratus* Daudin, 1802  
110. *Anolis bombiceps* Cope, 1876  
111. *Anolis fuscoauratus* D'Orbigny, 1837  
112. *Anolis meridionalis* Boettger, 1885  
113. *Anolis nasofrontalis* Amaral, 1933  
114. *Anolis nitens* (Wagler, 1830)  
115. *Anolis ortonii* Cope, 1868  
116. *Anolis philopunctatus* Rodrigues, 1988  
117. *Anolis phyllorhinus* Myers & Carvalho, 1945  
118. *Anolis pseudotigrinus* Amaral, 1933  
119. *Anolis punctatus* Daudin, 1802  
120. *Anolis trachyderma* Cope, 1876  
121. *Anolis transversalis* Duméril, 1851  
122. *Anolis williamsii* Bocourt, 1870  
123. *Polychrus acutirostris* Spix, 1825  
124. *Polychrus liogaster* Boulenger, 1908  
125. *Polychrus marmoratus* (Linnaeus, 1758)

**Family Leiosauridae (14 species)**

126. *Anisolepis grilli* Boulenger, 1891  
127. *Anisolepis longicauda* (Boulenger, 1891)  
128. *Anisolepis undulatus* (Wiegmann, 1834)  
129. *Enyalius bibronii* Boulenger, 1885  
130. *Enyalius bilineatus* Duméril & Bibron, 1837  
131. *Enyalius brasiliensis* (Lesson, 1828)  
132. *Enyalius catenatus* (Wied, 1821)  
133. *Enyalius erythrocephalus* Rodrigues, Freitas, Silva & Bertolotto, 2006  
134. *Enyalius iheringii* Boulenger, 1885  
135. *Enyalius leechii* (Boulenger, 1885)  
136. *Enyalius perditus* Jackson, 1978  
137. *Enyalius pictus* (Wied, 1825)  
138. *Leiosaurus paronae* (Peracca, 1897)  
139. *Urostrophus vautieri* Duméril & Bibron, 1837

**Family Liolaemidae (3 species)**

140. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003  
141. *Liolaemus lutzae* Mertens, 1938  
142. *Liolaemus occipitalis* Boulenger, 1885

**Family Tropiduridae (35 species)**

143. *Eurolophosaurus amathites* (Rodrigues, 1984)  
144. *Eurolophosaurus nanuzae* (Rodrigues, 1981)

145. *Eurolophosaurus divaricatus* (Rodrigues, 1984)
146. *Plica plica* (Linnaeus, 1758)
147. *Plica umbra* (Linnaeus, 1758)
148. *Stenocercus azureus* (Müller, 1882)
149. *Stenocercus caducus* (Cope, 1862)
150. *Stenocercus dumerilii* (Steindachner, 1867)
151. *Stenocercus fimbriatus* Ávila-Pires, 1995
152. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
153. *Stenocercus roseiventris* Duméril & Bibron, 1837
154. *Stenocercus sinesaccus* Torres-Carvajal, 2005
155. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
156. *Stenocercus tricristatus* (Duméril, 1851)
157. *Strobilurus torquatus* Wiegmann, 1834
158. *Tropidurus azureus* (Linnaeus, 1758)
159. *Tropidurus cocorobensis* Rodrigues, 1987
160. *Tropidurus erythrocephalus* Rodrigues, 1987
161. *Tropidurus etheridgei* Cei, 1982
162. *Tropidurus flaviceps* (Guichenot, 1855)
163. *Tropidurus guarani* (Cope, 1862)
164. *Tropidurus helenae* (Manzani & Abe, 1990)
165. *Tropidurus hispidus* (Spix, 1825)
166. *Tropidurus hygomi* Reinhardt & Luetken, 1861
167. *Tropidurus insulanus* Rodrigues, 1987
168. *Tropidurus itambere* Rodrigues, 1987
169. *Tropidurus montanus* Rodrigues, 1987
170. *Tropidurus mucujensis* Rodrigues, 1987
171. *Tropidurus oreadicus* Rodrigues, 1987
172. *Tropidurus pinima* (Rodrigues, 1984)
173. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
174. *Tropidurus semitaeniatus* (Spix, 1825)
175. *Tropidurus spinulosus* (Cope, 1862)
176. *Tropidurus torquatus* (Wied, 1820)
177. *Uranoscodon superciliosus* (Linnaeus, 1758)

#### **Family Gekkonidae (18 species)**

178. *Bogertia lutzae* Loveridge, 1941
179. *Briba brasiliiana* Amaral, 1935
180. *Gymnodactylus amarali* Barbour, 1925
181. *Gymnodactylus carvalhoi* Vanzolini, 2005
182. *Gymnodactylus darwinii* (Gray, 1845)
183. *Gymnodactylus geckoides* Spix, 1825
184. *Gymnodactylus guttulatus* Vanzolini, 1982
185. *Hemidactylus agrius* Vanzolini, 1978
186. *Hemidactylus mabouia* (Moreau de Jonnés, 1818)
187. *Hemidactylus palaichthus* Kluge, 1969
188. *Homonota fasciata* (Duméril & Bibron, 1836)
189. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
190. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
191. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)
192. *Phyllopezus periosus* Rodrigues, 1986

193. *Phyllopezus pollicaris* (Spix, 1825)
194. *Thecadactylus rapicauda* (Houttuyn, 1782)
195. *Thecadactylus solimoensis* Bergmann & Russell, 2007

**Family Sphaerodactylidae (16 species)**

196. *Coleodactylus amazonicus* (Andersson, 1918)
197. *Coleodactylus brachystoma* (Amaral, 1935)
198. *Coleodactylus meridionalis* (Boulenger, 1888)
199. *Coleodactylus natalensis* Freire, 1999
200. *Coleodactylus septentrionalis* (Vanzolini, 1980)
201. *Gonatodes annularis* Boulenger, 1887
202. *Gonatodes concinnatus* (O'Shaughnessy, 1881)
203. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
204. *Gonatodes hasemani* Griffin, 1917
205. *Gonatodes humeralis* (Guichenot, 1855)
206. *Gonatodes tapajonicus* Rodrigues, 1980
207. *Lepidoblepharis festae* Peracca, 1897
208. *Lepidoblepharis heyerorum* Vanzolini, 1978
209. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
210. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
211. *Pseudogonatodes guianensis* Parker, 1935

**Family Anguidae (5 species)**

212. *Diploglossus fasciatus* (Gray, 1831)
213. *Diploglossus lessonae* Peracca, 1890
214. *Ophiodes striatus* (Spix, 1824)
215. *Ophiodes vertebralis* Bocourt, 1881
216. *Ophiodes yacupoi* Gallardo, 1966

**Family Teiidae (31 species)**

217. *Ameiva ameiva* (Linnaeus, 1758)
218. *Cnemidophorus abaetensis* Dias, Rocha & Vrcibradic, 2002
219. *Cnemidophorus cryptus* Cole & Dessauer, 1993
220. *Cnemidophorus lacertoides* Duméril & Bibron, 1839
221. *Cnemidophorus lemniscatus* (Linnaeus, 1758)
222. *Cnemidophorus littoralis* Rocha, Araújo, Vrcibradic & Costa, 2000
223. *Cnemidophorus mumbuca* Colli *et al.*, 2003
224. *Cnemidophorus nativo* Rocha, Bergallo & Peccinini-Seale, 1997
225. *Cnemidophorus ocellifer* (Spix, 1825)
226. *Cnemidophorus parecis* Colli *et al.*, 2003
227. *Cnemidophorus vacariensis* Feltrim & Lema, 2000
228. *Crocodylus amazonicus* Spix, 1825
229. *Dracaena guianensis* Daudin, 1802
230. *Dracaena paraguayensis* Amaral, 1950
231. *Kentropyx altamazonica* (Cope, 1876)
232. *Kentropyx calcarata* Spix, 1825
233. *Kentropyx intermedia* (Gray, 1831)
234. *Kentropyx paulensis* Boettger, 1893
235. *Kentropyx pelviceps* Cope, 1868
236. *Kentropyx striata* (Daudin, 1802)

- 237. *Kentropyx vanzoi* Gallagher & Dixon, 1980
- 238. *Kentropyx viridistriga* Boulenger, 1894
- 239. *Teius oculatus* (D'Orbigny & Bibron, 1837)
- 240. *Teius teyou* (Daudin, 1802)
- 241. *Tupinambis duseni* Lönnberg, 1896
- 242. *Tupinambis longilineus* Ávila-Pires, 1995
- 243. *Tupinambis meriana* (Duméril & Bibron, 1839)
- 244. *Tupinambis palustris* Manzani & Abe, 2002
- 245. *Tupinambis quadrilineatus* Manzani & Abe, 1997
- 246. *Tupinambis rufescens* (Günther, 1871)
- 247. *Tupinambis teguixin* (Linnaeus, 1758)

**Family Gymnophthalmidae (75 species)**

- 248. *Alexandresaurus camacan* Rodrigues *et al.*, 2007
- 249. *Alopoglossus angulatus* (Linnaeus, 1758)
- 250. *Alopoglossus atriventris* Duellman, 1973
- 251. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
- 252. *Amapasaurus tetradactylus* Cunha, 1970
- 253. *Anotosaura collaris* Amaral, 1933
- 254. *Anotosaura vanzolinia* Dixon, 1974
- 255. *Arthrosaura kockii* (Lidth de Jeude, 1904)
- 256. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
- 257. *Arthrosaura versteegii* Lidth de Jeude, 1904
- 258. *Bachia bresslaui* (Amaral, 1935)
- 259. *Bachia cacerensis* Castrillon & Strüssmann, 1998
- 260. *Bachia dorbignyi* (Duméril & Bibron, 1839)
- 261. *Bachia flavescens* (Bonnaterre, 1789)
- 262. *Bachia panoplia* Thomas, 1965
- 263. *Bachia peruana* (Werner, 1901)
- 264. *Bachia scolecoides* Vanzolini, 1961
- 265. *Bachia trisanale* (Cope, 1868)
- 266. *Calyptommatus confusionibus* Rodrigues, Zaher & Curcio, 2001
- 267. *Calyptommatus leiolepis* Rodrigues, 1991
- 268. *Calyptommatus nicterus* Rodrigues, 1991
- 269. *Calyptommatus sinebrachiatus* Rodrigues, 1991
- 270. *Cercosaura argulus* Peters, 1863
- 271. *Cercosaura eigenmanni* (Griffin, 1917)
- 272. *Cercosaura ocellata* Wagler, 1830
- 273. *Cercosaura oshaughnessyi* (Boulenger, 1885)
- 274. *Cercosaura quadrilineatus* (Boettger, 1876)
- 275. *Cercosaura schreibersii* Wiegmann, 1834
- 276. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
- 277. *Colobodactylus taunayi* (Amaral, 1933)
- 278. *Colobosaura mentalis* Amaral, 1933
- 279. *Colobosaura modesta* (Reinhardt & Luetken, 1862)
- 280. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
- 281. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991
- 282. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites Jr., 2005
- 283. *Ecpleopus gaudichaudii* Duméril & Bibron, 1839
- 284. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991

285. *Gymnophthalmus underwoodi* Grant, 1958
286. *Gymnophthalmus vanzoi* Carvalho, 1999
287. *Heterodactylus imbricatus* Spix, 1825
288. *Heterodactylus lundii* Reinhardt & Luetken, 1862
289. *Iphisa elegans* Gray, 1851
290. *Leposoma annectans* Ruibal, 1952
291. *Leposoma baturitensis* Rodrigues & Borges, 1997
292. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005
293. *Leposoma guianense* Ruibal, 1952
294. *Leposoma nanodactylus* Rodrigues, 1997
295. *Leposoma osvaldoi* Ávila-Pires, 1995
296. *Leposoma parietale* (Cope, 1885)
297. *Leposoma percarinatum* (Müller, 1923)
298. *Leposoma puk* Rodrigues, 2002
299. *Leposoma scincoides* Spix, 1825
300. *Leposoma snethlageae* Ávila-Pires, 1995
301. *Micrablepharus atticolus* Rodrigues, 1996
302. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
303. *Neusticurus bicarinatus* (Linnaeus, 1758)
304. *Neusticurus epleopus* Cope, 1875
305. *Neusticurus juruazensis* Ávila-Pires & Vitt, 1998
306. *Neusticurus ocellatus* Sinitsin, 1930
307. *Neusticurus racenisi* Roze, 1958
308. *Neusticurus rudis* Boulenger, 1900
309. *Neusticurus tatei* Burt & Burt, 1931
310. *Nothobachia ablephara* Rodrigues, 1984
311. *Placosoma cipoense* Cunha, 1966
312. *Placosoma cordylinum* Tschudi, 1847
313. *Placosoma glabellum* (Peters, 1870)
314. *Procellosaurinus erythrocerus* Rodrigues, 1991
315. *Procellosaurinus tetradactylus* Rodrigues, 1991
316. *Psilophthalmus paeminosus* Rodrigues, 1991
317. *Ptychoglossus brevifrontalis* Boulenger, 1912
318. *Rachysaurus brachylepis* (Dixon, 1974)
319. *Stenolepis ridleyi* Boulenger, 1887
320. *Tretioscincus agilis* (Ruthven, 1916)
321. *Tretioscincus oriximinensis* Ávila-Pires, 1995
322. *Vanzosaura rubricauda* (Boulenger, 1902)

**Family Scincidae (14 species)**

323. *Mabuya agilis* (Raddi, 1823)
324. *Mabuya agmosticha* Rodrigues, 2000
325. *Mabuya arajara* Rebouças-Spieker, 1981
326. *Mabuya bistriata* (Spix, 1825)
327. *Mabuya caissara* Rebouças-Spieker, 1974
328. *Mabuya carvalhoi* Rebouças-Spieker & Vanzolini, 1990
329. *Mabuya dorsivittata* Cope, 1862
330. *Mabuya frenata* (Cope, 1862)
331. *Mabuya guaporicola* Dunn, 1936
332. *Mabuya heathi* Schmidt & Inger, 1951



- 333. *Mabuya macrorhyncha* Hoge, 1947
- 334. *Mabuya nigropalmata* Andersson, 1918
- 335. *Mabuya nigropunctata* (Spix, 1825)
- 336. *Trachylepis atlantica* (Schmidt, 1945)

## **SQUAMATA - SNAKES (357 species)**

### **Family Anomalepididae (6 species)**

- 337. *Liotyphlops beui* (Amaral, 1924)
- 338. *Liotyphlops schubarti* Vanzolini, 1948
- 339. *Liotyphlops ternetzii* (Boulenger, 1896)
- 340. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
- 341. *Liotyphlops wilderi* (Garman, 1883)
- 342. *Typhlophis squamosus* (Schlegel, 1839)

### **Family Leptotyphlopidae (14 species)**

- 343. *Leptotyphlops albifrons* (Wagler, 1824)
- 344. *Leptotyphlops australis* Freiberg & Orejas-Miranda, 1968
- 345. *Leptotyphlops borapeliotes* Vanzolini, 1996
- 346. *Leptotyphlops brasiliensis* Laurent, 1949
- 347. *Leptotyphlops cupinensis* Bailey & Carvalho, 1946
- 348. *Leptotyphlops diaplocius* Orejas-Miranda, 1969
- 349. *Leptotyphlops dimidiatus* (Jan, 1861)
- 350. *Leptotyphlops fuliginosus* Passos, Caramaschi & Pinto, 2006
- 351. *Leptotyphlops koppesi* Amaral, 1955
- 352. *Leptotyphlops macrolepis* (Peters, 1857)
- 353. *Leptotyphlops munoai* Orejas-Miranda, 1961
- 354. *Leptotyphlops salgueiroi* Amaral, 1955
- 355. *Leptotyphlops septemstriatus* (Schneider, 1801)
- 356. *Leptotyphlops tenellus* Klauber, 1939

### **Family Typhlopidae (6 species)**

- 357. *Typhlops amoipira* Rodrigues & Juncá, 2002
- 358. *Typhlops brongersmianus* Vanzolini, 1976
- 359. *Typhlops minuisquamus* Dixon & Hendricks, 1979
- 360. *Typhlops paucisquamus* Dixon & Hendricks, 1979
- 361. *Typhlops reticulatus* (Linnaeus, 1758)
- 362. *Typhlops yonenagae* Rodrigues, 1991

### **Family Aniliidae (1 species)**

- 363. *Anilius scytale* (Linnaeus, 1758)

### **Family Tropicophiidae (1 species)**

- 364. *Tropicophis paucisquamis* (Müller, 1901)

### **Family Boidae (9 species)**

- 365. *Boa constrictor* Linnaeus, 1758
- 366. *Corallus caninus* (Linnaeus, 1758)
- 367. *Corallus cropanii* (Hoge, 1953)
- 368. *Corallus hortulanus* (Linnaeus, 1758)

- 369. *Epicrates cenchria* (Linnaeus, 1758)
- 370. *Epicrates maurus* Gray, 1849
- 371. *Eunectes deschauenseei* Dunn & Conant, 1936
- 372. *Eunectes murinus* (Linnaeus, 1758)
- 373. *Eunectes notaeus* Cope, 1862

**Family Colubridae (266 species)**

- 374. *Apostolepis albicolaris* Lema, 2002
- 375. *Apostolepis ambinigra* (Peters, 1869)
- 376. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
- 377. *Apostolepis arenaria* Rodrigues, 1992
- 378. *Apostolepis assimilis* (Reinhardt, 1861)
- 379. *Apostolepis cearensis* Gomes, 1915
- 380. *Apostolepis cerradoensis* Lema, 2003
- 381. *Apostolepis christineae* Lema, 2002
- 382. *Apostolepis dimidiata* (Jan, 1862)
- 383. *Apostolepis dorbignyi* (Schlegel, 1837)
- 384. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
- 385. *Apostolepis gaboi* Rodrigues, 1992
- 386. *Apostolepis goiasensis* Prado, 1942
- 387. *Apostolepis intermedia* Koslowsky, 1898
- 388. *Apostolepis lineata* Cope, 1887
- 389. *Apostolepis longicaudata* Amaral, 1921
- 390. *Apostolepis nelsonjorgei* Lema & Renner, 2004
- 391. *Apostolepis niceforoi* Amaral, 1935
- 392. *Apostolepis nigroterminata* Boulenger, 1896
- 393. *Apostolepis polylepis* Amaral, 1921
- 394. *Apostolepis pyimi* Boulenger, 1903
- 395. *Apostolepis quinquelineata* Boulenger, 1896
- 396. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
- 397. *Apostolepis rondoni* Amaral, 1925
- 398. *Apostolepis striata* Lema, 2004
- 399. *Apostolepis tertulianoibeui* Lema, 2004
- 400. *Apostolepis vittata* (Cope, 1887)
- 401. *Atractus albuquerquei* Cunha & Nascimento, 1983
- 402. *Atractus alphonsehogeii* Cunha & Nascimento, 1983
- 403. *Atractus badius* (Boie, 1827)
- 404. *Atractus caxiuana* Prudente & Santos-Costa, 2006
- 405. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
- 406. *Atractus elaps* (Günther, 1858)
- 407. *Atractus emersoni* Silva, 2004
- 408. *Atractus flammigerus* (Boie, 1827)
- 409. *Atractus guentheri* (Wucherer, 1861)
- 410. *Atractus insipidus* Roze, 1961
- 411. *Atractus latifrons* (Günther, 1868)
- 412. *Atractus maculatus* Günther, 1858
- 413. *Atractus major* Boulenger, 1894
- 414. *Atractus natans* Hoogmoed & Prudente, 2003
- 415. *Atractus pantostictus* Fernandes & Puerto, 1993
- 416. *Atractus poeppigi* (Jan, 1862)

417. *Atractus potschi* Fernandes, 1995
418. *Atractus reticulatus* (Boulenger, 1885)
419. *Atractus ronnie* Passos, Fernandes & Borges-Nojosa, 2008
420. *Atractus schach* (Boie, 1827)
421. *Atractus serranus* Amaral, 1930
422. *Atractus snethlageae* Cunha & Nascimento, 1983
423. *Atractus taeniatus* Griffin, 1916
424. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
425. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
426. *Atractus trihedrurus* Amaral, 1926
427. *Atractus trilineatus* Wagler, 1828
428. *Atractus zebrinus* (Jan, 1862)
429. *Atractus zidoki* Gasc & Rodrigues, 1979
430. *Boiruna maculata* (Boulenger, 1896)
431. *Boiruna sertaneja* Zaher, 1996
432. *Calamodontophis paucidens* (Amaral, 1935)
433. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
434. *Cercophis auratus* (Schlegel, 1837)
435. *Chironius bicarinatus* (Wied, 1820)
436. *Chironius carinatus* (Linnaeus, 1758)
437. *Chironius cochranæ* Hoge & Romano, 1969
438. *Chironius exoletus* (Linnaeus, 1758)
439. *Chironius flavolineatus* (Boettger, 1885)
440. *Chironius foveatus* Bailey, 1955
441. *Chironius fuscus* (Linnaeus, 1758)
442. *Chironius laevicollis* (Wied, 1824)
443. *Chironius laurenti* Dixon, Wiest & Cei, 1993
444. *Chironius multiventris* Schmidt & Walker, 1943
445. *Chironius quadricarinatus* (Boie, 1827)
446. *Chironius scurrulus* (Wagler, 1824)
447. *Clelia bicolor* (Peracca, 1904)
448. *Clelia clelia* (Daudin, 1803)
449. *Clelia hussami* Morato, Franco & Sanches, 2003
450. *Clelia montana* Franco, Marques & Puerto, 1997
451. *Clelia plumbea* (Wied, 1820)
452. *Clelia quimi* Franco, Marques & Puerto, 1997
453. *Clelia rustica* (Cope, 1878)
454. *Dendrophidion dendrophis* (Schlegel, 1837)
455. *Dipsas albifrons* (Sauvage, 1884)
456. *Dipsas alternans* (Fischer, 1885)
457. *Dipsas catesbyi* (Sentzen, 1796)
458. *Dipsas incerta* (Jan, 1863)
459. *Dipsas indica* Laurenti, 1768
460. *Dipsas neivai* Amaral, 1926
461. *Dipsas pavonina* Schlegel, 1837
462. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
463. *Ditaxodon taeniatus* (Peters *in* Hensel, 1868)
464. *Drepanoides anomalus* (Jan, 1863)
465. *Drymarchon corais* (Boie, 1827)
466. *Drymobius rhombifer* (Günther, 1860)

467. *Drymoluber brazili* (Gomes, 1918)
468. *Drymoluber dichrous* (Peters, 1863)
469. *Echinanthera affinis* (Günther, 1858)
470. *Echinanthera amoena* (Jan, 1863)
471. *Echinanthera bilineata* (Fischer, 1885)
472. *Echinanthera brevirostris* (Peters, 1863)
473. *Echinanthera cephalomaculata* Di-Bernardo, 1994
474. *Echinanthera cephalostriata* Di-Bernardo, 1996
475. *Echinanthera cyanopleura* (Cope, 1885)
476. *Echinanthera melanostigma* (Wagler, 1824)
477. *Echinanthera occipitalis* (Jan, 1863)
478. *Echinanthera persimilis* (Cope, 1869)
479. *Echinanthera poecilopogon* (Cope, 1863)
480. *Echinanthera undulata* (Wied, 1824)
481. *Elapomorphus lepidus* Reinhardt, 1861
482. *Elapomorphus quinquelineatus* (Raddi, 1820)
483. *Elapomorphus wuchereri* Günther, 1861
484. *Erythrolamprus aesculapii* (Linnaeus, 1766)
485. *Erythrolamprus mimus* (Cope, 1868)
486. *Gomesophis brasiliensis* (Gomes, 1918)
487. *Helicops angulatus* (Linnaeus, 1758)
488. *Helicops carinicaudus* (Wied, 1825)
489. *Helicops gomesi* Amaral, 1921
490. *Helicops hagmanni* Roux, 1910
491. *Helicops infrataeniatus* (Jan, 1865)
492. *Helicops leopardinus* (Schlegel, 1837)
493. *Helicops modestus* Günther, 1861
494. *Helicops polylepis* Günther, 1861
495. *Helicops tapajonicus* Frota, 2005
496. *Helicops trivittatus* (Gray, 1849)
497. *Hydrodynastes bicinctus* (Herrmann, 1804)
498. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
499. *Hydrops caesurus* Scrocchi, Ferreira, Giraud, Ávila & Motte, 2005
500. *Hydrops martii* (Wagler, 1824)
501. *Hydrops triangularis* (Wagler, 1824)
502. *Imantodes cenchoa* (Linnaeus, 1758)
503. *Imantodes lentiferus* (Cope, 1894)
504. *Leptodeira annulata* (Linnaeus, 1758)
505. *Leptophis ahaetulla* (Linnaeus, 1758)
506. *Lioheterophis iheringi* Amaral, 1935
507. *Liophis almadensis* (Wagler, 1824)
508. *Liophis amarali* Wettstein, 1930
509. *Liophis anomalus* (Günther, 1858)
510. *Liophis atraventer* Dixon & Thomas, 1985
511. *Liophis breviceps* Cope, 1860
512. *Liophis carajasensis* Cunha, Nascimento & Ávila-Pires, 1985
513. *Liophis cobella* (Linnaeus, 1758)
514. *Liophis dilepis* (Cope, 1862)
515. *Liophis festae* (Peracca, 1897)
516. *Liophis flavifrenatus* (Cope, 1862)

517. *Liophis frenatus* (Werner, 1909)
518. *Liophis jaegeri* (Günther, 1858)
519. *Liophis lineatus* (Linnaeus, 1758)
520. *Liophis longiventris* Amaral, 1925
521. *Liophis maryellenae* Dixon, 1985
522. *Liophis melanauchen* (Jan, 1863)
523. *Liophis meridionalis* (Schenkel, 1901)
524. *Liophis miliaris* (Linnaeus, 1758)
525. *Liophis mossoroensis* Hoge & Lima-Verde, 1972
526. *Liophis paucidens* (Hoge, 1953)
527. *Liophis poecilogyrus* (Wied, 1825)
528. *Liophis reginae* (Linnaeus, 1758)
529. *Liophis semiaureus* (Cope, 1862)
530. *Liophis taeniogaster* Jan, 1863
531. *Liophis typhlus* (Linnaeus, 1758)
532. *Liophis viridis* Günther, 1862
533. *Lystrophis dorbignyi* (Duméril, Bibron & Duméril, 1854)
534. *Lystrophis histricus* (Jan, 1863)
535. *Lystrophis matogrossensis* Scrocchi & Cruz, 1993
536. *Lystrophis nattereri* (Steindachner, 1867)
537. *Masticophis mentovarius* (Duméril, Bibron & Duméril, 1854)
538. *Mastigodryas bifossatus* (Raddi, 1820)
539. *Mastigodryas boddaerti* (Sentzen, 1796)
540. *Mastigodryas pleei* (Duméril, Bibron & Duméril, 1854)
541. *Ninia hudsoni* Parker, 1940
542. *Oxybelis aeneus* (Wagler, 1824)
543. *Oxybelis fulgidus* (Daudin, 1803)
544. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
545. *Oxyrhopus formosus* (Wied, 1820)
546. *Oxyrhopus guibei* Hoge & Romano, 1978
547. *Oxyrhopus melanogenys* (Tschudi, 1845)
548. *Oxyrhopus occipitalis* Wagler in Spix, 1824
549. *Oxyrhopus petola* (Linnaeus, 1758)
550. *Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854
551. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
552. *Phalotris concolor* Ferrarezzi, 1994
553. *Phalotris labiomaculatus* Lema, 2002
554. *Phalotris lativittatus* Ferrarezzi, 1994
555. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
556. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
557. *Phalotris mertensi* (Hoge, 1955)
558. *Phalotris multipunctatus* Puerto & Ferrarezzi, 1994
559. *Phalotris nasutus* (Gomes, 1915)
560. *Phalotris reticulatus* (Peters, 1860)
561. *Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)
562. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
563. *Philodryas arnaldoi* (Amaral, 1932)
564. *Philodryas livida* (Amaral, 1923)
565. *Philodryas mattogrossensis* Koslowsky, 1898
566. *Philodryas nattereri* Steindachner, 1870

567. *Philodryas olfersii* (Lichtenstein, 1823)
568. *Philodryas oligolepis* Gomes in Amaral, 1921
569. *Philodryas patagoniensis* (Girard, 1858)
570. *Philodryas psammophidea* Günther, 1872
571. *Philodryas viridissima* (Linnaeus, 1758)
572. *Phimophis chui* Rodrigues, 1993
573. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
574. *Phimophis guianensis* (Troschel, 1848)
575. *Phimophis iglesiasi* (Gomes, 1915)
576. *Phimophis scriptorcibatus* Rodrigues, 1993
577. *Pliocercus euryzonus* Cope, 1862
578. *Pseudablabe agassizii* (Jan, 1863)
579. *Pseudoboa coronata* Schneider, 1801
580. *Pseudoboa haasi* (Boettger, 1905)
581. *Pseudoboa martinsi* Zaher, Oliveira & Franco, 2008
582. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
583. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)
584. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
585. *Pseudoeryx plicatilis* (Linnaeus, 1758)
586. *Pseustes cinnamomeus* (Wagler, 1824)
587. *Pseustes poecilonotus* (Günther, 1858)
588. *Pseustes sexcarinatus* (Wagler, 1824)
589. *Pseustes sulphureus* (Wagler, 1824)
590. *Psomophis genimaculatus* (Boettger, 1885)
591. *Psomophis joberti* (Sauvage, 1884)
592. *Psomophis obtusus* (Cope, 1864)
593. *Ptychophis flavovirgatus* Gomes, 1915
594. *Rhachidelus brazili* Boulenger, 1908
595. *Rhinobothryum lentiginosum* (Scopoli, 1785)
596. *Sibon nebulata* (Linnaeus, 1758)
597. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
598. *Sibynomorphus mikanii* (Schlegel, 1837)
599. *Sibynomorphus neuwiedi* (Ihering, 1911)
600. *Sibynomorphus turgidus* (Cope, 1868)
601. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)
602. *Simophis rhinostoma* (Schlegel, 1837)
603. *Siphlophis cervinus* (Laurenti, 1768)
604. *Siphlophis compressus* (Daudin, 1803)
605. *Siphlophis leucocephalus* (Günther, 1863)
606. *Siphlophis longicaudatus* (Andersson, 1907)
607. *Siphlophis pulcher* (Raddi, 1820)
608. *Siphlophis worontzowi* (Prado, 1940)
609. *Sordellina punctata* (Peters, 1880)
610. *Spilotes pullatus* (Linnaeus, 1758)
611. *Taeniophallus nicagus* (Cope, 1895)
612. *Tantilla boipiranga* Sawaya & Sazima, 2003
613. *Tantilla marcovani* Lema, 2004
614. *Tantilla melanocephala* (Linnaeus, 1758)
615. *Thamnodynastes almae* Franco & Ferreira, 2003
616. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993

- 617. *Thamnodynastes hypoconia* (Cope, 1860)
- 618. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
- 619. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
- 620. *Thamnodynastes nattereri* (Mikan, 1828)
- 621. *Thamnodynastes pallidus* (Linnaeus, 1758)
- 622. *Thamnodynastes rutilus* (Prado, 1942)
- 623. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
- 624. *Thamnodynastes strigatus* (Günther, 1858)
- 625. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
- 626. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854
- 627. *Tropidodryas serra* (Schlegel, 1837)
- 628. *Tropidodryas striaticeps* (Cope, 1869)
- 629. *Umbrivaga pygmaea* (Cope, 1868)
- 630. *Uromacerina ricardinii* (Peracca, 1897)
- 631. *Waglerophis merremii* (Wagler, 1824)
- 632. *Xenodon guentheri* Boulenger, 1894
- 633. *Xenodon neuwiedii* Günther, 1863
- 634. *Xenodon rhabdocephalus* (Wied, 1824)
- 635. *Xenodon severus* (Linnaeus, 1758)
- 636. *Xenopholis scalaris* (Wucherer, 1861)
- 637. *Xenopholis undulatus* (Jensen, 1900)
- 638. *Xenoxybelis argenteus* (Daudin, 1803)
- 639. *Xenoxybelis boulengeri* (Procter, 1923)

**Family Elapidae (27 species)**

- 640. *Leptomicrurus collaris* (Schlegel, 1837)
- 641. *Leptomicrurus narduccii* (Jan, 1863)
- 642. *Leptomicrurus scutiventris* (Cope, 1870)
- 643. *Micrurus albicinctus* Amaral, 1926
- 644. *Micrurus altirostris* (Cope, 1859)
- 645. *Micrurus annelatus* (Peters, 1871)
- 646. *Micrurus averyi* Schmidt, 1939
- 647. *Micrurus brasiliensis* Roze, 1967
- 648. *Micrurus corallinus* (Merrem, 1820)
- 649. *Micrurus decoratus* (Jan, 1858)
- 650. *Micrurus filiformis* (Günther, 1859)
- 651. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
- 652. *Micrurus hemprichii* (Jan, 1858)
- 653. *Micrurus ibiboboca* (Merrem, 1820)
- 654. *Micrurus langsdorffii* Wagler, 1824
- 655. *Micrurus lemniscatus* (Linnaeus, 1758)
- 656. *Micrurus nattereri* Schmidt, 1952
- 657. *Micrurus pacaraimae* Carvalho, 2002
- 658. *Micrurus paraensis* Cunha & Nascimento, 1973
- 659. *Micrurus psyches* (Daudin, 1803)
- 660. *Micrurus putumayensis* Lancini, 1962
- 661. *Micrurus pyrrhocryptus* (Cope, 1862)
- 662. *Micrurus remotus* Roze, 1987
- 663. *Micrurus silviae* Di-Bernardo, Borges-Martins & Silva, 2007
- 664. *Micrurus spixii* Wagler, 1824

665. *Micrurus surinamensis* (Cuvier, 1817)  
666. *Micrurus tricolor* Hoge, 1956

**Family Viperidae (27 species)**

667. *Bothriopsis bilineata* (Wied, 1825)  
668. *Bothriopsis taeniata* (Wagler, 1824)  
669. *Bothrocophias hyoprora* (Amaral, 1935)  
670. *Bothrops alcatraz* Marques, Martins & Sazima, 2002  
671. *Bothrops alternatus* Duméril, Bibron & Duméril, 1854  
672. *Bothrops atrox* (Linnaeus, 1758)  
673. *Bothrops brazili* Hoge, 1954  
674. *Bothrops cotiara* (Gomes, 1913)  
675. *Bothrops diporus* Cope, 1862  
676. *Bothrops erythromelas* Amaral, 1923  
677. *Bothrops fonsecai* Hoge & Belluomini, 1959  
678. *Bothrops insularis* (Amaral, 1921)  
679. *Bothrops itapetiningae* (Boulenger, 1907)  
680. *Bothrops jararaca* (Wied, 1824)  
681. *Bothrops jararacussu* Lacerda, 1884  
682. *Bothrops leucurus* Wagler, 1824  
683. *Bothrops lutzi* (Miranda-Ribeiro, 1915)  
684. *Bothrops marajoensis* Hoge, 1966  
685. *Bothrops mattogrossensis* Amaral, 1925  
686. *Bothrops moojeni* Hoge, 1966  
687. *Bothrops muriciensis* Ferrarezzi & Freire, 2001  
688. *Bothrops neuwiedi* Wagler, 1824  
689. *Bothrops pauloensis* Amaral, 1925  
690. *Bothrops pirajai* Amaral, 1923  
691. *Bothrops pubescens* (Cope, 1870)  
692. *Crotalus durissus* Linnaeus, 1758  
693. *Lachesis muta* (Linnaeus, 1766)

[Back to Top](#)