

BRAZILIAN REPTILES – LIST OF SPECIES

Organized by

Renato Silveira Bérnils, renatobernils@terra.com.br

COLLABORATORS

The present List would be cited as:

Bérnils, R. S. (org.). 2009. *Brazilian reptiles – List of species*. Accessible at <http://www.sbherpetologia.org.br/>. Sociedade Brasileira de Herpetologia. Captured on date of your online consult.

TOTAL NUMBER OF SPECIES = 711

TESTUDINES (36 species)

Family Cheloniidae (4 species)

01. *Caretta caretta* (Linnaeus, 1758)
02. *Chelonia mydas* (Linnaeus, 1758)
03. *Eretmochelys imbricata* (Linnaeus, 1766)
04. *Lepidochelys olivacea* (Eschscholtz, 1829)

Family Dermochelyidae (1 species)

05. *Dermochelys coriacea* (Linnaeus, 1766)

Family Emydidae (2 species)

06. *Trachemys adiutrix* Vanzolini, 1995
07. *Trachemys dorbigni* (Duméril & Bibron, 1835)

Family Geoemydidae (1 species)

08. *Rhinoclemmys punctularia* (Daudin, 1801)

Family Kinosternidae (1 species)

09. *Kinosternon scorpioides* (Linnaeus, 1766)

Family Testudinidae (2 species)

10. *Chelonoidis carbonaria* (Spix, 1824)
11. *Chelonoidis denticulata* (Linnaeus, 1766)

Family Podocnemididae (5 species)

12. *Peltocephalus dumeriliana* (Schweigger, 1812)
13. *Podocnemis erythrocephala* (Spix, 1824)
14. *Podocnemis expansa* (Schweigger, 1812)
15. *Podocnemis sextuberculata* Cornalia, 1849
16. *Podocnemis unifilis* Troschel, 1848

Family Chelidae (20 species)

17. *Acanthochelys macrocephala* Rhodin, Mittermeier & McMorris, 1984

18. *Acanthochelys radiolata* (Mikan, 1820)
19. *Acanthochelys spixii* (Duméril & Bibron, 1835)
20. *Chelus fimbriatus* (Schneider, 1783)
21. *Hydromedusa maximiliani* (Mikan, 1820)
22. *Hydromedusa tectifera* Cope, 1869
23. *Mesoclemmys gibba* (Schweigger, 1812)
24. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2000)
25. *Mesoclemmys hogei* (Mertens, 1967)
26. *Mesoclemmys nasuta* (Schweigger, 1812)
27. *Mesoclemmys perplexa* Bour & Zaher, 2005
28. *Mesoclemmys raniceps* (Gray, 1855)
29. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
30. *Mesoclemmys vanderhaegei* (Bour, 1973)
31. *Phrynops geoffroanus* (Schweigger, 1812)
32. *Phrynops hilarii* (Duméril & Bibron, 1835)
33. *Phrynops tuberosus* (Peters, 1870)
34. *Phrynops williamsi* Rhodin & Mittermeier, 1983
35. *Platemys platycephala* (Schneider, 1792)
36. *Rhinemys rufipes* (Spix, 1824)

CROCODYLIA (6 species)

Family Alligatoridae (6 species)

37. *Caiman crocodilus* (Linnaeus, 1758)
38. *Caiman latirostris* (Daudin, 1802)
39. *Caiman yacare* (Daudin, 1802)
40. *Melanosuchus niger* (Spix, 1825)
41. *Paleosuchus palpebrosus* (Cuvier, 1807)
42. *Paleosuchus trigonatus* (Schneider, 1801)

SQUAMATA - AMPHISBAENIANS (65 species)

Family Amphisbaenidae (65 species)

43. *Amphisbaena absaberi* (Strüssmann & Carvalho, 2001)
44. *Amphisbaena acrobeles* (Ribeiro, Castro-Mello & Nogueira, 2009)
45. *Amphisbaena alba* Linnaeus, 1758
46. *Amphisbaena albocingulata* Boettger, 1885
47. *Amphisbaena amazonica* Vanzolini, 1951
48. *Amphisbaena anaemariae* Vanzolini, 1997
49. *Amphisbaena anomala* (Barbour, 1914)
50. *Amphisbaena arda* Rodrigues, 2003
51. *Amphisbaena arenaria* Vanzolini, 1991
52. *Amphisbaena bahiana* Vanzolini, 1964
53. *Amphisbaena bedai* (Vanzolini, 1991)
54. *Amphisbaena bilabialata* (Stimson, 1972)
55. *Amphisbaena bolivica* Mertens, 1929
56. *Amphisbaena brasiliiana* (Gray, 1865)
57. *Amphisbaena brevis* Strüssmann & Mott, 2009
58. *Amphisbaena camura* Cope, 1862
59. *Amphisbaena carvalhoi* Gans, 1965
60. *Amphisbaena cerradensis* (Ribeiro, Vaz-Silva & Santos-Jr, 2008)

61. *Amphisbaena crisiae* Vanzolini, 1997
62. *Amphisbaena cuiabana* (Strüssmann & Carvalho, 2001)
63. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
64. *Amphisbaena dubia* L. Müller, 1924
65. *Amphisbaena frontalis* Vanzolini, 1991
66. *Amphisbaena fuliginosa* Linnaeus, 1758
67. *Amphisbaena hastata* Vanzolini, 1991
68. *Amphisbaena heathi* Schmidt, 1936
69. *Amphisbaena hogei* Vanzolini, 1950
70. *Amphisbaena hugoi* Vanzolini, 1989
71. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
72. *Amphisbaena ignatiana* Vanzolini, 1991
73. *Amphisbaena infraorbitale* (Bertold, 1859)
74. *Amphisbaena kingii* (Bell, 1833)
75. *Amphisbaena kisteumacheri* (Porto, Soares & Caramaschi, 2000)
76. *Amphisbaena kraoh* (Vanzolini, 1971)
77. *Amphisbaena leeseri* Gans, 1964
78. *Amphisbaena leucocephala* Peters, 1878
79. *Amphisbaena lumbricalis* Vanzolini, 1996
80. *Amphisbaena mensae* Castro-Mello, 2000
81. *Amphisbaena mertensii* Strauch, 1881
82. *Amphisbaena microcephala* (Wagler, 1824)
83. *Amphisbaena miringoera* Vanzolini, 1971
84. *Amphisbaena mitchelli* Procter, 1923
85. *Amphisbaena munoai* Klappenbach, 1966
86. *Amphisbaena neglecta* Dunn & Piatt, 1936
87. *Amphisbaena nigricauda* Gans, 1966
88. *Amphisbaena octostega* (Duméril, 1851)
89. *Amphisbaena polystega* (Duméril, 1851)
90. *Amphisbaena pretrei* Duméril & Bibron, 1839
91. *Amphisbaena prunicolor* (Cope, 1885)
92. *Amphisbaena ridley* Boulenger, 1890
93. *Amphisbaena roberti* Gans, 1964
94. *Amphisbaena sanctaeritae* Vanzolini, 1994
95. *Amphisbaena saxosa* (Castro-Mello, 2003)
96. *Amphisbaena scutigera* Hemprich, 1829
97. *Amphisbaena silvestrii* Boulenger, 1902
98. *Amphisbaena slevini* Schmidt, 1938
99. *Amphisbaena steindachneri* Strauch, 1881
100. *Amphisbaena talisiae* Vanzolini, 1995
101. *Amphisbaena trachura* Cope, 1885
102. *Amphisbaena tragorhectes* Vanzolini, 1971
103. *Amphisbaena uroxena* Mott, Rodrigues, Freitas & Silva, 2008
104. *Amphisbaena vanzolinii* Gans, 1963
105. *Amphisbaena vermicularis* Wagler, 1824
106. *Amphisbaena wiedi* Vanzolini, 1951
107. *Amphisbaena wuchereri* (Peters, 1879)

SQUAMATA - LIZARDS (238 species)

Family Iguanidae (1 species)

108. *Iguana iguana* (Linnaeus, 1758)

Family Hoplocercidae (3 species)

109. *Enyalioides laticeps* (Guichenot, 1855)

110. *Enyalioides palpebralis* (Boulenger, 1883)

111. *Hoplocercus spinosus* Fitzinger, 1843

Family Polychrotidae (17 species)

112. *Anolis auratus* Daudin, 1802

113. *Anolis bombiceps* Cope, 1876

114. *Anolis fuscoauratus* D'Orbigny, 1837

115. *Anolis meridionalis* Boettger, 1885

116. *Anolis nasofrontalis* Amaral, 1933

117. *Anolis nitens* (Wagler, 1830)

118. *Anolis ortonii* Cope, 1868

119. *Anolis philopunctatus* Rodrigues, 1988

120. *Anolis phyllorhinus* Myers & Carvalho, 1945

121. *Anolis pseudotigrinus* Amaral, 1933

122. *Anolis punctatus* Daudin, 1802

123. *Anolis trachyderma* Cope, 1876

124. *Anolis transversalis* Duméril, 1851

125. *Anolis williamsii* Bocourt, 1870

126. *Polychrus acutirostris* Spix, 1825

127. *Polychrus liogaster* Boulenger, 1908

128. *Polychrus marmoratus* (Linnaeus, 1758)

Family Leiosauridae (14 species)

129. *Anisolepis grilli* Boulenger, 1891

130. *Anisolepis longicauda* (Boulenger, 1891)

131. *Anisolepis undulatus* (Wiegmann, 1834)

132. *Enyalius bibronii* Boulenger, 1885

133. *Enyalius bilineatus* Duméril & Bibron, 1837

134. *Enyalius brasiliensis* (Lesson, 1828)

135. *Enyalius catenatus* (Wied, 1821)

136. *Enyalius erythrocephalus* Rodrigues, Freitas, Silva & Bertolotto, 2006

137. *Enyalius iheringii* Boulenger, 1885

138. *Enyalius leechii* (Boulenger, 1885)

139. *Enyalius perditus* Jackson, 1978

140. *Enyalius pictus* (Wied, 1825)

141. *Leiosaurus paronae* (Peracca, 1897)

142. *Urostrophus vautieri* Duméril & Bibron, 1837

Family Liolaemidae (3 species)

143. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003

144. *Liolaemus lutzae* Mertens, 1938

145. *Liolaemus occipitalis* Boulenger, 1885

Family Tropiduridae (35 species)

146. *Eurolophosaurus amathites* (Rodrigues, 1984)

147. *Eurolophosaurus nanuzae* (Rodrigues, 1981)

148. *Eurolophosaurus divaricatus* (Rodrigues, 1984)

149. *Plica plica* (Linnaeus, 1758)
150. *Plica umbra* (Linnaeus, 1758)
151. *Stenocercus azureus* (Müller, 1882)
152. *Stenocercus caducus* (Cope, 1862)
153. *Stenocercus dumerilii* (Steindachner, 1867)
154. *Stenocercus fimbriatus* Ávila-Pires, 1995
155. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
156. *Stenocercus roseiventris* Duméril & Bibron, 1837
157. *Stenocercus sinesaccus* Torres-Carvajal, 2005
158. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
159. *Stenocercus tricristatus* (Duméril, 1851)
160. *Strobilurus torquatus* Wiegmann, 1834
161. *Tropidurus cocorobensis* Rodrigues, 1987
162. *Tropidurus erythrocephalus* Rodrigues, 1987
163. *Tropidurus etheridgei* Cei, 1982
164. *Tropidurus guarani* (Cope, 1862)
165. *Tropidurus helenae* (Manzani & Abe, 1990)
166. *Tropidurus hispidus* (Spix, 1825)
167. *Tropidurus hygomi* Reinhardt & Luetken, 1861
168. *Tropidurus insulanus* Rodrigues, 1987
169. *Tropidurus itambere* Rodrigues, 1987
170. *Tropidurus montanus* Rodrigues, 1987
171. *Tropidurus mucujensis* Rodrigues, 1987
172. *Tropidurus oreadicus* Rodrigues, 1987
173. *Tropidurus pinima* (Rodrigues, 1984)
174. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
175. *Tropidurus semitaeniatus* (Spix, 1825)
176. *Tropidurus spinulosus* (Cope, 1862)
177. *Tropidurus torquatus* (Wied, 1820)
178. *Uracentron azureum* (Linnaeus, 1758)
179. *Uracentron flaviceps* (Guichenot, 1855)
180. *Uranoscodon superciliosus* (Linnaeus, 1758)

Family Gekkonidae (6 species)

181. *Hemidactylus agrius* Vanzolini, 1978
182. *Hemidactylus brasilianus* (Amaral, 1935)
183. *Hemidactylus mabouia* (Moreau de Jonnés, 1818)
184. *Hemidactylus palaichthus* Kluge, 1969
185. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
186. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)

Family Phyllodactylidae (12 species)

187. *Bogertia lutzae* Loveridge, 1941
188. *Gymnodactylus amarali* Barbour, 1925
189. *Gymnodactylus darwinii* (Gray, 1845)
190. *Gymnodactylus geckoides* Spix, 1825
191. *Gymnodactylus guttulatus* Vanzolini, 1982
192. *Gymnodactylus vanzolinii* Cassimiro & Rodrigues, 2009
193. *Homonota fasciata* (Duméril & Bibron, 1836)
194. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
195. *Phyllopezus periosus* Rodrigues, 1986

196. *Phyllopezus pollicaris* (Spix, 1825)
197. *Thecadactylus rapicauda* (Houttuyn, 1782)
198. *Thecadactylus solimoensis* Bergmann & Russell, 2007

Family Sphaerodactylidae (16 species)

199. *Coleodactylus amazonicus* (Andersson, 1918)
200. *Coleodactylus brachystoma* (Amaral, 1935)
201. *Coleodactylus meridionalis* (Boulenger, 1888)
202. *Coleodactylus natalensis* Freire, 1999
203. *Coleodactylus septentrionalis* (Vanzolini, 1980)
204. *Gonatodes annularis* Boulenger, 1887
205. *Gonatodes concinnatus* (O'Shaughnessy, 1881)
206. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
207. *Gonatodes hasemani* Griffin, 1917
208. *Gonatodes humeralis* (Guichenot, 1855)
209. *Gonatodes tapajonicus* Rodrigues, 1980
210. *Lepidoblepharis festae* Peracca, 1897
211. *Lepidoblepharis heyerorum* Vanzolini, 1978
212. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
213. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
214. *Pseudogonatodes guianensis* Parker, 1935

Family Anguidae (5 species)

215. *Diploglossus fasciatus* (Gray, 1831)
216. *Diploglossus lessonae* Peracca, 1890
217. *Ophiodes striatus* (Spix, 1825)
218. *Ophiodes vertebralis* Bocourt, 1881
219. *Ophiodes yacupoi* Gallardo, 1966

Family Teiidae (31 species)

220. *Ameiva ameiva* (Linnaeus, 1758)
221. *Cnemidophorus abaetensis* Dias, Rocha & Vrcibradic, 2002
222. *Cnemidophorus cryptus* Cole & Dessauer, 1993
223. *Cnemidophorus lacertoides* Duméril & Bibron, 1839
224. *Cnemidophorus lemniscatus* (Linnaeus, 1758)
225. *Cnemidophorus littoralis* Rocha, Araújo, Vrcibradic & Costa, 2000
226. *Cnemidophorus mumbuca* Colli *et al.*, 2003
227. *Cnemidophorus nativo* Rocha, Bergallo & Peccinini-Seale, 1997
228. *Cnemidophorus ocellifer* (Spix, 1825)
229. *Cnemidophorus parecis* Colli *et al.*, 2003
230. *Cnemidophorus vacariensis* Feltrim & Lema, 2000
231. *Crocodylus amazonicus* Spix, 1825
232. *Dracaena guianensis* Daudin, 1802
233. *Dracaena paraguayensis* Amaral, 1950
234. *Kentropyx altamazonica* (Cope, 1876)
235. *Kentropyx calcarata* Spix, 1825
236. *Kentropyx intermedia* (Gray, 1831)
237. *Kentropyx paulensis* Boettger, 1893
238. *Kentropyx pelviceps* Cope, 1868
239. *Kentropyx striata* (Daudin, 1802)
240. *Kentropyx vanzoi* Gallagher & Dixon, 1980

241. *Kentropyx viridistriga* Boulenger, 1894
242. *Teius oculus* (D'Orbigny & Bibron, 1837)
243. *Teius teyou* (Daudin, 1802)
244. *Tupinambis duseni* Lönnberg, 1896
245. *Tupinambis longilineus* Ávila-Pires, 1995
246. *Tupinambis merianae* (Duméril & Bibron, 1839)
247. *Tupinambis palustris* Manzani & Abe, 2002
248. *Tupinambis quadrilineatus* Manzani & Abe, 1997
249. *Tupinambis rufescens* (Günther, 1871)
250. *Tupinambis teguixin* (Linnaeus, 1758)

Family Gymnophthalmidae (81 species)

251. *Acratosaura mentalis* (Amaral, 1933)
252. *Acratosaura spinosa* Rodrigues, Cassimiro, Freitas & Silva, 2009
253. *Alexandresaurus camacan* Rodrigues *et al.*, 2007
254. *Alopoglossus angulatus* (Linnaeus, 1758)
255. *Alopoglossus atriventris* Duellman, 1973
256. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
257. *Amapasaurus tetradactylus* Cunha, 1970
258. *Anotosaura collaris* Amaral, 1933
259. *Anotosaura vanzolinia* Dixon, 1974
260. *Arthrosaura kockii* (Lidth de Jeude, 1904)
261. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
262. *Arthrosaura versteegii* Lidth de Jeude, 1904
263. *Bachia bresslaui* (Amaral, 1935)
264. *Bachia cacerensis* Castrillon & Strüssmann, 1998
265. *Bachia dorbignyi* (Duméril & Bibron, 1839)
266. *Bachia flavescens* (Bonnaterre, 1789)
267. *Bachia micromela* Rodrigues, Pavan & Curcio, 2007
268. *Bachia oxyrhina* Rodrigues *et al.*, 2008
269. *Bachia panoplia* Thomas, 1965
270. *Bachia peruana* (Werner, 1901)
271. *Bachia psamophila* Rodrigues, Pavan & Curcio, 2007
272. *Bachia pyburni* Kizirian & McDiarmid, 1998
273. *Bachia scolecooides* Vanzolini, 1961
274. *Bachia trisanale* (Cope, 1868)
275. *Calyptommatius confusionibus* Rodrigues, Zaher & Curcio, 2001
276. *Calyptommatius leiolepis* Rodrigues, 1991
277. *Calyptommatius nicterus* Rodrigues, 1991
278. *Calyptommatius sinebrachiatus* Rodrigues, 1991
279. *Cercosaura argulus* Peters, 1863
280. *Cercosaura eigenmanni* (Griffin, 1917)
281. *Cercosaura ocellata* Wagler, 1830
282. *Cercosaura oshaughnessyi* (Boulenger, 1885)
283. *Cercosaura quadrilineatus* (Boettger, 1876)
284. *Cercosaura schreibersii* Wiegmann, 1834
285. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
286. *Colobodactylus taunayi* (Amaral, 1933)
287. *Colobosaura modesta* (Reinhardt & Luetken, 1862)
288. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
289. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991

290. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites Jr., 2005
291. *Ecpleopus gaudichaudii* Duméril & Bibron, 1839
292. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991
293. *Gymnophthalmus underwoodi* Grant, 1958
294. *Gymnophthalmus vanzoi* Carvalho, 1999
295. *Heterodactylus imbricatus* Spix, 1825
296. *Heterodactylus lundii* Reinhardt & Luetken, 1862
297. *Iphisa elegans* Gray, 1851
298. *Leposoma annectans* Ruibal, 1952
299. *Leposoma baturitensis* Rodrigues & Borges, 1997
300. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005
301. *Leposoma guianense* Ruibal, 1952
302. *Leposoma nanodactylus* Rodrigues, 1997
303. *Leposoma osvaldoi* Ávila-Pires, 1995
304. *Leposoma parietale* (Cope, 1885)
305. *Leposoma percarinatum* (Müller, 1923)
306. *Leposoma puk* Rodrigues, 2002
307. *Leposoma scincoides* Spix, 1825
308. *Leposoma snethlageae* Ávila-Pires, 1995
309. *Micrablepharus atticolus* Rodrigues, 1996
310. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
311. *Neusticurus bicarinatus* (Linnaeus, 1758)
312. *Neusticurus ecpleopus* Cope, 1875
313. *Neusticurus juruazensis* Ávila-Pires & Vitt, 1998
314. *Neusticurus ocellatus* Sinitsin, 1930
315. *Neusticurus racenisi* Roze, 1958
316. *Neusticurus rudis* Boulenger, 1900
317. *Neusticurus tatei* Burt & Burt, 1931
318. *Nothobachia ablephara* Rodrigues, 1984
319. *Placosoma cipoense* Cunha, 1966
320. *Placosoma cordylinum* Tschudi, 1847
321. *Placosoma glabellum* (Peters, 1870)
322. *Procellosaurinus erythrocerus* Rodrigues, 1991
323. *Procellosaurinus tetradactylus* Rodrigues, 1991
324. *Psilophthalmus paeminosus* Rodrigues, 1991
325. *Ptychoglossus brevifrontalis* Boulenger, 1912
326. *Rhachysaurus brachylepis* (Dixon, 1974)
327. *Scriptosaura catimbau* Rodrigues & Santos, 2008
328. *Stenolepis ridleyi* Boulenger, 1887
329. *Tretioscincus agilis* (Ruthven, 1916)
330. *Tretioscincus oriximinensis* Ávila-Pires, 1995
331. *Vanzosaura rubricauda* (Boulenger, 1902)

Family Scincidae (14 species)

332. *Mabuya agilis* (Raddi, 1823)
333. *Mabuya agmosticha* Rodrigues, 2000
334. *Mabuya arajara* Rebouças-Spieker, 1981
335. *Mabuya bistriata* (Spix, 1825)
336. *Mabuya caissara* Rebouças-Spieker, 1974
337. *Mabuya carvalhoi* Rebouças-Spieker & Vanzolini, 1990
338. *Mabuya dorsivittata* Cope, 1862

- 339. *Mabuya frenata* (Cope, 1862)
- 340. *Mabuya guaporicola* Dunn, 1936
- 341. *Mabuya heathi* Schmidt & Inger, 1951
- 342. *Mabuya macrorhyncha* Hoge, 1947
- 343. *Mabuya nigropalmata* Andersson, 1918
- 344. *Mabuya nigropunctata* (Spix, 1825)
- 345. *Trachylepis atlantica* (Schmidt, 1945)

SQUAMATA - SNAKES (366 species)

Family Anomalepididae (6 species)

- 346. *Liotyphlops beui* (Amaral, 1924)
- 347. *Liotyphlops schubarti* Vanzolini, 1948
- 348. *Liotyphlops ternetzii* (Boulenger, 1896)
- 349. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
- 350. *Liotyphlops wilderi* (Garman, 1883)
- 351. *Typhlops squamosus* (Schlegel, 1839)

Family Leptotyphlopidae (14 species)

- 352. *Leptotyphlops albifrons* (Wagler, 1824)
- 353. *Leptotyphlops australis* Freiberg & Orejas-Miranda, 1968
- 354. *Leptotyphlops borapeliotes* Vanzolini, 1996
- 355. *Leptotyphlops brasiliensis* Laurent, 1949
- 356. *Leptotyphlops cupinensis* Bailey & Carvalho, 1946
- 357. *Leptotyphlops diaplocius* Orejas-Miranda, 1969
- 358. *Leptotyphlops dimidiatus* (Jan, 1861)
- 359. *Leptotyphlops fuliginosus* Passos, Caramaschi & Pinto, 2006
- 360. *Leptotyphlops koppesi* Amaral, 1955
- 361. *Leptotyphlops macrolepis* (Peters, 1857)
- 362. *Leptotyphlops munoai* Orejas-Miranda, 1961
- 363. *Leptotyphlops salgueiroi* Amaral, 1955
- 364. *Leptotyphlops septemstriatus* (Schneider, 1801)
- 365. *Leptotyphlops tenellus* Klauber, 1939

Family Typhlopidae (6 species)

- 366. *Typhlops amoipira* Rodrigues & Juncá, 2002
- 367. *Typhlops brongersmianus* Vanzolini, 1976
- 368. *Typhlops minuisquamus* Dixon & Hendricks, 1979
- 369. *Typhlops paucisquamus* Dixon & Hendricks, 1979
- 370. *Typhlops reticulatus* (Linnaeus, 1758)
- 371. *Typhlops yonenagae* Rodrigues, 1991

Family Aniliidae (1 species)

- 372. *Anilius scytale* (Linnaeus, 1758)

Family Tropidophiidae (1 species)

- 373. *Tropidophis paucisquamis* (Müller, 1901)

Family Boidae (12 species)

- 374. *Boa constrictor* Linnaeus, 1758
- 375. *Corallus batesii* (Gray, 1860)

- 376. *Corallus caninus* (Linnaeus, 1758)
- 377. *Corallus cropanii* (Hoge, 1953)
- 378. *Corallus hortulanus* (Linnaeus, 1758)
- 379. *Epicrates assisi* Machado, 1945
- 380. *Epicrates cenchria* (Linnaeus, 1758)
- 381. *Epicrates crassus* Cope, 1862
- 382. *Epicrates maurus* Gray, 1849
- 383. *Eunectes deschauenseei* Dunn & Conant, 1936
- 384. *Eunectes murinus* (Linnaeus, 1758)
- 385. *Eunectes notaeus* Cope, 1862

Family Viperidae (28 species)

- 386. *Bothriopsis bilineata* (Wied, 1825)
- 387. *Bothriopsis taeniata* (Wagler, 1824)
- 388. *Bothrocophias hyoprora* (Amaral, 1935)
- 389. *Bothropoides alcatraz* (Marques, Martins & Sazima, 2002)
- 390. *Bothropoides diporus* (Cope, 1862)
- 391. *Bothropoides erythromelas* (Amaral, 1923)
- 392. *Bothropoides insularis* (Amaral, 1921)
- 393. *Bothropoides jararaca* (Wied, 1824)
- 394. *Bothropoides lutzi* (Miranda-Ribeiro, 1915)
- 395. *Bothropoides marmoratus* (Silva & Rodrigues, 2008)
- 396. *Bothropoides mattogrossensis* (Amaral, 1925)
- 397. *Bothropoides neuwiedi* (Wagler, 1824)
- 398. *Bothropoides pauloensis* (Amaral, 1925)
- 399. *Bothropoides pubescens* (Cope, 1870)
- 400. *Bothrops atrox* (Linnaeus, 1758)
- 401. *Bothrops brazili* Hoge, 1954
- 402. *Bothrops jararacussu* Lacerda, 1884
- 403. *Bothrops leucurus* Wagler, 1824
- 404. *Bothrops marajoensis* Hoge, 1966
- 405. *Bothrops moojeni* Hoge, 1966
- 406. *Bothrops muriciensis* Ferrarezzi & Freire, 2001
- 407. *Bothrops pirajai* Amaral, 1923
- 408. *Caudisona durissa* (Linnaeus, 1758)
- 409. *Lachesis muta* (Linnaeus, 1766)
- 410. *Rhinocerophis alternatus* (Duméril, Bibron & Duméril, 1854)
- 411. *Rhinocerophis cotiara* (Gomes, 1913)
- 412. *Rhinocerophis fonsecai* (Hoge & Belluomini, 1959)
- 413. *Rhinocerophis itapetiningae* (Boulenger, 1907)

Family Elapidae (27 species)

- 414. *Leptomicrurus collaris* (Schlegel, 1837)
- 415. *Leptomicrurus narduccii* (Jan, 1863)
- 416. *Leptomicrurus scutiventris* (Cope, 1870)
- 417. *Micrurus albicinctus* Amaral, 1926
- 418. *Micrurus altirostris* (Cope, 1859)
- 419. *Micrurus annelatus* (Peters, 1871)
- 420. *Micrurus averyi* Schmidt, 1939
- 421. *Micrurus brasiliensis* Roze, 1967
- 422. *Micrurus corallinus* (Merrem, 1820)

- 423. *Micrurus decoratus* (Jan, 1858)
- 424. *Micrurus filiformis* (Günther, 1859)
- 425. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
- 426. *Micrurus hemprichii* (Jan, 1858)
- 427. *Micrurus ibiboboca* (Merrem, 1820)
- 428. *Micrurus langsdorffii* Wagler, 1824
- 429. *Micrurus lemniscatus* (Linnaeus, 1758)
- 430. *Micrurus nattereri* Schmidt, 1952
- 431. *Micrurus pacaraimae* Carvalho, 2002
- 432. *Micrurus paraensis* Cunha & Nascimento, 1973
- 433. *Micrurus psyches* (Daudin, 1803)
- 434. *Micrurus putumayensis* Lancini, 1962
- 435. *Micrurus pyrrhocryptus* (Cope, 1862)
- 436. *Micrurus remotus* Roze, 1987
- 437. *Micrurus silviae* Di-Bernardo, Borges-Martins & Silva, 2007
- 438. *Micrurus spixii* Wagler, 1824
- 439. *Micrurus surinamensis* (Cuvier, 1817)
- 440. *Micrurus tricolor* Hoge, 1956

Family Colubridae (34 species)

- 441. *Chironius bicarinatus* (Wied, 1820)
- 442. *Chironius carinatus* (Linnaeus, 1758)
- 443. *Chironius cochranæ* Hoge & Romano, 1969
- 444. *Chironius exoletus* (Linnaeus, 1758)
- 445. *Chironius flavolineatus* (Boettger, 1885)
- 446. *Chironius foveatus* Bailey, 1955
- 447. *Chironius fuscus* (Linnaeus, 1758)
- 448. *Chironius laevicollis* (Wied, 1824)
- 449. *Chironius laurenti* Dixon, Wiest & Cei, 1993
- 450. *Chironius multiventris* Schmidt & Walker, 1943
- 451. *Chironius quadricarinatus* (Boie, 1827)
- 452. *Chironius scurrulus* (Wagler, 1824)
- 453. *Dendrophidion dendrophis* (Schlegel, 1837)
- 454. *Drymarchon corais* (Boie, 1827)
- 455. *Drymobius rhombifer* (Günther, 1860)
- 456. *Drymoluber brazili* (Gomes, 1918)
- 457. *Drymoluber dichrous* (Peters, 1863)
- 458. *Leptophis ahaetulla* (Linnaeus, 1758)
- 459. *Masticophis mentovarius* (Duméril, Bibron & Duméril, 1854)
- 460. *Mastigodryas bifossatus* (Raddi, 1820)
- 461. *Mastigodryas boddaerti* (Sentzen, 1796)
- 462. *Mastigodryas pleei* (Duméril, Bibron & Duméril, 1854)
- 463. *Oxybelis aeneus* (Wagler, 1824)
- 464. *Oxybelis fulgidus* (Daudin, 1803)
- 465. *Pseustes cinnamomeus* (Wagler, 1824)
- 466. *Pseustes poecilonotus* (Günther, 1858)
- 467. *Pseustes sexcarinatus* (Wagler, 1824)
- 468. *Pseustes sulphureus* (Wagler, 1824)
- 469. *Rhinobothryum lentiginosum* (Scopoli, 1785)
- 470. *Simophis rhinostoma* (Schlegel, 1837)
- 471. *Spilotes pullatus* (Linnaeus, 1758)

- 472. *Tantilla boipiranga* Sawaya & Sazima, 2003
- 473. *Tantilla marcovani* Lema, 2004
- 474. *Tantilla melanocephala* (Linnaeus, 1758)

Family Dipsadidae (237 species)

- 475. *Apostolepis albicolaris* Lema, 2002
- 476. *Apostolepis ambinigra* (Peters, 1869)
- 477. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
- 478. *Apostolepis arenaria* Rodrigues, 1992
- 479. *Apostolepis assimilis* (Reinhardt, 1861)
- 480. *Apostolepis cearensis* Gomes, 1915
- 481. *Apostolepis cerradoensis* Lema, 2003
- 482. *Apostolepis christineae* Lema, 2002
- 483. *Apostolepis dimidiata* (Jan, 1862)
- 484. *Apostolepis dorbignyi* (Schlegel, 1837)
- 485. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
- 486. *Apostolepis gaboi* Rodrigues, 1992
- 487. *Apostolepis goiasensis* Prado, 1942
- 488. *Apostolepis intermedia* Koslowsky, 1898
- 489. *Apostolepis lineata* Cope, 1887
- 490. *Apostolepis longicaudata* Amaral, 1921
- 491. *Apostolepis nelsonjorgei* Lema & Renner, 2004
- 492. *Apostolepis niceforoi* Amaral, 1935
- 493. *Apostolepis nigroterminata* Boulenger, 1896
- 494. *Apostolepis polylepis* Amaral, 1921
- 495. *Apostolepis pymi* Boulenger, 1903
- 496. *Apostolepis quinquelineata* Boulenger, 1896
- 497. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
- 498. *Apostolepis rondoni* Amaral, 1925
- 499. *Apostolepis striata* Lema, 2004
- 500. *Apostolepis tertulianoibeui* Lema, 2004
- 501. *Apostolepis vittata* (Cope, 1887)
- 502. *Atractus albuquerquei* Cunha & Nascimento, 1983
- 503. *Atractus alphonsehogeii* Cunha & Nascimento, 1983
- 504. *Atractus altagratiae* Passos & Fernandes, 2008
- 505. *Atractus badius* (Boie, 1827)
- 506. *Atractus caxiuana* Prudente & Santos-Costa, 2006
- 507. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
- 508. *Atractus elaps* (Günther, 1858)
- 509. *Atractus emersoni* Silva, 2004
- 510. *Atractus flammigerus* (Boie, 1827)
- 511. *Atractus guentheri* (Wucherer, 1861)
- 512. *Atractus insipidus* Roze, 1961
- 513. *Atractus latifrons* (Günther, 1868)
- 514. *Atractus maculatus* Günther, 1858
- 515. *Atractus major* Boulenger, 1894
- 516. *Atractus natans* Hoogmoed & Prudente, 2003
- 517. *Atractus pantostictus* Fernandes & Puerto, 1993
- 518. *Atractus poeppigi* (Jan, 1862)
- 519. *Atractus potschi* Fernandes, 1995
- 520. *Atractus reticulatus* (Boulenger, 1885)

521. *Atractus ronnie* Passos, Fernandes & Borges-Nojosa, 2007
522. *Atractus schach* (Boie, 1827)
523. *Atractus serranus* Amaral, 1930
524. *Atractus snethlageae* Cunha & Nascimento, 1983
525. *Atractus surucucu* Prudente & Passos, 2008
526. *Atractus taeniatus* Griffin, 1916
527. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
528. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
529. *Atractus trihedrurus* Amaral, 1926
530. *Atractus trilineatus* Wagler, 1828
531. *Atractus zebrinus* (Jan, 1862)
532. *Atractus zidoki* Gasc & Rodrigues, 1979
533. *Boiruna maculata* (Boulenger, 1896)
534. *Boiruna sertaneja* Zaher, 1996
535. *Caaeteboia amarali* (Wettstein, 1930)
536. *Calamodontophis paucidens* (Amaral, 1935)
537. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
538. *Cercophis auratus* (Schlegel, 1837)
539. *Clelia clelia* (Daudin, 1803)
540. *Clelia hussami* Morato, Franco & Sanches, 2003
541. *Clelia plumbea* (Wied, 1820)
542. *Clelia rustica* (Cope, 1878)
543. *Dipsas albifrons* (Sauvage, 1884)
544. *Dipsas alternans* (Fischer, 1885)
545. *Dipsas bucephala* (Shaw, 1802)
546. *Dipsas catesbyi* (Sentzen, 1796)
547. *Dipsas incerta* (Jan, 1863)
548. *Dipsas indica* Laurenti, 1768
549. *Dipsas pavonina* Schlegel, 1837
550. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
551. *Ditaxodon taeniatus* (Peters *in* Hensel, 1868)
552. *Drepanoides anomalus* (Jan, 1863)
553. *Echianthera amoena* (Jan, 1863)
554. *Echianthera cephalomaculata* Di-Bernardo, 1994
555. *Echianthera cephalostriata* Di-Bernardo, 1996
556. *Echianthera cyanopleura* (Cope, 1885)
557. *Echianthera melanostigma* (Wagler, 1824)
558. *Echianthera undulata* (Wied, 1824)
559. *Elapomorphus lepidus* Reinhardt, 1861
560. *Elapomorphus quinquelineatus* (Raddi, 1820)
561. *Elapomorphus wuchereri* Günther, 1861
562. *Erythrolamprus aesculapii* (Linnaeus, 1766)
563. *Gomesophis brasiliensis* (Gomes, 1918)
564. *Helicops angulatus* (Linnaeus, 1758)
565. *Helicops carinicaudus* (Wied, 1825)
566. *Helicops gomesi* Amaral, 1921
567. *Helicops hagmanni* Roux, 1910
568. *Helicops infrataeniatus* (Jan, 1865)
569. *Helicops leopardinus* (Schlegel, 1837)
570. *Helicops modestus* Günther, 1861
571. *Helicops polylepis* Günther, 1861

572. *Helicops tapajonicus* Frota, 2005
573. *Helicops trivittatus* (Gray, 1849)
574. *Hydrodynastes bicinctus* (Herrmann, 1804)
575. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
576. *Hydrodynastes melanogigas* Franco, Fernandes & Bentin, 2007
577. *Hydrops caesurus* Scrocchi, Ferreira, Giraud, Ávila & Motte, 2005
578. *Hydrops martii* (Wagler, 1824)
579. *Hydrops triangularis* (Wagler, 1824)
580. *Imantodes cenchoa* (Linnaeus, 1758)
581. *Imantodes lentiferus* (Cope, 1894)
582. *Leptodeira annulata* (Linnaeus, 1758)
583. *Lioheterophis iheringi* Amaral, 1935
584. *Liophis almadensis* (Wagler, 1824)
585. *Liophis anomalus* (Günther, 1858)
586. *Liophis atraventer* Dixon & Thomas, 1985
587. *Liophis breviceps* Cope, 1860
588. *Liophis carajasensis* Cunha, Nascimento & Ávila-Pires, 1985
589. *Liophis cobella* (Linnaeus, 1758)
590. *Liophis dilepis* (Cope, 1862)
591. *Liophis festae* (Peracca, 1897)
592. *Liophis flavifrenatus* (Cope, 1862)
593. *Liophis frenatus* (Werner, 1909)
594. *Liophis jaegeri* (Günther, 1858)
595. *Liophis lineatus* (Linnaeus, 1758)
596. *Liophis longiventris* Amaral, 1925
597. *Liophis maryellenae* Dixon, 1985
598. *Liophis melanauchen* (Jan, 1863)
599. *Liophis meridionalis* (Schenkel, 1901)
600. *Liophis miliaris* (Linnaeus, 1758)
601. *Liophis mimus* (Cope, 1868)
602. *Liophis mossoroensis* Hoge & Lima-Verde, 1972
603. *Liophis paucidens* (Hoge, 1953)
604. *Liophis poecilogyrus* (Wied, 1825)
605. *Liophis reginae* (Linnaeus, 1758)
606. *Liophis semiaureus* (Cope, 1862)
607. *Liophis taeniogaster* Jan, 1863
608. *Liophis typhlus* (Linnaeus, 1758)
609. *Liophis viridis* Günther, 1862
610. *Mussurana bicolor* (Peracca, 1904)
611. *Mussurana montana* (Franco, Marques & Puerto, 1997)
612. *Mussurana quimi* (Franco, Marques & Puerto, 1997)
613. *Ninia hudsoni* Parker, 1940
614. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
615. *Oxyrhopus formosus* (Wied, 1820)
616. *Oxyrhopus guibei* Hoge & Romano, 1978
617. *Oxyrhopus melanogenys* (Tschudi, 1845)
618. *Oxyrhopus occipitalis* Wagler in Spix, 1824
619. *Oxyrhopus petola* (Linnaeus, 1758)
620. *Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854
621. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
622. *Phalotris concolor* Ferrarezzi, 1994

623. *Phalotris labiomaculatus* Lema, 2002
624. *Phalotris lativittatus* Ferrarezzi, 1994
625. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
626. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
627. *Phalotris mertensi* (Hoge, 1955)
628. *Phalotris multipunctatus* Puerto & Ferrarezzi, 1994
629. *Phalotris nasutus* (Gomes, 1915)
630. *Phalotris reticulatus* (Peters, 1860)
631. *Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)
632. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
633. *Philodryas agassizii* (Jan, 1863)
634. *Philodryas argentea* (Daudin, 1803)
635. *Philodryas arnaldoi* (Amaral, 1933)
636. *Philodryas boulengeri* (Procter, 1923)
637. *Philodryas laticeps* Werner, 1900
638. *Philodryas livida* (Amaral, 1923)
639. *Philodryas mattogrossensis* Koslowsky, 1898
640. *Philodryas nattereri* Steindachner, 1870
641. *Philodryas olfersii* (Lichtenstein, 1823)
642. *Philodryas patagoniensis* (Girard, 1858)
643. *Philodryas psammophidea* Günther, 1872
644. *Philodryas viridissima* (Linnaeus, 1758)
645. *Phimophis chui* Rodrigues, 1993
646. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
647. *Phimophis guianensis* (Troschel, 1848)
648. *Phimophis iglesiassi* (Gomes, 1915)
649. *Phimophis scriptorcibatus* Rodrigues, 1993
650. *Pliocercus euryzonus* Cope, 1862
651. *Pseudoboa coronata* Schneider, 1801
652. *Pseudoboa haasi* (Boettger, 1905)
653. *Pseudoboa martinsi* Zaher, Oliveira & Franco, 2008
654. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
655. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)
656. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
657. *Pseudoeryx plicatilis* (Linnaeus, 1758)
658. *Psomophis genimaculatus* (Boettger, 1885)
659. *Psomophis joberti* (Sauvage, 1884)
660. *Psomophis obtusus* (Cope, 1864)
661. *Ptychophis flavovirgatus* Gomes, 1915
662. *Rhachidelus brazili* Boulenger, 1908
663. *Sibon nebulata* (Linnaeus, 1758)
664. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
665. *Sibynomorphus mikanii* (Schlegel, 1837)
666. *Sibynomorphus neuwiedi* (Ihering, 1911)
667. *Sibynomorphus turgidus* (Cope, 1868)
668. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)
669. *Siphlophis cervinus* (Laurenti, 1768)
670. *Siphlophis compressus* (Daudin, 1803)
671. *Siphlophis leucocephalus* (Günther, 1863)
672. *Siphlophis longicaudatus* (Andersson, 1907)
673. *Siphlophis pulcher* (Raddi, 1820)

674. *Siphlophis worontzowi* (Prado, 1940)
675. *Sordellina punctata* (Peters, 1880)
676. *Taeniophallus affinis* (Günther, 1858)
677. *Taeniophallus bilineatus* (Fischer, 1885)
678. *Taeniophallus brevirostris* (Peters, 1863)
679. *Taeniophallus nicagus* (Cope, 1895)
680. *Taeniophallus occipitalis* (Jan, 1863)
681. *Taeniophallus persimilis* (Cope, 1869)
682. *Taeniophallus poecilopogon* (Cope, 1863)
683. *Taeniophallus quadriocellatus* Santos-Jr, Di-Bernardo & Lema, 2008
684. *Thamnodynastes almae* Franco & Ferreira, 2003
685. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993
686. *Thamnodynastes hypoconia* (Cope, 1860)
687. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
688. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
689. *Thamnodynastes nattereri* (Mikan, 1828)
690. *Thamnodynastes pallidus* (Linnaeus, 1758)
691. *Thamnodynastes ramonriveroi* Manzanilla & Sánchez, 2005
692. *Thamnodynastes rutilus* (Prado, 1942)
693. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
694. *Thamnodynastes strigatus* (Günther, 1858)
695. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
696. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854
697. *Tropidodryas serra* (Schlegel, 1837)
698. *Tropidodryas striaticeps* (Cope, 1869)
699. *Umbrivaga pygmaea* (Cope, 1868)
700. *Uromacerina ricardinii* (Peracca, 1897)
701. *Xenodon dorbignyi* (Duméril, Bibron & Duméril, 1854)
702. *Xenodon guentheri* Boulenger, 1894
703. *Xenodon histricus* (Jan, 1863)
704. *Xenodon matogrossensis* (Scrocchi & Cruz, 1993)
705. *Xenodon merremii* (Wagler, 1824)
706. *Xenodon nattereri* (Steindachner, 1867)
707. *Xenodon neuwiedii* Günther, 1863
708. *Xenodon rhabdocephalus* (Wied, 1824)
709. *Xenodon severus* (Linnaeus, 1758)
710. *Xenopholis scalaris* (Wucherer, 1861)
711. *Xenopholis undulatus* (Jensen, 1900)

[Back to Top](#)