

BRAZILIAN REPTILES – LIST OF SPECIES

Organized by

Renato Silveira Bérnils, renatobernils@terra.com.br

COLLABORATORS

The present List would be cited as:

BÉRNILS, R. S. (org.). 2010. *Brazilian reptiles – List of species*. Accessible at <http://www.sbherpetologia.org.br/>. Sociedade Brasileira de Herpetologia. Captured on... [date of your online consult]

TOTAL NUMBER OF SPECIES = 719

TESTUDINES (36 species)

Family Cheloniidae (4 species)

01. *Caretta caretta* (Linnaeus, 1758)
02. *Chelonia mydas* (Linnaeus, 1758)
03. *Eretmochelys imbricata* (Linnaeus, 1766)
04. *Lepidochelys olivacea* (Eschscholtz, 1829)

Family Dermochelyidae (1 species)

05. *Dermochelys coriacea* (Linnaeus, 1766)

Family Emydidae (2 species)

06. *Trachemys adiutrix* Vanzolini, 1995
07. *Trachemys dorbigni* (Duméril & Bibron, 1835)

Family Geoemydidae (1 species)

08. *Rhinoclemmys punctularia* (Daudin, 1801)

Family Kinosternidae (1 species)

09. *Kinosternon scorpioides* (Linnaeus, 1766)

Family Testudinidae (2 species)

10. *Chelonoidis carbonaria* (Spix, 1824)
11. *Chelonoidis denticulata* (Linnaeus, 1766)

Family Podocnemididae (5 species)

12. *Peltocephalus dumeriliana* (Schweigger, 1812)
13. *Podocnemis erythrocephala* (Spix, 1824)
14. *Podocnemis expansa* (Schweigger, 1812)
15. *Podocnemis sextuberculata* Cornalia, 1849
16. *Podocnemis unifilis* Troschel, 1848

Family Chelidae (20 species)

17. *Acanthochelys macrocephala* Rhodin, Mittermeier & McMorris, 1984
18. *Acanthochelys radiolata* (Mikan, 1820)

19. *Acanthochelys spixii* (Duméril & Bibron, 1835)
20. *Chelus fimbriatus* (Schneider, 1783)
21. *Hydromedusa maximiliani* (Mikan, 1820)
22. *Hydromedusa tectifera* Cope, 1869
23. *Mesoclemmys gibba* (Schweigger, 1812)
24. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2000)
25. *Mesoclemmys hoguei* (Mertens, 1967)
26. *Mesoclemmys nasuta* (Schweigger, 1812)
27. *Mesoclemmys perplexa* Bour & Zaher, 2005
28. *Mesoclemmys raniceps* (Gray, 1855)
29. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
30. *Mesoclemmys vanderhaegei* (Bour, 1973)
31. *Phrynops geoffroanus* (Schweigger, 1812)
32. *Phrynops hilarii* (Duméril & Bibron, 1835)
33. *Phrynops tuberosus* (Peters, 1870)
34. *Phrynops williamsi* Rhodin & Mittermeier, 1983
35. *Platemys platycephala* (Schneider, 1792)
36. *Rhinemys rufipes* (Spix, 1824)

CROCODYLIA (6 species)

Family Alligatoridae (6 species)

37. *Caiman crocodilus* (Linnaeus, 1758)
38. *Caiman latirostris* (Daudin, 1802)
39. *Caiman yacare* (Daudin, 1802)
40. *Melanosuchus niger* (Spix, 1825)
41. *Paleosuchus palpebrosus* (Cuvier, 1807)
42. *Paleosuchus trigonatus* (Schneider, 1801)

SQUAMATA - AMPHISBAENIANS (66 species)

Family Amphisbaenidae (66 species)

43. *Amphisbaena absaberi* (Strüssmann & Carvalho, 2001)
44. *Amphisbaena acrobeles* (Ribeiro, Castro-Mello & Nogueira, 2009)
45. *Amphisbaena alba* Linnaeus, 1758
46. *Amphisbaena albocingulata* Boettger, 1885
47. *Amphisbaena amazonica* Vanzolini, 1951
48. *Amphisbaena anaemariae* Vanzolini, 1997
49. *Amphisbaena anomala* (Barbour, 1914)
50. *Amphisbaena arda* Rodrigues, 2003
51. *Amphisbaena arenaria* Vanzolini, 1991
52. *Amphisbaena bahiana* Vanzolini, 1964
53. *Amphisbaena bedai* (Vanzolini, 1991)
54. *Amphisbaena bilabialata* (Stimson, 1972)
55. *Amphisbaena bolivica* Mertens, 1929
56. *Amphisbaena brasiliiana* (Gray, 1865)
57. *Amphisbaena brevis* Strüssmann & Mott, 2009
58. *Amphisbaena camura* Cope, 1862

59. *Amphisbaena carvalhoi* Gans, 1965
60. *Amphisbaena cerradensis* (Ribeiro, Vaz-Silva & Santos-Jr, 2008)
61. *Amphisbaena crisae* Vanzolini, 1997
62. *Amphisbaena cuiabana* (Strüssmann & Carvalho, 2001)
63. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
64. *Amphisbaena dubia* L. Müller, 1924
65. *Amphisbaena frontalis* Vanzolini, 1991
66. *Amphisbaena fuliginosa* Linnaeus, 1758
67. *Amphisbaena hastata* Vanzolini, 1991
68. *Amphisbaena heathi* Schmidt, 1936
69. *Amphisbaena hogei* Vanzolini, 1950
70. *Amphisbaena hugoi* Vanzolini, 1989
71. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
72. *Amphisbaena ignatiana* Vanzolini, 1991
73. *Amphisbaena infraorbitale* (Bertold, 1859)
74. *Amphisbaena kingii* (Bell, 1833)
75. *Amphisbaena kisteumacheri* (Porto, Soares & Caramaschi, 2000)
76. *Amphisbaena kraoh* (Vanzolini, 1971)
77. *Amphisbaena leeseri* Gans, 1964
78. *Amphisbaena leucocephala* Peters, 1878
79. *Amphisbaena lumbricalis* Vanzolini, 1996
80. *Amphisbaena mensae* Castro-Mello, 2000
81. *Amphisbaena mertensii* Strauch, 1881
82. *Amphisbaena microcephala* (Wagler, 1824)
83. *Amphisbaena miringoera* Vanzolini, 1971
84. *Amphisbaena mitchelli* Procter, 1923
85. *Amphisbaena munoai* Klappenbach, 1966
86. *Amphisbaena neglecta* Dunn & Piatt, 1936
87. *Amphisbaena nigricauda* Gans, 1966
88. *Amphisbaena octostega* (Duméril, 1851)
89. *Amphisbaena polystega* (Duméril, 1851)
90. *Amphisbaena pretrei* Duméril & Bibron, 1839
91. *Amphisbaena prunicolor* (Cope, 1885)
92. *Amphisbaena ridley* Boulenger, 1890
93. *Amphisbaena roberti* Gans, 1964
94. *Amphisbaena sanctaeritae* Vanzolini, 1994
95. *Amphisbaena saxosa* (Castro-Mello, 2003)
96. *Amphisbaena scutigera* Hemprich, 1829
97. *Amphisbaena silvestrii* Boulenger, 1902
98. *Amphisbaena slevini* Schmidt, 1938
99. *Amphisbaena steindachneri* Strauch, 1881
100. *Amphisbaena supernumeraria* Mott, Rodrigues & Santos, 2009
101. *Amphisbaena talisiae* Vanzolini, 1995
102. *Amphisbaena trachura* Cope, 1885
103. *Amphisbaena tragorhectes* Vanzolini, 1971
104. *Amphisbaena uroxena* Mott, Rodrigues, Freitas & Silva, 2008
105. *Amphisbaena vanzolinii* Gans, 1963
106. *Amphisbaena vermicularis* Wagler, 1824
107. *Amphisbaena wiedi* Vanzolini, 1951
108. *Amphisbaena wuchereri* (Peters, 1879)

SQUAMATA - LIZARDS (240 species)

Family Iguanidae (1 species)

109. *Iguana iguana* (Linnaeus, 1758)

Family Hoplocercidae (3 species)

110. *Enyalioides laticeps* (Guichenot, 1855)
111. *Enyalioides palpebralis* (Boulenger, 1883)
112. *Hoplocercus spinosus* Fitzinger, 1843

Family Polychrotidae (17 species)

113. *Anolis auratus* Daudin, 1802
114. *Anolis bombiceps* Cope, 1876
115. *Anolis fuscoauratus* D'Orbigny, 1837
116. *Anolis meridionalis* Boettger, 1885
117. *Anolis nasofrontalis* Amaral, 1933
118. *Anolis nitens* (Wagler, 1830)
119. *Anolis ortonii* Cope, 1868
120. *Anolis philopunctatus* Rodrigues, 1988
121. *Anolis phyllorhinus* Myers & Carvalho, 1945
122. *Anolis pseudotigrinus* Amaral, 1933
123. *Anolis punctatus* Daudin, 1802
124. *Anolis trachyderma* Cope, 1876
125. *Anolis transversalis* Duméril, 1851
126. *Anolis williamsii* Bocourt, 1870
127. *Polychrus acutirostris* Spix, 1825
128. *Polychrus liogaster* Boulenger, 1908
129. *Polychrus marmoratus* (Linnaeus, 1758)

Family Leiosauridae (14 species)

130. *Anisolepis grilli* Boulenger, 1891
131. *Anisolepis longicauda* (Boulenger, 1891)
132. *Anisolepis undulatus* (Wiegmann, 1834)
133. *Enyalius bibronii* Boulenger, 1885
134. *Enyalius bilineatus* Duméril & Bibron, 1837
135. *Enyalius brasiliensis* (Lesson, 1828)
136. *Enyalius catenatus* (Wied, 1821)
137. *Enyalius erythrocephalus* Rodrigues, Freitas, Silva & Bertolotto, 2006
138. *Enyalius iheringii* Boulenger, 1885
139. *Enyalius leechii* (Boulenger, 1885)
140. *Enyalius perditus* Jackson, 1978
141. *Enyalius pictus* (Wied, 1825)
142. *Leiosaurus paronae* (Peracca, 1897)
143. *Urostrophus vautieri* Duméril & Bibron, 1837

Family Liolaemidae (3 species)

144. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003
145. *Liolaemus lutzae* Mertens, 1938
146. *Liolaemus occipitalis* Boulenger, 1885

Family Tropiduridae (35 species)

147. *Eurolophosaurus amathites* (Rodrigues, 1984)
148. *Eurolophosaurus nanuzae* (Rodrigues, 1981)
149. *Eurolophosaurus divaricatus* (Rodrigues, 1984)
150. *Plica plica* (Linnaeus, 1758)
151. *Plica umbra* (Linnaeus, 1758)
152. *Stenocercus azureus* (Müller, 1882)
153. *Stenocercus caducus* (Cope, 1862)
154. *Stenocercus dumerilii* (Steindachner, 1867)
155. *Stenocercus fimbriatus* Ávila-Pires, 1995
156. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
157. *Stenocercus roseiventris* Duméril & Bibron, 1837
158. *Stenocercus sinesaccus* Torres-Carvajal, 2005
159. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
160. *Stenocercus tricristatus* (Duméril, 1851)
161. *Strobilurus torquatus* Wiegmann, 1834
162. *Tropidurus cocorobensis* Rodrigues, 1987
163. *Tropidurus erythrocephalus* Rodrigues, 1987
164. *Tropidurus etheridgei* Cei, 1982
165. *Tropidurus guarani* (Cope, 1862)
166. *Tropidurus helenae* (Manzani & Abe, 1990)
167. *Tropidurus hispidus* (Spix, 1825)
168. *Tropidurus hygomi* Reinhardt & Luetken, 1861
169. *Tropidurus insulanus* Rodrigues, 1987
170. *Tropidurus itambere* Rodrigues, 1987
171. *Tropidurus montanus* Rodrigues, 1987
172. *Tropidurus mucujensis* Rodrigues, 1987
173. *Tropidurus oreadicus* Rodrigues, 1987
174. *Tropidurus pinima* (Rodrigues, 1984)
175. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
176. *Tropidurus semitaeniatus* (Spix, 1825)
177. *Tropidurus spinulosus* (Cope, 1862)
178. *Tropidurus torquatus* (Wied, 1820)
179. *Uracentron azureum* (Linnaeus, 1758)
180. *Uracentron flaviceps* (Guichenot, 1855)
181. *Uranoscodon superciliosus* (Linnaeus, 1758)

Family Gekkonidae (6 species)

182. *Hemidactylus agrius* Vanzolini, 1978
183. *Hemidactylus brasiliensis* (Amaral, 1935)
184. *Hemidactylus mabouia* (Moreau de Jonnés, 1818)
185. *Hemidactylus palaichthus* Kluge, 1969
186. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
187. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)

Family Phyllodactylidae (12 species)

188. *Bogertia lutzae* Loveridge, 1941
189. *Gymnodactylus amarali* Barbour, 1925
190. *Gymnodactylus darwinii* (Gray, 1845)
191. *Gymnodactylus geckoides* Spix, 1825

192. *Gymnodactylus guttulatus* Vanzolini, 1982
193. *Gymnodactylus vanzolinii* Cassimiro & Rodrigues, 2009
194. *Homonota fasciata* (Duméril & Bibron, 1836)
195. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
196. *Phyllopezus periosus* Rodrigues, 1986
197. *Phyllopezus pollicaris* (Spix, 1825)
198. *Thecadactylus rapicauda* (Houttuyn, 1782)
199. *Thecadactylus solimoensis* Bergmann & Russell, 2007

Family Sphaerodactylidae (16 species)

200. *Coleodactylus amazonicus* (Andersson, 1918)
201. *Coleodactylus brachystoma* (Amaral, 1935)
202. *Coleodactylus meridionalis* (Boulenger, 1888)
203. *Coleodactylus natalensis* Freire, 1999
204. *Coleodactylus septentrionalis* (Vanzolini, 1980)
205. *Gonatodes annularis* Boulenger, 1887
206. *Gonatodes concinnatus* (O'Shaughnessy, 1881)
207. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
208. *Gonatodes hasemani* Griffin, 1917
209. *Gonatodes humeralis* (Guichenot, 1855)
210. *Gonatodes tapajonicus* Rodrigues, 1980
211. *Lepidoblepharis festae* Peracca, 1897
212. *Lepidoblepharis heyerorum* Vanzolini, 1978
213. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
214. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
215. *Pseudogonatodes guianensis* Parker, 1935

Family Anguidae (5 species)

216. *Diploglossus fasciatus* (Gray, 1831)
217. *Diploglossus lessonae* Peracca, 1890
218. *Ophiodes striatus* (Spix, 1825)
219. *Ophiodes vertebralis* Bocourt, 1881
220. *Ophiodes yacupoi* Gallardo, 1966

Family Teiidae (31 species)

221. *Ameiva ameiva* (Linnaeus, 1758)
222. *Cnemidophorus abaetensis* Dias, Rocha & Vrcibradic, 2002
223. *Cnemidophorus cryptus* Cole & Dessauer, 1993
224. *Cnemidophorus lacertoides* Duméril & Bibron, 1839
225. *Cnemidophorus lemniscatus* (Linnaeus, 1758)
226. *Cnemidophorus littoralis* Rocha, Araújo, Vrcibradic & Costa, 2000
227. *Cnemidophorus mumbuca* Colli, Caldwell, Costa, Gainsbury, Garda, Mesquita, Filho, Soares, Silva, Valdujo, Vieira, Vitt, Werneck, Wiederhecker & Zatz, 2003
228. *Cnemidophorus nativo* Rocha, Bergallo & Peccinini-Seale, 1997
229. *Cnemidophorus ocellifer* (Spix, 1825)
230. *Cnemidophorus parecis* Colli, Costa, Garda, Kopp, Mesquita, Péres, Valdujo, Vieira & Wiederhecker, 2003
231. *Cnemidophorus vacariensis* Feltrim & Lema, 2000
232. *Crocodylurus amazonicus* Spix, 1825
233. *Dracaena guianensis* Daudin, 1802
234. *Dracaena paraguayensis* Amaral, 1950

235. *Kentropyx altamazonica* (Cope, 1876)
236. *Kentropyx calcarata* Spix, 1825
237. *Kentropyx intermedia* (Gray, 1831)
238. *Kentropyx paulensis* Boettger, 1893
239. *Kentropyx pelviceps* Cope, 1868
240. *Kentropyx striata* (Daudin, 1802)
241. *Kentropyx vanzoi* Gallagher & Dixon, 1980
242. *Kentropyx viridistriga* Boulenger, 1894
243. *Teius oculatus* (D'Orbigny & Bibron, 1837)
244. *Teius teyou* (Daudin, 1802)
245. *Tupinambis duseni* Lönnberg, 1896
246. *Tupinambis longilineus* Ávila-Pires, 1995
247. *Tupinambis merianae* (Duméril & Bibron, 1839)
248. *Tupinambis palustris* Manzani & Abe, 2002
249. *Tupinambis quadrilineatus* Manzani & Abe, 1997
250. *Tupinambis rufescens* (Günther, 1871)
251. *Tupinambis teguixin* (Linnaeus, 1758)
- Family Gymnophthalmidae (82 species)**
252. *Acratosaura mentalis* (Amaral, 1933)
253. *Acratosaura spinosa* Rodrigues, Cassimiro, Freitas & Silva, 2009
254. *Alexandrosaurus camacan* Rodrigues, Pellegrino, Dixo, Verdade, Pavan, Argôlo & Sites Jr., 2007
255. *Alopoglossus angulatus* (Linnaeus, 1758)
256. *Alopoglossus atriventris* Duellman, 1973
257. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
258. *Amapasaurus tetradactylus* Cunha, 1970
259. *Anotosaura collaris* Amaral, 1933
260. *Anotosaura vanzolinia* Dixon, 1974
261. *Arthrosaura kockii* (Lidth de Jeude, 1904)
262. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
263. *Arthrosaura versteegii* Lidth de Jeude, 1904
264. *Bachia bresslaui* (Amaral, 1935)
265. *Bachia cacerensis* Castrillon & Strüssmann, 1998
266. *Bachia dorbignyi* (Duméril & Bibron, 1839)
267. *Bachia flavescens* (Bonnaterre, 1789)
268. *Bachia micromela* Rodrigues, Pavan & Curcio, 2007
269. *Bachia oxyrhina* Rodrigues, Camacho, Nunes, Recoder, Teixeira Jr., Valdujo, Ghellere, Mott & Nogueira, 2008
270. *Bachia panoplia* Thomas, 1965
271. *Bachia peruana* (Werner, 1901)
272. *Bachia psamophila* Rodrigues, Pavan & Curcio, 2007
273. *Bachia pyburni* Kizirian & McDiarmid, 1998
274. *Bachia scolecoides* Vanzolini, 1961
275. *Bachia trisanale* (Cope, 1868)
276. *Calyptommatius confusionibus* Rodrigues, Zaher & Curcio, 2001
277. *Calyptommatius leiolepis* Rodrigues, 1991
278. *Calyptommatius nicterus* Rodrigues, 1991
279. *Calyptommatius sinebrachiatus* Rodrigues, 1991
280. *Caparaonia itaiquara* Rodrigues, Cassimiro, Pavan, Curcio, Verdade & Pellegrino, 2009
281. *Cercosaura argulus* Peters, 1863

282. *Cercosaura eigenmanni* (Griffin, 1917)
283. *Cercosaura ocellata* Wagler, 1830
284. *Cercosaura oshaughnessyi* (Boulenger, 1885)
285. *Cercosaura quadrilineatus* (Boettger, 1876)
286. *Cercosaura schreibersii* Wiegmann, 1834
287. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
288. *Colobodactylus taunayi* (Amaral, 1933)
289. *Colobosaura modesta* (Reinhardt & Luetken, 1862)
290. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
291. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991
292. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites Jr., 2005
293. *Ecleopopus gaudichaudii* Duméril & Bibron, 1839
294. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991
295. *Gymnophthalmus underwoodi* Grant, 1958
296. *Gymnophthalmus vanzoi* Carvalho, 1999
297. *Heterodactylus imbricatus* Spix, 1825
298. *Heterodactylus lundii* Reinhardt & Luetken, 1862
299. *Heterodactylus septentrionalis* Rodrigues, Freitas & Silva, 2009
300. *Iphisa elegans* Gray, 1851
301. *Leposoma annectans* Ruibal, 1952
302. *Leposoma baturitensis* Rodrigues & Borges, 1997
303. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005
304. *Leposoma guianense* Ruibal, 1952
305. *Leposoma nanodactylus* Rodrigues, 1997
306. *Leposoma osvaldoi* Ávila-Pires, 1995
307. *Leposoma parietale* (Cope, 1885)
308. *Leposoma percarinatum* (Müller, 1923)
309. *Leposoma puk* Rodrigues, 2002
310. *Leposoma scincoides* Spix, 1825
311. *Leposoma snethlageae* Ávila-Pires, 1995
312. *Micrablepharus atticolus* Rodrigues, 1996
313. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
314. *Neusticurus bicarinatus* (Linnaeus, 1758)
315. *Neusticurus racenisi* Roze, 1958
316. *Neusticurus rudis* Boulenger, 1900
317. *Neusticurus tatei* Burt & Burt, 1931
318. *Nothobachia ablephara* Rodrigues, 1984
319. *Placosoma cipoense* Cunha, 1966
320. *Placosoma cordylinum* Tschudi, 1847
321. *Placosoma glabellum* (Peters, 1870)
322. *Potamites ecleopopus* (Cope, 1876)
323. *Potamites juruazensis* (Ávila-Pires & Vitt, 1998)
324. *Potamites ocellatus* (Sinitsin, 1930)
325. *Procellosaurinus erythrocerus* Rodrigues, 1991
326. *Procellosaurinus tetradactylus* Rodrigues, 1991
327. *Psilophthalmus paeminosus* Rodrigues, 1991
328. *Ptychoglossus brevifrontalis* Boulenger, 1912
329. *Rhachysaurus brachylepis* (Dixon, 1974)
330. *Scriptosaura catimbau* Rodrigues & Santos, 2008
331. *Stenolepis ridleyi* Boulenger, 1887
332. *Tretioscincus agilis* (Ruthven, 1916)

333. *Tretioscincus oriximinensis* Ávila-Pires, 1995
334. *Vanzosaura rubricauda* (Boulenger, 1902)

Family Scincidae (14 species)

335. *Mabuya agilis* (Raddi, 1823)
336. *Mabuya agmosticha* Rodrigues, 2000
337. *Mabuya arajara* Rebouças-Spieker, 1981
338. *Mabuya bistriata* (Spix, 1825)
339. *Mabuya caissara* Rebouças-Spieker, 1974
340. *Mabuya carvalhoi* Rebouças-Spieker & Vanzolini, 1990
341. *Mabuya dorsivittata* Cope, 1862
342. *Mabuya frenata* (Cope, 1862)
343. *Mabuya guaporicola* Dunn, 1936
344. *Mabuya heathi* Schmidt & Inger, 1951
345. *Mabuya macrorhyncha* Hoge, 1947
346. *Mabuya nigropalmata* Andersson, 1918
347. *Mabuya nigropunctata* (Spix, 1825)
348. *Trachylepis atlantica* (Schmidt, 1945)

SQUAMATA - SNAKES (371 species)

Family Anomalepididae (7 species)

349. *Liotyphlops beui* (Amaral, 1924)
350. *Liotyphlops caissara* Centeno, Sawaya & Germano, 2010
351. *Liotyphlops schubarti* Vanzolini, 1948
352. *Liotyphlops ternetzii* (Boulenger, 1896)
353. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
354. *Liotyphlops wilderi* (Garman, 1883)
355. *Typhlophis squamosus* (Schlegel, 1839)

Family Leptotyphlopidae (14 species)

356. *Epictia albifrons* (Wagler, 1824)
357. *Epictia australis* (Freiberg & Orejas-Miranda, 1968)
358. *Epictia borapeliotes* (Vanzolini, 1996)
359. *Epictia diaplocius* (Orejas-Miranda, 1969)
360. *Epictia munoai* (Orejas-Miranda, 1961)
361. *Epictia tenellus* (Klauber, 1939)
362. *Rena dimidiata* (Jan, 1861)
363. *Siagonodon brasiliensis* (Laurent, 1949)
364. *Siagonodon cupinensis* (Bailey & Carvalho, 1946)
365. *Siagonodon septemstriatus* (Schneider, 1801)
366. *Tricheilostoma fuliginosum* (Passos, Caramaschi & Pinto, 2006)
367. *Tricheilostoma koppesi* (Amaral, 1955)
368. *Tricheilostoma macrolepis* (Peters, 1857)
369. *Tricheilostoma salgueiroi* (Amaral, 1955)

Family Typhlopidae (6 species)

370. *Typhlops amoipira* Rodrigues & Juncá, 2002
371. *Typhlops brongersmianus* Vanzolini, 1976
372. *Typhlops minuisquamus* Dixon & Hendricks, 1979
373. *Typhlops paucisquamus* Dixon & Hendricks, 1979

374. *Typhlops reticulatus* (Linnaeus, 1758)
375. *Typhlops yonenagae* Rodrigues, 1991

Family Aniliidae (1 species)

376. *Anilius scytale* (Linnaeus, 1758)

Family Tropidophiidae (1 species)

377. *Tropidophis paucisquamis* (Müller, 1901)

Family Boidae (12 species)

378. *Boa constrictor* Linnaeus, 1758
379. *Corallus batesii* (Gray, 1860)
380. *Corallus caninus* (Linnaeus, 1758)
381. *Corallus cropanii* (Hoge, 1953)
382. *Corallus hortulanus* (Linnaeus, 1758)
383. *Epicrates assisi* Machado, 1945
384. *Epicrates cenchria* (Linnaeus, 1758)
385. *Epicrates crassus* Cope, 1862
386. *Epicrates maurus* Gray, 1849
387. *Eunectes deschauenseei* Dunn & Conant, 1936
388. *Eunectes murinus* (Linnaeus, 1758)
389. *Eunectes notaeus* Cope, 1862

Family Viperidae (28 species)

390. *Bothriopsis bilineata* (Wied, 1825)
391. *Bothriopsis taeniata* (Wagler, 1824)
392. *Bothrocophias hyoprora* (Amaral, 1935)
393. *Bothropoides alcatraz* (Marques, Martins & Sazima, 2002)
394. *Bothropoides diporus* (Cope, 1862)
395. *Bothropoides erythromelas* (Amaral, 1923)
396. *Bothropoides insularis* (Amaral, 1921)
397. *Bothropoides jararaca* (Wied, 1824)
398. *Bothropoides lutzi* (Miranda-Ribeiro, 1915)
399. *Bothropoides marmoratus* (Silva & Rodrigues, 2008)
400. *Bothropoides mattogrossensis* (Amaral, 1925)
401. *Bothropoides neuwiedi* (Wagler, 1824)
402. *Bothropoides pauloensis* (Amaral, 1925)
403. *Bothropoides pubescens* (Cope, 1870)
404. *Bothrops atrox* (Linnaeus, 1758)
405. *Bothrops brazili* Hoge, 1954
406. *Bothrops jararacussu* Lacerda, 1884
407. *Bothrops leucurus* Wagler, 1824
408. *Bothrops marajoensis* Hoge, 1966
409. *Bothrops moojeni* Hoge, 1966
410. *Bothrops muriciensis* Ferrarezzi & Freire, 2001
411. *Bothrops pirajai* Amaral, 1923
412. *Caudisona durissa* (Linnaeus, 1758)
413. *Lachesis muta* (Linnaeus, 1766)
414. *Rhinocerophis alternatus* (Duméril, Bibron & Duméril, 1854)

- 415. *Rhinocerophis cotiara* (Gomes, 1913)
- 416. *Rhinocerophis fonsecai* (Hoge & Belluomini, 1959)
- 417. *Rhinocerophis itapetiningae* (Boulenger, 1907)

Family Elapidae (27 species)

- 418. *Leptomicrurus collaris* (Schlegel, 1837)
- 419. *Leptomicrurus narduccii* (Jan, 1863)
- 420. *Leptomicrurus scutiventris* (Cope, 1870)
- 421. *Micrurus albicinctus* Amaral, 1926
- 422. *Micrurus altirostris* (Cope, 1859)
- 423. *Micrurus annelatus* (Peters, 1871)
- 424. *Micrurus averyi* Schmidt, 1939
- 425. *Micrurus brasiliensis* Roze, 1967
- 426. *Micrurus corallinus* (Merrem, 1820)
- 427. *Micrurus decoratus* (Jan, 1858)
- 428. *Micrurus filiformis* (Günther, 1859)
- 429. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
- 430. *Micrurus hemprichii* (Jan, 1858)
- 431. *Micrurus ibiboboca* (Merrem, 1820)
- 432. *Micrurus langsdorffii* Wagler, 1824
- 433. *Micrurus lemniscatus* (Linnaeus, 1758)
- 434. *Micrurus nattereri* Schmidt, 1952
- 435. *Micrurus pacaraimae* Carvalho, 2002
- 436. *Micrurus paraensis* Cunha & Nascimento, 1973
- 437. *Micrurus psyches* (Daudin, 1803)
- 438. *Micrurus putumayensis* Lancini, 1962
- 439. *Micrurus pyrrhocryptus* (Cope, 1862)
- 440. *Micrurus remotus* Roze, 1987
- 441. *Micrurus silviae* Di-Bernardo, Borges-Martins & Silva, 2007
- 442. *Micrurus spixii* Wagler, 1824
- 443. *Micrurus surinamensis* (Cuvier, 1817)
- 444. *Micrurus tricolor* Hoge, 1956

Family Colubridae (34 species)

- 445. *Chironius bicarinatus* (Wied, 1820)
- 446. *Chironius carinatus* (Linnaeus, 1758)
- 447. *Chironius cochranæ* Hoge & Romano, 1969
- 448. *Chironius exoletus* (Linnaeus, 1758)
- 449. *Chironius flavolineatus* (Boettger, 1885)
- 450. *Chironius foveatus* Bailey, 1955
- 451. *Chironius fuscus* (Linnaeus, 1758)
- 452. *Chironius laevicollis* (Wied, 1824)
- 453. *Chironius laurenti* Dixon, Wiest & Cei, 1993
- 454. *Chironius multiventris* Schmidt & Walker, 1943
- 455. *Chironius quadricarinatus* (Boie, 1827)
- 456. *Chironius scurrulus* (Wagler, 1824)
- 457. *Dendrophidion dendrophis* (Schlegel, 1837)
- 458. *Drymarchon corais* (Boie, 1827)
- 459. *Drymobius rhombifer* (Günther, 1860)
- 460. *Drymoluber brazili* (Gomes, 1918)
- 461. *Drymoluber dichrous* (Peters, 1863)

- 462. *Leptophis ahaetulla* (Linnaeus, 1758)
- 463. *Masticophis mentovarius* (Duméril, Bibron & Duméril, 1854)
- 464. *Mastigodryas bifossatus* (Raddi, 1820)
- 465. *Mastigodryas boddaerti* (Sentzen, 1796)
- 466. *Mastigodryas pleei* (Duméril, Bibron & Duméril, 1854)
- 467. *Oxybelis aeneus* (Wagler, 1824)
- 468. *Oxybelis fulgidus* (Daudin, 1803)
- 469. *Pseustes cinnamomeus* (Wagler, 1824)
- 470. *Pseustes poecilonotus* (Günther, 1858)
- 471. *Pseustes sexcarinatus* (Wagler, 1824)
- 472. *Pseustes sulphureus* (Wagler, 1824)
- 473. *Rhinobothryum lentiginosum* (Scopoli, 1785)
- 474. *Simophis rhinostoma* (Schlegel, 1837)
- 475. *Spilotes pullatus* (Linnaeus, 1758)
- 476. *Tantilla boipiranga* Sawaya & Sazima, 2003
- 477. *Tantilla marcovani* Lema, 2004
- 478. *Tantilla melanocephala* (Linnaeus, 1758)

Family Dipsadidae (241 species)

- 479. *Apostolepis albicolaris* Lema, 2002
- 480. *Apostolepis ambinigra* (Peters, 1869)
- 481. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
- 482. *Apostolepis arenaria* Rodrigues, 1992
- 483. *Apostolepis assimilis* (Reinhardt, 1861)
- 484. *Apostolepis cearensis* Gomes, 1915
- 485. *Apostolepis cerradoensis* Lema, 2003
- 486. *Apostolepis christineae* Lema, 2002
- 487. *Apostolepis dimidiata* (Jan, 1862)
- 488. *Apostolepis dorbignyi* (Schlegel, 1837)
- 489. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
- 490. *Apostolepis gaboi* Rodrigues, 1992
- 491. *Apostolepis goiasensis* Prado, 1942
- 492. *Apostolepis intermedia* Koslowsky, 1898
- 493. *Apostolepis lineata* Cope, 1887
- 494. *Apostolepis longicaudata* Amaral, 1921
- 495. *Apostolepis nelsonjorgei* Lema & Renner, 2004
- 496. *Apostolepis niceforoi* Amaral, 1935
- 497. *Apostolepis nigroterminata* Boulenger, 1896
- 498. *Apostolepis polylepis* Amaral, 1921
- 499. *Apostolepis pymi* Boulenger, 1903
- 500. *Apostolepis quinquelineata* Boulenger, 1896
- 501. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
- 502. *Apostolepis rondoni* Amaral, 1925
- 503. *Apostolepis striata* Lema, 2004
- 504. *Apostolepis tertulianobeui* Lema, 2004
- 505. *Apostolepis vittata* (Cope, 1887)
- 506. *Atractus albuquerquei* Cunha & Nascimento, 1983
- 507. *Atractus alphonsehogeii* Cunha & Nascimento, 1983
- 508. *Atractus altagratiae* Passos & Fernandes, 2008
- 509. *Atractus badius* (Boie, 1827)
- 510. *Atractus caete* Passos, Fernandes, Bérnils & Moura-Leite, 2010

511. *Atractus caxiuana* Prudente & Santos-Costa, 2006
512. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
513. *Atractus elaps* (Günther, 1858)
514. *Atractus emersoni* Silva, 2004
515. *Atractus flammigerus* (Boie, 1827)
516. *Atractus francoi* Passos, Fernandes, Bérnils & Moura-Leite, 2010
517. *Atractus guentheri* (Wucherer, 1861)
518. *Atractus insipidus* Roze, 1961
519. *Atractus latifrons* (Günther, 1868)
520. *Atractus maculatus* Günther, 1858
521. *Atractus major* Boulenger, 1894
522. *Atractus natans* Hoogmoed & Prudente, 2003
523. *Atractus pantostictus* Fernandes & Puerto, 1993
524. *Atractus paraguayensis* Werner, 1924
525. *Atractus poeppigi* (Jan, 1862)
526. *Atractus potschi* Fernandes, 1995
527. *Atractus reticulatus* (Boulenger, 1885)
528. *Atractus ronnie* Passos, Fernandes & Borges-Nojosa, 2007
529. *Atractus schach* (Boie, 1827)
530. *Atractus serranus* Amaral, 1930
531. *Atractus snethlageae* Cunha & Nascimento, 1983
532. *Atractus surucucu* Prudente & Passos, 2008
533. *Atractus taeniatus* Griffin, 1916
534. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
535. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
536. *Atractus trihedrurus* Amaral, 1926
537. *Atractus trilineatus* Wagler, 1828
538. *Atractus zebrinus* (Jan, 1862)
539. *Atractus zidoki* Gasc & Rodrigues, 1979
540. *Boiruna maculata* (Boulenger, 1896)
541. *Boiruna sertaneja* Zaher, 1996
542. *Caaeteboia amarali* (Wettstein, 1930)
543. *Calamodontophis paucidens* (Amaral, 1935)
544. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
545. *Cercophis auratus* (Schlegel, 1837)
546. *Clelia clelia* (Daudin, 1803)
547. *Clelia hussami* Morato, Franco & Sanches, 2003
548. *Clelia plumbea* (Wied, 1820)
549. *Clelia rustica* (Cope, 1878)
550. *Dipsas albifrons* (Sauvage, 1884)
551. *Dipsas alternans* (Fischer, 1885)
552. *Dipsas bucephala* (Shaw, 1802)
553. *Dipsas catesbyi* (Sentzen, 1796)
554. *Dipsas incerta* (Jan, 1863)
555. *Dipsas indica* Laurenti, 1768
556. *Dipsas pavonina* Schlegel, 1837
557. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
558. *Ditaxodon taeniatus* (Peters *in* Hensel, 1868)
559. *Drepanoides anomalus* (Jan, 1863)
560. *Echinanthera amoena* (Jan, 1863)
561. *Echinanthera cephalomaculata* Di-Bernardo, 1994

562. *Echinanthera cephalostriata* Di-Bernardo, 1996
563. *Echinanthera cyanopleura* (Cope, 1885)
564. *Echinanthera melanostigma* (Wagler, 1824)
565. *Echinanthera undulata* (Wied, 1824)
566. *Elapomorphus lepidus* Reinhardt, 1861
567. *Elapomorphus quinquelineatus* (Raddi, 1820)
568. *Elapomorphus wuchereri* Günther, 1861
569. *Erythrolamprus aesculapii* (Linnaeus, 1766)
570. *Gomesophis brasiliensis* (Gomes, 1918)
571. *Helicops angulatus* (Linnaeus, 1758)
572. *Helicops carinicaudus* (Wied, 1825)
573. *Helicops gomesi* Amaral, 1921
574. *Helicops hagmanni* Roux, 1910
575. *Helicops infrataeniatus* (Jan, 1865)
576. *Helicops leopardinus* (Schlegel, 1837)
577. *Helicops modestus* Günther, 1861
578. *Helicops polylepis* Günther, 1861
579. *Helicops tapajonicus* Frota, 2005
580. *Helicops trivittatus* (Gray, 1849)
581. *Hydrodynastes bicinctus* (Herrmann, 1804)
582. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
583. *Hydrodynastes melanogigas* Franco, Fernandes & Bentin, 2007
584. *Hydrops caesurus* Scrocchi, Ferreira, Giraudo, Ávila & Motte, 2005
585. *Hydrops martii* (Wagler, 1824)
586. *Hydrops triangularis* (Wagler, 1824)
587. *Imantodes cenchoa* (Linnaeus, 1758)
588. *Imantodes lentiferus* (Cope, 1894)
589. *Leptodeira annulata* (Linnaeus, 1758)
590. *Lioheterophis iheringi* Amaral, 1935
591. *Liophis almadensis* (Wagler, 1824)
592. *Liophis anomalus* (Günther, 1858)
593. *Liophis atraventer* Dixon & Thomas, 1985
594. *Liophis breviceps* Cope, 1860
595. *Liophis carajasensis* Cunha, Nascimento & Ávila-Pires, 1985
596. *Liophis cobella* (Linnaeus, 1758)
597. *Liophis dilepis* (Cope, 1862)
598. *Liophis festae* (Peracca, 1897)
599. *Liophis flavifrenatus* (Cope, 1862)
600. *Liophis frenatus* (Werner, 1909)
601. *Liophis jaegeri* (Günther, 1858)
602. *Liophis lineatus* (Linnaeus, 1758)
603. *Liophis longiventris* Amaral, 1925
604. *Liophis maryellenae* Dixon, 1985
605. *Liophis melanauchen* (Jan, 1863)
606. *Liophis meridionalis* (Schenkel, 1901)
607. *Liophis miliaris* (Linnaeus, 1758)
608. *Liophis mimus* (Cope, 1868)
609. *Liophis mossoroensis* Hoge & Lima-Verde, 1972
610. *Liophis paucidens* (Hoge, 1953)
611. *Liophis poecilogyrus* (Wied, 1825)
612. *Liophis reginae* (Linnaeus, 1758)

613. *Liophis semiaureus* (Cope, 1862)
614. *Liophis taeniogaster* Jan, 1863
615. *Liophis typhlus* (Linnaeus, 1758)
616. *Liophis viridis* Günther, 1862
617. *Mussurana bicolor* (Peracca, 1904)
618. *Mussurana montana* (Franco, Marques & Puerto, 1997)
619. *Mussurana quimi* (Franco, Marques & Puerto, 1997)
620. *Ninia hudsoni* Parker, 1940
621. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
622. *Oxyrhopus formosus* (Wied, 1820)
623. *Oxyrhopus guibei* Hoge & Romano, 1978
624. *Oxyrhopus melanogenys* (Tschudi, 1845)
625. *Oxyrhopus occipitalis* Wagler *in* Spix, 1824
626. *Oxyrhopus petola* (Linnaeus, 1758)
627. *Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854
628. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
629. *Oxyrhopus vanidicus* Lynch, 2009
630. *Phalotris concolor* Ferrarezzi, 1994
631. *Phalotris labiomaculatus* Lema, 2002
632. *Phalotris lativittatus* Ferrarezzi, 1994
633. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
634. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
635. *Phalotris mertensi* (Hoge, 1955)
636. *Phalotris multipunctatus* Puerto & Ferrarezzi, 1994
637. *Phalotris nasutus* (Gomes, 1915)
638. *Phalotris reticulatus* (Peters, 1860)
639. *Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)
640. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
641. *Philodryas agassizii* (Jan, 1863)
642. *Philodryas argentea* (Daudin, 1803)
643. *Philodryas arnaldoi* (Amaral, 1933)
644. *Philodryas boulengeri* (Procter, 1923)
645. *Philodryas laticeps* Werner, 1900
646. *Philodryas livida* (Amaral, 1923)
647. *Philodryas mattogrossensis* Koslowsky, 1898
648. *Philodryas nattereri* Steindachner, 1870
649. *Philodryas offersii* (Lichtenstein, 1823)
650. *Philodryas patagoniensis* (Girard, 1858)
651. *Philodryas psammophidea* Günther, 1872
652. *Philodryas viridissima* (Linnaeus, 1758)
653. *Phimophis chui* Rodrigues, 1993
654. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
655. *Phimophis guianensis* (Troschel, 1848)
656. *Phimophis iglesiassi* (Gomes, 1915)
657. *Phimophis scriptorcibatus* Rodrigues, 1993
658. *Pliocercus euryzonus* Cope, 1862
659. *Pseudoboa coronata* Schneider, 1801
660. *Pseudoboa haasi* (Boettger, 1905)
661. *Pseudoboa martinsi* Zaher, Oliveira & Franco, 2008
662. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
663. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)

664. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
665. *Pseudoeryx plicatilis* (Linnaeus, 1758)
666. *Psomophis genimaculatus* (Boettger, 1885)
667. *Psomophis joberti* (Sauvage, 1884)
668. *Psomophis obtusus* (Cope, 1864)
669. *Ptychophis flavovirgatus* Gomes, 1915
670. *Rhachidelus brazili* Boulenger, 1908
671. *Sibon nebulata* (Linnaeus, 1758)
672. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
673. *Sibynomorphus mikanii* (Schlegel, 1837)
674. *Sibynomorphus neuwiedi* (Ihering, 1911)
675. *Sibynomorphus turgidus* (Cope, 1868)
676. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)
677. *Siphlophis cervinus* (Laurenti, 1768)
678. *Siphlophis compressus* (Daudin, 1803)
679. *Siphlophis leucocephalus* (Günther, 1863)
680. *Siphlophis longicaudatus* (Andersson, 1907)
681. *Siphlophis pulcher* (Raddi, 1820)
682. *Siphlophis worontzowi* (Prado, 1940)
683. *Sordellina punctata* (Peters, 1880)
684. *Taeniophallus affinis* (Günther, 1858)
685. *Taeniophallus bilineatus* (Fischer, 1885)
686. *Taeniophallus brevirostris* (Peters, 1863)
687. *Taeniophallus nicagus* (Cope, 1895)
688. *Taeniophallus occipitalis* (Jan, 1863)
689. *Taeniophallus persimilis* (Cope, 1869)
690. *Taeniophallus poecilopogon* (Cope, 1863)
691. *Taeniophallus quadriocellatus* Santos-Jr, Di-Bernardo & Lema, 2008
692. *Thamnodynastes almae* Franco & Ferreira, 2003
693. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993
694. *Thamnodynastes hypoconia* (Cope, 1860)
695. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
696. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
697. *Thamnodynastes nattereri* (Mikan, 1828)
698. *Thamnodynastes pallidus* (Linnaeus, 1758)
699. *Thamnodynastes ramonriveroi* Manzanilla & Sánchez, 2005
700. *Thamnodynastes rutilus* (Prado, 1942)
701. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
702. *Thamnodynastes strigatus* (Günther, 1858)
703. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
704. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854
705. *Tropidodryas serra* (Schlegel, 1837)
706. *Tropidodryas striaticeps* (Cope, 1869)
707. *Umbrivaga pygmaea* (Cope, 1868)
708. *Uromacerina ricardinii* (Peracca, 1897)
709. *Xenodon dorbignyi* (Duméril, Bibron & Duméril, 1854)
710. *Xenodon guentheri* Boulenger, 1894
711. *Xenodon histricus* (Jan, 1863)
712. *Xenodon matogrossensis* (Scrocchi & Cruz, 1993)
713. *Xenodon merremii* (Wagler, 1824)
714. *Xenodon nattereri* (Steindachner, 1867)

- 715. *Xenodon neuwiedii* Günther, 1863
- 716. *Xenodon rhabdocephalus* (Wied, 1824)
- 717. *Xenodon severus* (Linnaeus, 1758)
- 718. *Xenopholis scalaris* (Wucherer, 1861)
- 719. *Xenopholis undulatus* (Jensen, 1900)

[Back to Top](#)