

BRAZILIAN REPTILES – LIST OF SPECIES

Organized by

Renato Silveira Bérnils, renatobernils@gmail.com

and

Henrique Caldeira Costa, ccostah@yahoo.com.br

COLLABORATORS

The present List would be cited as:

BÉRNILS, R. S. & H. C. COSTA (org.). 2011. *Brazilian reptiles – List of species*. Accessible at <http://www.sbherpetologia.org.br/>. Sociedade Brasileira de Herpetologia. Captured on... [date of your online consult]

TOTAL NUMBER OF SPECIES = 727

CROCODYLIA (6 species)

Family Alligatoridae (6 species)

01. *Caiman crocodilus* (Linnaeus, 1758)
02. *Caiman latirostris* (Daudin, 1802)
03. *Caiman yacare* (Daudin, 1802)
04. *Melanosuchus niger* (Spix, 1825)
05. *Paleosuchus palpebrosus* (Cuvier, 1807)
06. *Paleosuchus trigonatus* (Schneider, 1801)

TESTUDINES (36 species)

Family Cheloniidae (4 species)

07. *Caretta caretta* (Linnaeus, 1758)
08. *Chelonia mydas* (Linnaeus, 1758)
09. *Eretmochelys imbricata* (Linnaeus, 1766)
10. *Lepidochelys olivacea* (Eschscholtz, 1829)

Family Dermochelyidae (1 species)

11. *Dermochelys coriacea* (Linnaeus, 1766)

Family Emydidae (2 species)

12. *Trachemys adiutrix* Vanzolini, 1995
13. *Trachemys dorbigni* (Duméril & Bibron, 1835)

Family Geoemydidae (1 species)

14. *Rhinoclemmys punctularia* (Daudin, 1801)

Family Kinosternidae (1 species)

15. *Kinosternon scorpioides* (Linnaeus, 1766)

Family Testudinidae (2 species)

16. *Chelonoidis carbonaria* (Spix, 1824)

17. *Chelonoidis denticulata* (Linnaeus, 1766)

Family Podocnemididae (5 species)

- 18. *Peltocephalus dumeriliana* (Schweigger, 1812)
- 19. *Podocnemis erythrocephala* (Spix, 1824)
- 20. *Podocnemis expansa* (Schweigger, 1812)
- 21. *Podocnemis sextuberculata* Cornalia, 1849
- 22. *Podocnemis unifilis* Troschel, 1848

Family Chelidae (20 species)

- 23. *Acanthochelys macrocephala* Rhodin, Mittermeier & McMorris, 1984
- 24. *Acanthochelys radiolata* (Mikan, 1820)
- 25. *Acanthochelys spixii* (Duméril & Bibron, 1835)
- 26. *Chelus fimbriatus* (Schneider, 1783)
- 27. *Hydromedusa maximiliani* (Mikan, 1825)
- 28. *Hydromedusa tectifera* Cope, 1869
- 29. *Mesoclemmys gibba* (Schweigger, 1812)
- 30. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2000)
- 31. *Mesoclemmys hoguei* (Mertens, 1967)
- 32. *Mesoclemmys nasuta* (Schweigger, 1812)
- 33. *Mesoclemmys perplexa* Bour & Zaher, 2005
- 34. *Mesoclemmys raniceps* (Gray, 1855)
- 35. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
- 36. *Mesoclemmys vanderhaegei* (Bour, 1973)
- 37. *Phrynops geoffroanus* (Schweigger, 1812)
- 38. *Phrynops hilarii* (Duméril & Bibron, 1835)
- 39. *Phrynops tuberosus* (Peters, 1870)
- 40. *Phrynops williamsi* Rhodin & Mittermeier, 1983
- 41. *Platemys platycephala* (Schneider, 1792)
- 42. *Rhinemys rufipes* (Spix, 1824)

SQUAMATA – “LIZARDS” (245 species)

Family Iguanidae (1 species)

- 43. *Iguana iguana* (Linnaeus, 1758)

Family Hoplocercidae (3 species)

- 44. *Enyalioides laticeps* (Guichenot, 1855)
- 45. *Enyalioides palpebralis* (Boulenger, 1883)
- 46. *Hoplocercus spinosus* Fitzinger, 1843

Family Polychrotidae (17 species)

- 47. *Anolis auratus* Daudin, 1802
- 48. *Anolis bombiceps* Cope, 1876
- 49. *Anolis chrysolepis* Duméril & Bibron, 1837
- 50. *Anolis fuscoauratus* D'Orbigny, 1837
- 51. *Anolis meridionalis* Boettger, 1885
- 52. *Anolis nasofrontalis* Amaral, 1933
- 53. *Anolis ortonii* Cope, 1868
- 54. *Anolis philopunctatus* Rodrigues, 1988
- 55. *Anolis phyllorhinus* Myers & Carvalho, 1945

56. *Anolis pseudotigrinus* Amaral, 1933
57. *Anolis punctatus* Daudin, 1802
58. *Anolis trachyderma* Cope, 1876
59. *Anolis transversalis* Duméril, 1851
60. *Anolis williamsii* Bocourt, 1870
61. *Polychrus acutirostris* Spix, 1825
62. *Polychrus liogaster* Boulenger, 1908
63. *Polychrus marmoratus* (Linnaeus, 1758)

Family Leiosauridae (14 species)

64. *Anisolepis grilli* Boulenger, 1891
65. *Anisolepis longicauda* (Boulenger, 1891)
66. *Anisolepis undulatus* (Wiegmann, 1834)
67. *Enyalius bibronii* Boulenger, 1885
68. *Enyalius bilineatus* Duméril & Bibron, 1837
69. *Enyalius brasiliensis* (Lesson, 1828)
70. *Enyalius catenatus* (Wied, 1821)
71. *Enyalius erythrocephalus* Rodrigues, Freitas, Silva & Bertolotto, 2006
72. *Enyalius iheringii* Boulenger, 1885
73. *Enyalius leechii* (Boulenger, 1885)
74. *Enyalius perditus* Jackson, 1978
75. *Enyalius pictus* (Schinz, 1822)
76. *Leiosaurus paronae* (Peracca, 1897)
77. *Urostrophus vautieri* Duméril & Bibron, 1837

Family Liolaemidae (3 species)

78. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003
79. *Liolaemus lutzae* Mertens, 1938
80. *Liolaemus occipitalis* Boulenger, 1885

Family Tropiduridae (36 species)

81. *Eurolophosaurus amathites* (Rodrigues, 1984)
82. *Eurolophosaurus nanuzae* (Rodrigues, 1981)
83. *Eurolophosaurus divaricatus* (Rodrigues, 1984)
84. *Plica plica* (Linnaeus, 1758)
85. *Plica umbra* (Linnaeus, 1758)
86. *Stenocercus azureus* (Müller, 1882)
87. *Stenocercus caducus* (Cope, 1862)
88. *Stenocercus dumerilii* (Steindachner, 1867)
89. *Stenocercus fimbriatus* Ávila-Pires, 1995
90. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
91. *Stenocercus roseiventris* Duméril & Bibron, 1837
92. *Stenocercus sinesaccus* Torres-Carvajal, 2005
93. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
94. *Stenocercus tricristatus* (Duméril, 1851)
95. *Strobilurus torquatus* Wiegmann, 1834
96. *Tropidurus cocorobensis* Rodrigues, 1987
97. *Tropidurus erythrocephalus* Rodrigues, 1987
98. *Tropidurus etheridgei* Cei, 1982
99. *Tropidurus guarani* (Cope, 1862)
100. *Tropidurus helenae* (Manzani & Abe, 1990)

101. *Tropidurus hispidus* (Spix, 1825)
102. *Tropidurus hygomi* Reinhardt & Luetken, 1861
103. *Tropidurus insulanus* Rodrigues, 1987
104. *Tropidurus itambere* Rodrigues, 1987
105. *Tropidurus jaguaribanus* Passos, Lima & Borges-Nojosa, 2011
106. *Tropidurus montanus* Rodrigues, 1987
107. *Tropidurus mucujensis* Rodrigues, 1987
108. *Tropidurus oreadicus* Rodrigues, 1987
109. *Tropidurus pinima* (Rodrigues, 1984)
110. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
111. *Tropidurus semitaeniatus* (Spix, 1825)
112. *Tropidurus spinulosus* (Cope, 1862)
113. *Tropidurus torquatus* (Wied, 1820)
114. *Uracentron azureum* (Linnaeus, 1758)
115. *Uracentron flaviceps* (Guichenot, 1855)
116. *Uranoscodon superciliosus* (Linnaeus, 1758)

Family Gekkonidae (6 species)

117. *Hemidactylus agrius* Vanzolini, 1978
118. *Hemidactylus brasilianus* (Amaral, 1935)
119. *Hemidactylus mabouia* (Moreau de Jonnès, 1818)
120. *Hemidactylus palaichthus* Kluge, 1969
121. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
122. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)

Family Phyllodactylidae (12 species)

123. *Bogertia lutzae* Loveridge, 1941
124. *Gymnodactylus amarali* Barbour, 1925
125. *Gymnodactylus darwinii* (Gray, 1845)
126. *Gymnodactylus geckoides* Spix, 1825
127. *Gymnodactylus guttulatus* Vanzolini, 1982
128. *Gymnodactylus vanzolinii* Cassimiro & Rodrigues, 2009
129. *Homonota fasciata* (Duméril & Bibron, 1836)
130. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
131. *Phyllopezus periosus* Rodrigues, 1986
132. *Phyllopezus pollicaris* (Spix, 1825)
133. *Thecadactylus rapicauda* (Houttuyn, 1782)
134. *Thecadactylus solimoensis* Bergmann & Russell, 2007

Family Sphaerodactylidae (16 species)

135. *Coleodactylus amazonicus* (Andersson, 1918)
136. *Coleodactylus brachystoma* (Amaral, 1935)
137. *Coleodactylus meridionalis* (Boulenger, 1888)
138. *Coleodactylus natalensis* Freire, 1999
139. *Coleodactylus septentrionalis* (Vanzolini, 1980)
140. *Gonatodes annularis* Boulenger, 1887
141. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
142. *Gonatodes hasemani* Griffin, 1917
143. *Gonatodes humeralis* (Guichenot, 1855)
144. *Gonatodes nascimentoi* Sturaro & Ávila-Pires, 2011
145. *Gonatodes tapajonicus* Rodrigues, 1980

146. *Lepidoblepharis festae* Peracca, 1897
147. *Lepidoblepharis heyerorum* Vanzolini, 1978
148. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
149. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
150. *Pseudogonatodes guianensis* Parker, 1935

Family Anguidae (3 species)

151. *Ophiodes striatus* (Spix, 1825)
152. *Ophiodes vertebralis* Bocourt, 1881
153. *Ophiodes yacupoi* Gallardo, 1966

Family Diploglossidae (2 species)

154. *Diploglossus fasciatus* (Gray, 1831)
155. *Diploglossus lessonae* Peracca, 1890

Family Teiidae (34 species)

156. *Ameiva ameiva* (Linnaeus, 1758)
157. *Cnemidophorus abaetensis* Dias, Rocha & Vrcibradic, 2002
158. *Cnemidophorus cryptus* Cole & Dessauer, 1993
159. *Cnemidophorus cyanurus* Arias, Carvalho, Rodrigues & Zaher, 2011
160. *Cnemidophorus jalapensis* Colli, Giugliano, Mesquita & França, 2009
161. *Cnemidophorus lacertoides* Duméril & Bibron, 1839
162. *Cnemidophorus lemniscatus* (Linnaeus, 1758)
163. *Cnemidophorus littoralis* Rocha, Araújo, Vrcibradic & Costa, 2000
164. *Cnemidophorus mumbuca* Colli, Caldwell, Costa, Gainsbury, Garda, Mesquita, Filho, Soares, Silva, Valdujo, Vieira, Vitt, Werneck, Wiederhecker & Zatz, 2003
165. *Cnemidophorus nativo* Rocha, Bergallo & Peccinini-Seale, 1997
166. *Cnemidophorus nigrigula* Arias, Carvalho, Rodrigues & Zaher, 2011
167. *Cnemidophorus ocellifer* (Spix, 1825)
168. *Cnemidophorus parecis* Colli, Costa, Garda, Kopp, Mesquita, Péres, Valdujo, Vieira & Wiederhecker, 2003
169. *Cnemidophorus vacariensis* Feltrim & Lema, 2000
170. *Crocodylus amazonicus* Spix, 1825
171. *Dracaena guianensis* Daudin, 1802
172. *Dracaena paraguayensis* Amaral, 1950
173. *Kentropyx altamazonica* (Cope, 1876)
174. *Kentropyx calcarata* Spix, 1825
175. *Kentropyx intermedia* (Gray, 1831)
176. *Kentropyx paulensis* Boettger, 1893
177. *Kentropyx pelviceps* Cope, 1868
178. *Kentropyx striata* (Daudin, 1802)
179. *Kentropyx vanzoi* Gallagher & Dixon, 1980
180. *Kentropyx viridistriga* Boulenger, 1894
181. *Teius oculatus* (D'Orbigny & Bibron, 1837)
182. *Teius teyou* (Daudin, 1802)
183. *Tupinambis duseni* Lönnberg, 1896
184. *Tupinambis longilineus* Ávila-Pires, 1995
185. *Tupinambis meriana* (Duméril & Bibron, 1839)
186. *Tupinambis palustris* Manzani & Abe, 2002
187. *Tupinambis quadrilineatus* Manzani & Abe, 1997
188. *Tupinambis rufescens* (Günther, 1871)

189. *Tupinambis teguixin* (Linnaeus, 1758)

Family Gymnophthalmidae (84 species)

190. *Acrotosaura mentalis* (Amaral, 1933)
191. *Acrotosaura spinosa* Rodrigues, Cassimiro, Freitas & Silva, 2009
192. *Alexandresaurus camacan* Rodrigues, Pellegrino, Dixo, Verdade, Pavan, Argôlo & Sites Jr., 2007
193. *Alopoglossus angulatus* (Linnaeus, 1758)
194. *Alopoglossus atriventris* Duellman, 1973
195. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
196. *Amapasaurus tetradactylus* Cunha, 1970
197. *Anotosaura collaris* Amaral, 1933
198. *Anotosaura vanzolinia* Dixon, 1974
199. *Arthrosaura kockii* (Lidth de Jeude, 1904)
200. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
201. *Arthrosaura versteegii* Lidth de Jeude, 1904
202. *Bachia bresslaui* (Amaral, 1935)
203. *Bachia cacerensis* Castrillon & Strüssmann, 1998
204. *Bachia didactyla* Freitas, Strüssmann, Carvalho, Kawashita-Ribeiro & Mott, 2011
205. *Bachia dorbignyi* (Duméril & Bibron, 1839)
206. *Bachia flavescens* (Bonnaterre, 1789)
207. *Bachia micromela* Rodrigues, Pavan & Curcio, 2007
208. *Bachia oxyrhina* Rodrigues, Camacho, Nunes, Recoder, Teixeira Jr., Valdujo, Ghellere, Mott & Nogueira, 2008
209. *Bachia panoplia* Thomas, 1965
210. *Bachia peruana* (Werner, 1901)
211. *Bachia psamophila* Rodrigues, Pavan & Curcio, 2007
212. *Bachia pyburni* Kizirian & McDiarmid, 1998
213. *Bachia scolecoides* Vanzolini, 1961
214. *Bachia trisanale* (Cope, 1868)
215. *Calyptommatius confusionibus* Rodrigues, Zaher & Curcio, 2001
216. *Calyptommatius leiolepis* Rodrigues, 1991
217. *Calyptommatius nicterus* Rodrigues, 1991
218. *Calyptommatius sinebrachiatus* Rodrigues, 1991
219. *Caparaonia itaiquara* Rodrigues, Cassimiro, Pavan, Curcio, Verdade & Pellegrino, 2009
220. *Cercosaura argulus* Peters, 1863
221. *Cercosaura eigenmanni* (Griffin, 1917)
222. *Cercosaura ocellata* Wagler, 1830
223. *Cercosaura oshaughnessyi* (Boulenger, 1885)
224. *Cercosaura quadrilineatus* (Boettger, 1876)
225. *Cercosaura schreibersii* Wiegmann, 1834
226. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
227. *Colobodactylus taunayi* (Amaral, 1933)
228. *Colobosaura modesta* (Reinhardt & Luetken, 1862)
229. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
230. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991
231. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites Jr., 2005
232. *Ecpleopus gaudichaudi* Duméril & Bibron, 1839
233. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991
234. *Gymnophthalmus underwoodi* Grant, 1958

235. *Gymnophthalmus vanzoi* Carvalho, 1999
236. *Heterodactylus imbricatus* Spix, 1825
237. *Heterodactylus lundii* Reinhardt & Luetken, 1862
238. *Heterodactylus septentrionalis* Rodrigues, Freitas & Silva, 2009
239. *Iphisa elegans* Gray, 1851
240. *Leposoma annectans* Ruibal, 1952
241. *Leposoma baturitensis* Rodrigues & Borges, 1997
242. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005
243. *Leposoma guianense* Ruibal, 1952
244. *Leposoma nanodactylus* Rodrigues, 1997
245. *Leposoma osvaldoi* Ávila-Pires, 1995
246. *Leposoma parietale* (Cope, 1885)
247. *Leposoma percarinatum* (Müller, 1923)
248. *Leposoma puk* Rodrigues, 2002
249. *Leposoma scincoides* Spix, 1825
250. *Leposoma snethlageae* Ávila-Pires, 1995
251. *Micrablepharus atticolus* Rodrigues, 1996
252. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
253. *Neusticurus bicarinatus* (Linnaeus, 1758)
254. *Neusticurus racenisi* Roze, 1958
255. *Neusticurus rudis* Boulenger, 1900
256. *Neusticurus tatei* Burt & Burt, 1931
257. *Nothobachia ablephara* Rodrigues, 1984
258. *Placosoma cipoense* Cunha, 1966
259. *Placosoma cordylinum* Tschudi, 1847
260. *Placosoma glabellum* (Peters, 1870)
261. *Potamites ecpleopus* (Cope, 1876)
262. *Potamites juruazensis* (Ávila-Pires & Vitt, 1998)
263. *Potamites ocellatus* (Sinitsin, 1930)
264. *Procellosaurinus erythrocerus* Rodrigues, 1991
265. *Procellosaurinus tetradactylus* Rodrigues, 1991
266. *Psilophthalmus paeminosus* Rodrigues, 1991
267. *Ptychoglossus brevifrontalis* Boulenger, 1912
268. *Rhachysaurus brachylepis* (Dixon, 1974)
269. *Scriptosaura catimbau* Rodrigues & Santos, 2008
270. *Stenolepis ridleyi* Boulenger, 1887
271. *Tretioscincus agilis* (Ruthven, 1916)
272. *Tretioscincus oriximinensis* Ávila-Pires, 1995
273. *Vanzosaura rubricauda* (Boulenger, 1902)

Family Scincidae (14 species)

274. *Mabuya agilis* (Raddi, 1823)
275. *Mabuya agmosticha* Rodrigues, 2000
276. *Mabuya arajara* Rebouças-Spieker, 1981
277. *Mabuya bistriata* (Spix, 1825)
278. *Mabuya caissara* Rebouças-Spieker, 1974
279. *Mabuya carvalhoi* Rebouças-Spieker & Vanzolini, 1990
280. *Mabuya dorsivittata* Cope, 1862
281. *Mabuya frenata* (Cope, 1862)
282. *Mabuya guaporicola* Dunn, 1936
283. *Mabuya heathi* Schmidt & Inger, 1951

- 284. *Mabuya macrorhyncha* Hoge, 1947
- 285. *Mabuya nigropalmata* Andersson, 1918
- 286. *Mabuya nigropunctata* (Spix, 1825)
- 287. *Trachylepis atlantica* (Schmidt, 1945)

SQUAMATA - AMPHISBAENIANS (67 species)

Family Amphisbaenidae (67 species)

- 288. *Amphisbaena absaberi* (Strüssmann & Carvalho, 2001)
- 289. *Amphisbaena acrobeles* (Ribeiro, Castro-Mello & Nogueira, 2009)
- 290. *Amphisbaena alba* Linnaeus, 1758
- 291. *Amphisbaena albocingulata* Boettger, 1885
- 292. *Amphisbaena amazonica* Vanzolini, 1951
- 293. *Amphisbaena anaemariae* Vanzolini, 1997
- 294. *Amphisbaena anomala* (Barbour, 1914)
- 295. *Amphisbaena arda* Rodrigues, 2003
- 296. *Amphisbaena arenaria* Vanzolini, 1991
- 297. *Amphisbaena bahiana* Vanzolini, 1964
- 298. *Amphisbaena bedai* (Vanzolini, 1991)
- 299. *Amphisbaena bilabialata* (Stimson, 1972)
- 300. *Amphisbaena bolivica* Mertens, 1929
- 301. *Amphisbaena brasiliiana* (Gray, 1865)
- 302. *Amphisbaena brevis* Strüssmann & Mott, 2009
- 303. *Amphisbaena camura* Cope, 1862
- 304. *Amphisbaena carli* Pinna, Mendonça, Bocchiglieri & Fernandes, 2010
- 305. *Amphisbaena carvalhoi* Gans, 1965
- 306. *Amphisbaena cerradensis* (Ribeiro, Vaz-Silva & Santos-Jr, 2008)
- 307. *Amphisbaena crisae* Vanzolini, 1997
- 308. *Amphisbaena cuiabana* (Strüssmann & Carvalho, 2001)
- 309. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
- 310. *Amphisbaena dubia* L. Müller, 1924
- 311. *Amphisbaena frontalis* Vanzolini, 1991
- 312. *Amphisbaena fuliginosa* Linnaeus, 1758
- 313. *Amphisbaena hastata* Vanzolini, 1991
- 314. *Amphisbaena heathi* Schmidt, 1936
- 315. *Amphisbaena hogei* Vanzolini, 1950
- 316. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
- 317. *Amphisbaena ignatiana* Vanzolini, 1991
- 318. *Amphisbaena infraorbitale* (Bertold, 1859)
- 319. *Amphisbaena kingii* (Bell, 1833)
- 320. *Amphisbaena kisteumacheri* (Porto, Soares & Caramaschi, 2000)
- 321. *Amphisbaena kraoh* (Vanzolini, 1971)
- 322. *Amphisbaena leeseri* Gans, 1964
- 323. *Amphisbaena leucocephala* Peters, 1878
- 324. *Amphisbaena lumbricalis* Vanzolini, 1996
- 325. *Amphisbaena mensae* Castro-Mello, 2000
- 326. *Amphisbaena mertensii* Strauch, 1881
- 327. *Amphisbaena microcephala* (Wagler, 1824)
- 328. *Amphisbaena miringoera* Vanzolini, 1971
- 329. *Amphisbaena mitchelli* Procter, 1923
- 330. *Amphisbaena munoai* Klappenbach, 1966

331. *Amphisbaena neglecta* Dunn & Piatt, 1936
332. *Amphisbaena nigricauda* Gans, 1966
333. *Amphisbaena octostega* (Duméril, 1851)
334. *Amphisbaena polystega* (Duméril, 1851)
335. *Amphisbaena pretrei* Duméril & Bibron, 1839
336. *Amphisbaena prunicolor* (Cope, 1885)
337. *Amphisbaena ridley* Boulenger, 1890
338. *Amphisbaena roberti* Gans, 1964
339. *Amphisbaena sanctaeritae* Vanzolini, 1994
340. *Amphisbaena saxosa* (Castro-Mello, 2003)
341. *Amphisbaena scutigera* Hemprich, 1829
342. *Amphisbaena silvestrii* Boulenger, 1902
343. *Amphisbaena slevini* Schmidt, 1938
344. *Amphisbaena steindachneri* Strauch, 1881
345. *Amphisbaena supernumeraria* Mott, Rodrigues & Santos, 2009
346. *Amphisbaena talisiae* Vanzolini, 1995
347. *Amphisbaena trachura* Cope, 1885
348. *Amphisbaena tragorhectes* Vanzolini, 1971
349. *Amphisbaena uroxena* Mott, Rodrigues, Freitas & Silva, 2008
350. *Amphisbaena vanzolinii* Gans, 1963
351. *Amphisbaena vermicularis* Wagler, 1824
352. *Amphisbaena wiedi* Vanzolini, 1951
353. *Amphisbaena wuchereri* (Peters, 1879)
354. *Mesobaena rhachicephala* Hoogmoed, Pinto, Rocha & Pereira, 2009

SQUAMATA - SNAKES (373 species)

Family Anomalepididae (7 species)

355. *Liotyphlops beui* (Amaral, 1924)
356. *Liotyphlops caissara* Centeno, Sawaya & Germano, 2010
357. *Liotyphlops schubarti* Vanzolini, 1948
358. *Liotyphlops ternetzii* (Boulenger, 1896)
359. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
360. *Liotyphlops wilderi* (Garman, 1883)
361. *Typhlophis squamosus* (Schlegel, 1839)

Family Leptotyphlopidae (14 species)

362. *Epictia australis* (Freiberg & Orejas-Miranda, 1968)
363. *Epictia borapeliotes* (Vanzolini, 1996)
364. *Epictia diaplocius* (Orejas-Miranda, 1969)
365. *Epictia munoai* (Orejas-Miranda, 1961)
366. *Epictia tenellus* (Klauber, 1939)
367. *Rena dimidiata* (Jan, 1861)
368. *Siagonodon acutirostris* Pinto & Curcio, 2011
369. *Siagonodon cupinensis* (Bailey & Carvalho, 1946)
370. *Siagonodon septemstriatus* (Schneider, 1801)
371. *Trilepida brasiliensis* (Laurent, 1949)
372. *Trilepida fuliginosa* (Passos, Caramaschi & Pinto, 2006)
373. *Trilepida koppesi* (Amaral, 1955)
374. *Trilepida macrolepis* (Peters, 1857)
375. *Trilepida salgueiroi* (Amaral, 1955)

Family Typhlopidae (6 species)

- 376. *Typhlops amoipira* Rodrigues & Juncá, 2002
- 377. *Typhlops brongersmianus* Vanzolini, 1976
- 378. *Typhlops minuisquamus* Dixon & Hendricks, 1979
- 379. *Typhlops paucisquamus* Dixon & Hendricks, 1979
- 380. *Typhlops reticulatus* (Linnaeus, 1758)
- 381. *Typhlops yonenagae* Rodrigues, 1991

Family Aniliidae (1 species)

- 382. *Anilius scytale* (Linnaeus, 1758)

Family Tropidophiidae (1 species)

- 383. *Tropidophis paucisquamis* (Müller, 1901)

Family Boidae (12 species)

- 384. *Boa constrictor* Linnaeus, 1758
- 385. *Corallus batesii* (Gray, 1860)
- 386. *Corallus caninus* (Linnaeus, 1758)
- 387. *Corallus cropanii* (Hoge, 1953)
- 388. *Corallus hortulanus* (Linnaeus, 1758)
- 389. *Epicrates assisi* Machado, 1945
- 390. *Epicrates cenchria* (Linnaeus, 1758)
- 391. *Epicrates crassus* Cope, 1862
- 392. *Epicrates maurus* Gray, 1849
- 393. *Eunectes deschauenseei* Dunn & Conant, 1936
- 394. *Eunectes murinus* (Linnaeus, 1758)
- 395. *Eunectes notaeus* Cope, 1862

Family Colubridae (35 species)

- 396. *Chironius bicarinatus* (Wied, 1820)
- 397. *Chironius carinatus* (Linnaeus, 1758)
- 398. *Chironius exoletus* (Linnaeus, 1758)
- 399. *Chironius flavolineatus* (Jan, 1863)
- 400. *Chironius foveatus* Bailey, 1955
- 401. *Chironius fuscus* (Linnaeus, 1758)
- 402. *Chironius laevicollis* (Wied, 1824)
- 403. *Chironius laurenti* Dixon, Wiest & Cei, 1993
- 404. *Chironius multiventris* Schmidt & Walker, 1943
- 405. *Chironius quadricarinatus* (Boie, 1827)
- 406. *Chironius scurrulus* (Wagler, 1824)
- 407. *Dendrophidion atlantica* Freire, Caramaschi & Gonçalves, 2010
- 408. *Dendrophidion dendrophis* (Schlegel, 1837)
- 409. *Drymarchon corais* (Boie, 1827)
- 410. *Drymobius rhombifer* (Günther, 1860)
- 411. *Drymoluber brazili* (Gomes, 1918)
- 412. *Drymoluber dichrous* (Peters, 1863)
- 413. *Leptophis ahaetulla* (Linnaeus, 1758)
- 414. *Masticophis mentovarius* (Duméril, Bibron & Duméril, 1854)
- 415. *Mastigodryas bifossatus* (Raddi, 1820)
- 416. *Mastigodryas boddaerti* (Sentzen, 1796)

- 417. *Mastigodryas moratoi* Montingelli & Zaher, 2011
- 418. *Mastigodryas pleei* (Duméril, Bibron & Duméril, 1854)
- 419. *Oxybelis aeneus* (Wagler, 1824)
- 420. *Oxybelis fulgidus* (Daudin, 1803)
- 421. *Pseustes cinnamomeus* (Wagler, 1824)
- 422. *Pseustes poecilonotus* (Günther, 1858)
- 423. *Pseustes sexcarinatus* (Wagler, 1824)
- 424. *Pseustes sulphureus* (Wagler, 1824)
- 425. *Rhinobothryum lentiginosum* (Scopoli, 1785)
- 426. *Simophis rhinostoma* (Schlegel, 1837)
- 427. *Spilotes pullatus* (Linnaeus, 1758)
- 428. *Tantilla boipiranga* Sawaya & Sazima, 2003
- 429. *Tantilla marcovani* Lema, 2004
- 430. *Tantilla melanocephala* (Linnaeus, 1758)

Family Dipsadidae (242 species)

- 431. *Amnesteophis melanauchen* (Jan, 1863)
- 432. *Apostolepis albicolaris* Lema, 2002
- 433. *Apostolepis ambinigra* (Peters, 1869)
- 434. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
- 435. *Apostolepis arenaria* Rodrigues, 1992
- 436. *Apostolepis assimilis* (Reinhardt, 1861)
- 437. *Apostolepis cearensis* Gomes, 1915
- 438. *Apostolepis cerradoensis* Lema, 2003
- 439. *Apostolepis christineae* Lema, 2002
- 440. *Apostolepis dimidiata* (Jan, 1862)
- 441. *Apostolepis dorbignyi* (Schlegel, 1837)
- 442. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
- 443. *Apostolepis gaboi* Rodrigues, 1992
- 444. *Apostolepis goiasensis* Prado, 1942
- 445. *Apostolepis intermedia* Koslowsky, 1898
- 446. *Apostolepis lineata* Cope, 1887
- 447. *Apostolepis longicaudata* Amaral, 1921
- 448. *Apostolepis nelsonjorgei* Lema & Renner, 2004
- 449. *Apostolepis niceforoi* Amaral, 1935
- 450. *Apostolepis nigrolineata* (Peters, 1869)
- 451. *Apostolepis nigroterminata* Boulenger, 1896
- 452. *Apostolepis polylepis* Amaral, 1921
- 453. *Apostolepis pyimi* Boulenger, 1903
- 454. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
- 455. *Apostolepis striata* Lema, 2004
- 456. *Apostolepis vittata* (Cope, 1887)
- 457. *Atractus albuquerquei* Cunha & Nascimento, 1983
- 458. *Atractus alphonsehogeii* Cunha & Nascimento, 1983
- 459. *Atractus altagratiae* Passos & Fernandes, 2008
- 460. *Atractus badius* (Boie, 1827)
- 461. *Atractus caete* Passos, Fernandes, Bérnils & Moura-Leite, 2010
- 462. *Atractus caxiuana* Prudente & Santos-Costa, 2006
- 463. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
- 464. *Atractus elaps* (Günther, 1858)
- 465. *Atractus emersoni* Silva, 2004

466. *Atractus flammigerus* (Boie, 1827)
467. *Atractus francoi* Passos, Fernandes, Bérnils & Moura-Leite, 2010
468. *Atractus guentheri* (Wucherer, 1861)
469. *Atractus insipidus* Roze, 1961
470. *Atractus latifrons* (Günther, 1868)
471. *Atractus maculatus* Günther, 1858
472. *Atractus major* Boulenger, 1894
473. *Atractus natans* Hoogmoed & Prudente, 2003
474. *Atractus pantostictus* Fernandes & Puerto, 1993
475. *Atractus paraguayensis* Werner, 1924
476. *Atractus poeppigi* (Jan, 1862)
477. *Atractus potschi* Fernandes, 1995
478. *Atractus reticulatus* (Boulenger, 1885)
479. *Atractus ronnie* Passos, Fernandes & Borges-Nojosa, 2007
480. *Atractus schach* (Boie, 1827)
481. *Atractus serranus* Amaral, 1930
482. *Atractus snethlageae* Cunha & Nascimento, 1983
483. *Atractus surucucu* Prudente & Passos, 2008
484. *Atractus taeniatus* Griffin, 1916
485. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
486. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
487. *Atractus trihedrurus* Amaral, 1926
488. *Atractus trilineatus* Wagler, 1828
489. *Atractus zebrinus* (Jan, 1862)
490. *Atractus zidoki* Gasc & Rodrigues, 1979
491. *Boiruna maculata* (Boulenger, 1896)
492. *Boiruna sertaneja* Zaher, 1996
493. *Caaeteboia amarali* (Wettstein, 1930)
494. *Calamodontophis paucidens* (Amaral, 1935)
495. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
496. *Cercophis auratus* (Schlegel, 1837)
497. *Clelia clelia* (Daudin, 1803)
498. *Clelia hussami* Morato, Franco & Sanches, 2003
499. *Clelia plumbea* (Wied, 1820)
500. *Clelia rustica* (Cope, 1878)
501. *Coronelaps lepidus* (Reinhardt, 1861)
502. *Dipsas albifrons* (Sauvage, 1884)
503. *Dipsas alternans* (Fischer, 1885)
504. *Dipsas bucephala* (Shaw, 1802)
505. *Dipsas catesbyi* (Sentzen, 1796)
506. *Dipsas copei* (Günther, 1872)
507. *Dipsas indica* Laurenti, 1768
508. *Dipsas pavonina* Schlegel, 1837
509. *Dipsas sazimai* Fernandes, Marques & Argôlo, 2010
510. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
511. *Ditaxodon taeniatus* (Peters *in* Hensel, 1868)
512. *Drepanoides anomalus* (Jan, 1863)
513. *Echivanthera amoena* (Jan, 1863)
514. *Echivanthera cephalomaculata* Di-Bernardo, 1994
515. *Echivanthera cephalostriata* Di-Bernardo, 1996
516. *Echivanthera cyanopleura* (Cope, 1885)

517. *Echinanthera melanostigma* (Wagler, 1824)
518. *Echinanthera undulata* (Wied, 1824)
519. *Elapomorphus quinquelineatus* (Raddi, 1820)
520. *Elapomorphus wuchereri* Günther, 1861
521. *Erythrolamprus aesculapii* (Linnaeus, 1766)
522. *Gomesophis brasiliensis* (Gomes, 1918)
523. *Helicops angulatus* (Linnaeus, 1758)
524. *Helicops carinicaudus* (Wied, 1825)
525. *Helicops gomesi* Amaral, 1921
526. *Helicops hagmanni* Roux, 1910
527. *Helicops infrataeniatus* (Jan, 1865)
528. *Helicops leopardinus* (Schlegel, 1837)
529. *Helicops modestus* Günther, 1861
530. *Helicops polylepis* Günther, 1861
531. *Helicops tapajonicus* Frota, 2005
532. *Helicops trivittatus* (Gray, 1849)
533. *Hydrodynastes bicinctus* (Herrmann, 1804)
534. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
535. *Hydrodynastes melanogigas* Franco, Fernandes & Bentin, 2007
536. *Hydrops caesurus* Scrocchi, Ferreira, Giraudo, Ávila & Motte, 2005
537. *Hydrops martii* (Wagler, 1824)
538. *Hydrops triangularis* (Wagler, 1824)
539. *Imantodes cenchoa* (Linnaeus, 1758)
540. *Imantodes lentiferus* (Cope, 1894)
541. *Leptodeira annulata* (Linnaeus, 1758)
542. *Lioheterophis iheringi* Amaral, 1935
543. *Liophis almadensis* (Wagler, 1824)
544. *Liophis anomalus* (Günther, 1858)
545. *Liophis atraventer* Dixon & Thomas, 1985
546. *Liophis breviceps* Cope, 1860
547. *Liophis carajasensis* Cunha, Nascimento & Ávila-Pires, 1985
548. *Liophis cobella* (Linnaeus, 1758)
549. *Liophis dilepis* (Cope, 1862)
550. *Liophis festae* (Peracca, 1897)
551. *Liophis flavifrenatus* (Cope, 1862)
552. *Liophis frenatus* (Werner, 1909)
553. *Liophis jaegeri* (Günther, 1858)
554. *Liophis lineatus* (Linnaeus, 1758)
555. *Liophis longiventris* Amaral, 1925
556. *Liophis maryellenae* Dixon, 1985
557. *Liophis meridionalis* (Schenkel, 1901)
558. *Liophis miliaris* (Linnaeus, 1758)
559. *Liophis mimus* (Cope, 1868)
560. *Liophis mossoroensis* Hoge & Lima-Verde, 1972
561. *Liophis oligolepis* Boulenger, 1905
562. *Liophis paucidens* (Hoge, 1953)
563. *Liophis poecilogyrus* (Wied, 1825)
564. *Liophis reginae* (Linnaeus, 1758)
565. *Liophis semiaureus* (Cope, 1862)
566. *Liophis taeniogaster* Jan, 1863
567. *Liophis typhlus* (Linnaeus, 1758)

568. *Liophis viridis* Günther, 1862
569. *Mussurana bicolor* (Peracca, 1904)
570. *Mussurana montana* (Franco, Marques & Puerto, 1997)
571. *Mussurana quimi* (Franco, Marques & Puerto, 1997)
572. *Ninia hudsoni* Parker, 1940
573. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
574. *Oxyrhopus formosus* (Wied, 1820)
575. *Oxyrhopus guibei* Hoge & Romano, 1978
576. *Oxyrhopus melanogenys* (Tschudi, 1845)
577. *Oxyrhopus occipitalis* Wagler in Spix, 1824
578. *Oxyrhopus petolaris* (Linnaeus, 1758)
579. *Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854
580. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
581. *Oxyrhopus vanidicus* Lynch, 2009
582. *Phalotris concolor* Ferrarezzi, 1994
583. *Phalotris labiomaculatus* Lema, 2002
584. *Phalotris lativittatus* Ferrarezzi, 1994
585. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
586. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
587. *Phalotris mertensi* (Hoge, 1955)
588. *Phalotris multipunctatus* Puerto & Ferrarezzi, 1994
589. *Phalotris nasutus* (Gomes, 1915)
590. *Phalotris reticulatus* (Peters, 1860)
591. *Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)
592. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
593. *Philodryas agassizii* (Jan, 1863)
594. *Philodryas argentea* (Daudin, 1803)
595. *Philodryas arnaldoi* (Amaral, 1933)
596. *Philodryas boulengeri* (Procter, 1923)
597. *Philodryas laticeps* Werner, 1900
598. *Philodryas livida* (Amaral, 1923)
599. *Philodryas mattogrossensis* Koslowsky, 1898
600. *Philodryas nattereri* Steindachner, 1870
601. *Philodryas offersii* (Lichtenstein, 1823)
602. *Philodryas patagoniensis* (Girard, 1858)
603. *Philodryas psammophidea* Günther, 1872
604. *Philodryas viridissima* (Linnaeus, 1758)
605. *Phimophis chui* Rodrigues, 1993
606. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
607. *Phimophis guianensis* (Troschel, 1848)
608. *Phimophis iglesiasi* (Gomes, 1915)
609. *Phimophis scriptorcibatus* Rodrigues, 1993
610. *Pliocercus euryzonus* Cope, 1862
611. *Pseudoboa coronata* Schneider, 1801
612. *Pseudoboa haasi* (Boettger, 1905)
613. *Pseudoboa martinsi* Zaher, Oliveira & Franco, 2008
614. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
615. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)
616. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
617. *Pseudoeryx plicatilis* (Linnaeus, 1758)
618. *Psomophis genimaculatus* (Boettger, 1885)

619. *Psomophis joberti* (Sauvage, 1884)
620. *Psomophis obtusus* (Cope, 1864)
621. *Ptychophis flavovirgatus* Gomes, 1915
622. *Rhachidelus brazili* Boulenger, 1908
623. *Sibon nebulata* (Linnaeus, 1758)
624. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
625. *Sibynomorphus mikanii* (Schlegel, 1837)
626. *Sibynomorphus neuwiedi* (Ihering, 1911)
627. *Sibynomorphus turgidus* (Cope, 1868)
628. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)
629. *Siphlophis cervinus* (Laurenti, 1768)
630. *Siphlophis compressus* (Daudin, 1803)
631. *Siphlophis leucocephalus* (Günther, 1863)
632. *Siphlophis longicaudatus* (Andersson, 1901)
633. *Siphlophis pulcher* (Raddi, 1820)
634. *Siphlophis worontzowi* (Prado, 1940)
635. *Sordellina punctata* (Peters, 1880)
636. *Taeniophallus affinis* (Günther, 1858)
637. *Taeniophallus bilineatus* (Fischer, 1885)
638. *Taeniophallus brevirostris* (Peters, 1863)
639. *Taeniophallus nicagus* (Cope, 1895)
640. *Taeniophallus occipitalis* (Jan, 1863)
641. *Taeniophallus persimilis* (Cope, 1869)
642. *Taeniophallus poecilopogon* (Cope, 1863)
643. *Taeniophallus quadriocellatus* Santos-Jr, Di-Bernardo & Lema, 2008
644. *Thamnodynastes almae* Franco & Ferreira, 2003
645. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993
646. *Thamnodynastes hypoconia* (Cope, 1860)
647. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
648. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
649. *Thamnodynastes nattereri* (Mikan, 1828)
650. *Thamnodynastes pallidus* (Linnaeus, 1758)
651. *Thamnodynastes ramonriveroi* Manzanilla & Sánchez, 2005
652. *Thamnodynastes rutilus* (Prado, 1942)
653. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
654. *Thamnodynastes strigatus* (Günther, 1858)
655. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
656. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854
657. *Tropidodryas serra* (Schlegel, 1837)
658. *Tropidodryas striaticeps* (Cope, 1869)
659. *Umbrivaga pygmaea* (Cope, 1868)
660. *Uromacerina ricardinii* (Peracca, 1897)
661. *Xenodon dorbignyi* (Duméril, Bibron & Duméril, 1854)
662. *Xenodon guentheri* Boulenger, 1894
663. *Xenodon histricus* (Jan, 1863)
664. *Xenodon matogrossensis* (Scrocchi & Cruz, 1993)
665. *Xenodon merremii* (Wagler, 1824)
666. *Xenodon nattereri* (Steindachner, 1867)
667. *Xenodon neuwiedii* Günther, 1863
668. *Xenodon rabdocephalus* (Wied, 1824)
669. *Xenodon severus* (Linnaeus, 1758)

- 670. *Xenopholis scalaris* (Wucherer, 1861)
- 671. *Xenopholis undulatus* (Jensen, 1900)
- 672. *Xenopholis werdingorum* Jansen, Álvarez & Köhler, 2009

Family Elapidae (27 species)

- 673. *Leptomicrurus collaris* (Schlegel, 1837)
- 674. *Leptomicrurus narduccii* (Jan, 1863)
- 675. *Leptomicrurus scutiventris* (Cope, 1870)
- 676. *Micrurus albicinctus* Amaral, 1926
- 677. *Micrurus altirostris* (Cope, 1859)
- 678. *Micrurus annelatus* (Peters, 1871)
- 679. *Micrurus averyi* Schmidt, 1939
- 680. *Micrurus brasiliensis* Roze, 1967
- 681. *Micrurus corallinus* (Merrem, 1820)
- 682. *Micrurus decoratus* (Jan, 1858)
- 683. *Micrurus filiformis* (Günther, 1859)
- 684. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
- 685. *Micrurus hemprichii* (Jan, 1858)
- 686. *Micrurus ibiboboca* (Merrem, 1820)
- 687. *Micrurus langsdorffii* Wagler, 1824
- 688. *Micrurus lemniscatus* (Linnaeus, 1758)
- 689. *Micrurus nattereri* Schmidt, 1952
- 690. *Micrurus pacaraimae* Carvalho, 2002
- 691. *Micrurus paraensis* Cunha & Nascimento, 1973
- 692. *Micrurus psyches* (Daudin, 1803)
- 693. *Micrurus putumayensis* Lancini, 1962
- 694. *Micrurus pyrrhocryptus* (Cope, 1862)
- 695. *Micrurus remotus* Roze, 1987
- 696. *Micrurus silviae* Di-Bernardo, Borges-Martins & Silva, 2007
- 697. *Micrurus spixii* Wagler, 1824
- 698. *Micrurus surinamensis* (Cuvier, 1817)
- 699. *Micrurus tricolor* Hoge, 1956

Family Viperidae (28 species)

- 700. *Bothriopsis bilineata* (Wied, 1821)
- 701. *Bothriopsis taeniata* (Wagler, 1824)
- 702. *Bothrocophias hyoprora* (Amaral, 1935)
- 703. *Bothropoides alcatraz* (Marques, Martins & Sazima, 2002)
- 704. *Bothropoides diporus* (Cope, 1862)
- 705. *Bothropoides erythromelas* (Amaral, 1923)
- 706. *Bothropoides insularis* (Amaral, 1921)
- 707. *Bothropoides jararaca* (Wied, 1824)
- 708. *Bothropoides lutzi* (Miranda-Ribeiro, 1915)
- 709. *Bothropoides marmoratus* (Silva & Rodrigues, 2008)
- 710. *Bothropoides mattogrossensis* (Amaral, 1925)
- 711. *Bothropoides neuwiedi* (Wagler, 1824)
- 712. *Bothropoides pauloensis* (Amaral, 1925)
- 713. *Bothropoides pubescens* (Cope, 1870)
- 714. *Bothrops atrox* (Linnaeus, 1758)
- 715. *Bothrops brazili* Hoge, 1954
- 716. *Bothrops jararacussu* Lacerda, 1884

- 717. *Bothrops leucurus* Wagler, 1824
- 718. *Bothrops marajoensis* Hoge, 1966
- 719. *Bothrops moojeni* Hoge, 1966
- 720. *Bothrops muriciensis* Ferrarezzi & Freire, 2001
- 721. *Bothrops pirajai* Amaral, 1923
- 722. *Crotalus durissus* Linnaeus, 1758
- 723. *Lachesis muta* (Linnaeus, 1766)
- 724. *Rhinocerophis alternatus* (Duméril, Bibron & Duméril, 1854)
- 725. *Rhinocerophis cotiara* (Gomes, 1913)
- 726. *Rhinocerophis fonsecai* (Hoge & Belluomini, 1959)
- 727. *Rhinocerophis itapetiningae* (Boulenger, 1907)

[Back to Top](#)