

BRAZILIAN REPTILES – LIST OF SPECIES

Organized by

Renato Silveira Bérnils, renatobernils@gmail.com

and

Henrique Caldeira Costa, ccostah@yahoo.com.br

COLLABORATORS

The present List would be cited as:

BÉRNILS, R. S. & H. C. COSTA (org.). 2011. *Brazilian reptiles – List of species*. Accessible at <http://www.sbherpetologia.org.br/>. Sociedade Brasileira de Herpetologia. Captured on... [date of your online consult]

TOTAL NUMBER OF SPECIES = 732

TESTUDINES (36 species)

Cheloniidae (4 species)

01. *Caretta caretta* (Linnaeus, 1758)
02. *Chelonia mydas* (Linnaeus, 1758)
03. *Eretmochelys imbricata* (Linnaeus, 1766)
04. *Lepidochelys olivacea* (Eschscholtz, 1829)

Dermochelyidae (1 species)

05. *Dermochelys coriacea* (Linnaeus, 1766)

Emydidae (2 species)

06. *Trachemys adiutrix* Vanzolini, 1995
07. *Trachemys dorbigni* (Duméril & Bibron, 1835)

Geoemydidae (1 species)

08. *Rhinoclemmys punctularia* (Daudin, 1801)

Kinosternidae (1 species)

09. *Kinosternon scorpioides* (Linnaeus, 1766)

Testudinidae (2 species)

10. *Chelonoidis carbonaria* (Spix, 1824)
11. *Chelonoidis denticulata* (Linnaeus, 1766)

Podocnemididae (5 species)

12. *Peltocephalus dumeriliana* (Schweigger, 1812)
13. *Podocnemis erythrocephala* (Spix, 1824)
14. *Podocnemis expansa* (Schweigger, 1812)
15. *Podocnemis sextuberculata* Cornalia, 1849
16. *Podocnemis unifilis* Troschel, 1848

Chelidae (20 species)

17. *Acanthochelys macrocephala* Rhodin, Mittermeier & McMorris, 1984
18. *Acanthochelys radiolata* (Mikan, 1820)
19. *Acanthochelys spixii* (Duméril & Bibron, 1835)
20. *Chelus fimbriatus* (Schneider, 1783)
21. *Hydromedusa maximiliani* (Mikan, 1825)
22. *Hydromedusa tectifera* Cope, 1869
23. *Mesoclemmys gibba* (Schweigger, 1812)
24. *Mesoclemmys heliostemma* (McCord, Joseph-Ouni & Lamar, 2000)
25. *Mesoclemmys hogei* (Mertens, 1967)
26. *Mesoclemmys nasuta* (Schweigger, 1812)
27. *Mesoclemmys perplexa* Bour & Zaher, 2005
28. *Mesoclemmys raniceps* (Gray, 1855)
29. *Mesoclemmys tuberculata* (Lüderwaldt, 1926)
30. *Mesoclemmys vanderhaegei* (Bour, 1973)
31. *Phrynops geoffroanus* (Schweigger, 1812)
32. *Phrynops hilarii* (Duméril & Bibron, 1835)
33. *Phrynops tuberosus* (Peters, 1870)
34. *Phrynops williamsi* Rhodin & Mittermeier, 1983
35. *Platemys platycephala* (Schneider, 1792)
36. *Rhinemys rufipes* (Spix, 1824)

CROCODYLIA (6 species)

Alligatoridae (6 species)

37. *Caiman crocodilus* (Linnaeus, 1758)
38. *Caiman latirostris* (Daudin, 1802)
39. *Caiman yacare* (Daudin, 1802)
40. *Melanosuchus niger* (Spix, 1825)
41. *Paleosuchus palpebrosus* (Cuvier, 1807)
42. *Paleosuchus trigonatus* (Schneider, 1801)

SQUAMATA – FAMILIES OF “LIZARDS” (248 species)

Iguanidae (1 species)

43. *Iguana iguana* (Linnaeus, 1758)

Hoplocercidae (3 species)

44. *Enyalioides laticeps* (Guichenot, 1855)
45. *Enyalioides palpebralis* (Boulenger, 1883)
46. *Hoplocercus spinosus* Fitzinger, 1843

Polychrotidae (17 species)

47. *Anolis auratus* Daudin, 1802
48. *Anolis bombiceps* Cope, 1876
49. *Anolis chrysolepis* Duméril & Bibron, 1837
50. *Anolis fuscoauratus* D'Orbigny, 1837
51. *Anolis meridionalis* Boettger, 1885
52. *Anolis nasofrontalis* Amaral, 1933
53. *Anolis ortonii* Cope, 1868
54. *Anolis philopunctatus* Rodrigues, 1988
55. *Anolis phyllorhinus* Myers & Carvalho, 1945

56. *Anolis pseudotigrinus* Amaral, 1933
57. *Anolis punctatus* Daudin, 1802
58. *Anolis trachyderma* Cope, 1876
59. *Anolis transversalis* Duméril, 1851
60. *Anolis williamsii* Bocourt, 1870
61. *Polychrus acutirostris* Spix, 1825
62. *Polychrus liogaster* Boulenger, 1908
63. *Polychrus marmoratus* (Linnaeus, 1758)

Leiosauridae (14 species)

64. *Anisolepis grilli* Boulenger, 1891
65. *Anisolepis longicauda* (Boulenger, 1891)
66. *Anisolepis undulatus* (Wiegmann, 1834)
67. *Enyalius bibronii* Boulenger, 1885
68. *Enyalius bilineatus* Duméril & Bibron, 1837
69. *Enyalius brasiliensis* (Lesson, 1828)
70. *Enyalius catenatus* (Wied, 1821)
71. *Enyalius erythrocephalus* Rodrigues, Freitas, Silva & Bertolotto, 2006
72. *Enyalius iheringii* Boulenger, 1885
73. *Enyalius leechii* (Boulenger, 1885)
74. *Enyalius perditus* Jackson, 1978
75. *Enyalius pictus* (Schinz, 1822)
76. *Leiosaurus paronae* (Peracca, 1897)
77. *Urostrophus vautieri* Duméril & Bibron, 1837

Liolaemidae (3 species)

78. *Liolaemus arambarensis* Verrastro, Veronese, Bujes & Dias-Filho, 2003
79. *Liolaemus lutzae* Mertens, 1938
80. *Liolaemus occipitalis* Boulenger, 1885

Tropiduridae (36 species)

81. *Eurolophosaurus amathites* (Rodrigues, 1984)
82. *Eurolophosaurus nanuzae* (Rodrigues, 1981)
83. *Eurolophosaurus divaricatus* (Rodrigues, 1984)
84. *Plica plica* (Linnaeus, 1758)
85. *Plica umbra* (Linnaeus, 1758)
86. *Stenocercus azureus* (Müller, 1882)
87. *Stenocercus caducus* (Cope, 1862)
88. *Stenocercus dumerilii* (Steindachner, 1867)
89. *Stenocercus fimbriatus* Ávila-Pires, 1995
90. *Stenocercus quinarius* Nogueira & Rodrigues, 2006
91. *Stenocercus roseiventris* Duméril & Bibron, 1837
92. *Stenocercus sinesaccus* Torres-Carvajal, 2005
93. *Stenocercus squarrosus* Nogueira & Rodrigues, 2006
94. *Stenocercus tricristatus* (Duméril, 1851)
95. *Strobilurus torquatus* Wiegmann, 1834
96. *Tropidurus cocorobensis* Rodrigues, 1987
97. *Tropidurus erythrocephalus* Rodrigues, 1987
98. *Tropidurus etheridgei* Cei, 1982
99. *Tropidurus guarani* (Cope, 1862)
100. *Tropidurus helenae* (Manzani & Abe, 1990)

101. *Tropidurus hispidus* (Spix, 1825)
102. *Tropidurus hygomi* Reinhardt & Luetken, 1861
103. *Tropidurus insulanus* Rodrigues, 1987
104. *Tropidurus itambere* Rodrigues, 1987
105. *Tropidurus jaguaribanus* Passos, Lima & Borges-Nojosa, 2011
106. *Tropidurus montanus* Rodrigues, 1987
107. *Tropidurus mucujensis* Rodrigues, 1987
108. *Tropidurus oreadicus* Rodrigues, 1987
109. *Tropidurus pinima* (Rodrigues, 1984)
110. *Tropidurus psammonastes* Rodrigues, Kasahara & Yonenaga-Yasuda, 1988
111. *Tropidurus semitaeniatus* (Spix, 1825)
112. *Tropidurus spinulosus* (Cope, 1862)
113. *Tropidurus torquatus* (Wied, 1820)
114. *Uracentron azureum* (Linnaeus, 1758)
115. *Uracentron flaviceps* (Guichenot, 1855)
116. *Uranoscodon superciliosus* (Linnaeus, 1758)

Gekkonidae (6 species)

117. *Hemidactylus agrius* Vanzolini, 1978
118. *Hemidactylus brasilianus* (Amaral, 1935)
119. *Hemidactylus mabouia* (Moreau de Jonnès, 1818)
120. *Hemidactylus palaichthus* Kluge, 1969
121. *Lygodactylus klugei* (Smith, Martin & Swain, 1977)
122. *Lygodactylus wetzeli* (Smith, Martin & Swain, 1977)

Phyllodactylidae (12 species)

123. *Bogertia lutzae* Loveridge, 1941
124. *Gymnodactylus amarali* Barbour, 1925
125. *Gymnodactylus darwinii* (Gray, 1845)
126. *Gymnodactylus geckoides* Spix, 1825
127. *Gymnodactylus guttulatus* Vanzolini, 1982
128. *Gymnodactylus vanzolinii* Cassimiro & Rodrigues, 2009
129. *Homonota fasciata* (Duméril & Bibron, 1836)
130. *Homonota uruguayensis* (Vaz-Ferreira & Sierra de Soriano, 1961)
131. *Phyllopezus periosus* Rodrigues, 1986
132. *Phyllopezus pollicaris* (Spix, 1825)
133. *Thecadactylus rapicauda* (Houttuyn, 1782)
134. *Thecadactylus solimoensis* Bergmann & Russell, 2007

Sphaerodactylidae (16 species)

135. *Coleodactylus amazonicus* (Andersson, 1918)
136. *Coleodactylus brachystoma* (Amaral, 1935)
137. *Coleodactylus meridionalis* (Boulenger, 1888)
138. *Coleodactylus natalensis* Freire, 1999
139. *Coleodactylus septentrionalis* (Vanzolini, 1980)
140. *Gonatodes annularis* Boulenger, 1887
141. *Gonatodes eladioi* Nascimento, Ávila-Pires & Cunha, 1987
142. *Gonatodes hasemani* Griffin, 1917
143. *Gonatodes humeralis* (Guichenot, 1855)
144. *Gonatodes nascimentoi* Sturaro & Ávila-Pires, 2011
145. *Gonatodes tapajonicus* Rodrigues, 1980

146. *Lepidoblepharis festae* Peracca, 1897
147. *Lepidoblepharis heyerorum* Vanzolini, 1978
148. *Lepidoblepharis hoogmoedi* Ávila-Pires, 1995
149. *Pseudogonatodes gasconi* Ávila-Pires & Hoogmoed, 2000
150. *Pseudogonatodes guianensis* Parker, 1935

Anguidae (3 species)

151. *Ophiodes striatus* (Spix, 1825)
152. *Ophiodes vertebralis* Bocourt, 1881
153. *Ophiodes yacupoi* Gallardo, 1966

Diploglossidae (2 species)

154. *Diploglossus fasciatus* (Gray, 1831)
155. *Diploglossus lessonae* Peracca, 1890

Teiidae (36 species)

156. *Ameiva ameiva* (Linnaeus, 1758)
157. *Cnemidophorus abaetensis* Dias, Rocha & Vrcibradic, 2002
158. *Cnemidophorus confusionibus* Arias, Carvalho, Rodrigues & Zaher, 2011
159. *Cnemidophorus cryptus* Cole & Dessauer, 1993
160. *Cnemidophorus cyanurus* Arias, Carvalho, Rodrigues & Zaher, 2011
161. *Cnemidophorus jalapensis* Colli, Giugliano, Mesquita & França, 2009
162. *Cnemidophorus lacertoides* Duméril & Bibron, 1839
163. *Cnemidophorus lemniscatus* (Linnaeus, 1758)
164. *Cnemidophorus littoralis* Rocha, Araújo, Vrcibradic & Costa, 2000
165. *Cnemidophorus mumbuca* Colli, Caldwell, Costa, Gainsbury, Garda, Mesquita, Filho, Soares, Silva, Valdujo, Vieira, Vitt, Werneck, Wiederhecker & Zatz, 2003
166. *Cnemidophorus nativo* Rocha, Bergallo & Peccinini-Seale, 1997
167. *Cnemidophorus nigrigula* Arias, Carvalho, Rodrigues & Zaher, 2011
168. *Cnemidophorus ocellifer* (Spix, 1825)
169. *Cnemidophorus parecis* Colli, Costa, Garda, Kopp, Mesquita, Péres, Valdujo, Vieira & Wiederhecker, 2003
170. *Cnemidophorus vacariensis* Feltrim & Lema, 2000
171. *Cnemidophorus venetacaudus* Arias, Carvalho, Rodrigues & Zaher, 2011
172. *Crocodylurus amazonicus* Spix, 1825
173. *Dracaena guianensis* Daudin, 1802
174. *Dracaena paraguayensis* Amaral, 1950
175. *Kentropyx altamazonica* (Cope, 1876)
176. *Kentropyx calcarata* Spix, 1825
177. *Kentropyx intermedia* (Gray, 1831)
178. *Kentropyx paulensis* Boettger, 1893
179. *Kentropyx pelviceps* Cope, 1868
180. *Kentropyx striata* (Daudin, 1802)
181. *Kentropyx vanzoi* Gallagher & Dixon, 1980
182. *Kentropyx viridistriga* Boulenger, 1894
183. *Teius oculatus* (D'Orbigny & Bibron, 1837)
184. *Teius teyou* (Daudin, 1802)
185. *Tupinambis duseni* Lönnberg, 1896
186. *Tupinambis longilineus* Ávila-Pires, 1995
187. *Tupinambis merianae* (Duméril & Bibron, 1839)
188. *Tupinambis palustris* Manzani & Abe, 2002

189. *Tupinambis quadrilineatus* Manzani & Abe, 1997
190. *Tupinambis rufescens* (Günther, 1871)
191. *Tupinambis teguixin* (Linnaeus, 1758)

Gymnophthalmidae (85 species)

192. *Acratosaura mentalis* (Amaral, 1933)
193. *Acratosaura spinosa* Rodrigues, Cassimiro, Freitas & Silva, 2009
194. *Alexandrosaurus camacan* Rodrigues, Pellegrino, Dixo, Verdade, Pavan, Argôlo & Sites Jr., 2007
195. *Alopoglossus angulatus* (Linnaeus, 1758)
196. *Alopoglossus atriventris* Duellman, 1973
197. *Alopoglossus buckleyi* (O'Shaughnessy, 1881)
198. *Amapasaurus tetradactylus* Cunha, 1970
199. *Anotosaura collaris* Amaral, 1933
200. *Anotosaura vanzolinia* Dixon, 1974
201. *Arthrosaura kockii* (Lidth de Jeude, 1904)
202. *Arthrosaura reticulata* (O'Shaughnessy, 1881)
203. *Arthrosaura versteegii* Lidth de Jeude, 1904
204. *Bachia bresslaui* (Amaral, 1935)
205. *Bachia cacerensis* Castrillon & Strüssmann, 1998
206. *Bachia didactyla* Freitas, Strüssmann, Carvalho, Kawashita-Ribeiro & Mott, 2011
207. *Bachia dorbignyi* (Duméril & Bibron, 1839)
208. *Bachia flavescens* (Bonnaterre, 1789)
209. *Bachia micromela* Rodrigues, Pavan & Curcio, 2007
210. *Bachia oxyrhina* Rodrigues, Camacho, Nunes, Recoder, Teixeira Jr., Valdujo, Ghellere, Mott & Nogueira, 2008
211. *Bachia panoplia* Thomas, 1965
212. *Bachia peruana* (Werner, 1901)
213. *Bachia psamophila* Rodrigues, Pavan & Curcio, 2007
214. *Bachia pyburni* Kizirian & McDiarmid, 1998
215. *Bachia scolecoides* Vanzolini, 1961
216. *Bachia trisanale* (Cope, 1868)
217. *Calyptommatius confusionibus* Rodrigues, Zaher & Curcio, 2001
218. *Calyptommatius leiolepis* Rodrigues, 1991
219. *Calyptommatius nicterus* Rodrigues, 1991
220. *Calyptommatius sinebrachiatus* Rodrigues, 1991
221. *Caparaonia itaiquara* Rodrigues, Cassimiro, Pavan, Curcio, Verdade & Pellegrino, 2009
222. *Cercosaura argulus* Peters, 1863
223. *Cercosaura eigenmanni* (Griffin, 1917)
224. *Cercosaura ocellata* Wagler, 1830
225. *Cercosaura oshaughnessyi* (Boulenger, 1885)
226. *Cercosaura quadrilineatus* (Boettger, 1876)
227. *Cercosaura schreibersii* Wiegmann, 1834
228. *Colobodactylus dalcyanus* Vanzolini & Ramos, 1977
229. *Colobodactylus taunayi* (Amaral, 1933)
230. *Colobosaura modesta* (Reinhardt & Luetken, 1862)
231. *Colobosauroides carvalhoi* Soares & Caramaschi, 1998
232. *Colobosauroides cearensis* Cunha, Lima-Verde & Lima, 1991
233. *Dryadosaura nordestina* Rodrigues, Freire, Pellegrino & Sites Jr., 2005
234. *Ecleopus gaudichaudi* Duméril & Bibron, 1839

235. *Gymnophthalmus leucomystax* Vanzolini & Carvalho, 1991
236. *Gymnophthalmus underwoodi* Grant, 1958
237. *Gymnophthalmus vanzoi* Carvalho, 1999
238. *Heterodactylus imbricatus* Spix, 1825
239. *Heterodactylus lundii* Reinhardt & Luetken, 1862
240. *Heterodactylus septentrionalis* Rodrigues, Freitas & Silva, 2009
241. *Iphisa elegans* Gray, 1851
242. *Leposoma annectans* Ruibal, 1952
243. *Leposoma baturitensis* Rodrigues & Borges, 1997
244. *Leposoma ferreirai* Rodrigues & Ávila-Pires, 2005
245. *Leposoma guianense* Ruibal, 1952
246. *Leposoma nanodactylus* Rodrigues, 1997
247. *Leposoma osvaldoi* Ávila-Pires, 1995
248. *Leposoma parietale* (Cope, 1885)
249. *Leposoma percarinatum* (Müller, 1923)
250. *Leposoma puk* Rodrigues, 2002
251. *Leposoma scincoides* Spix, 1825
252. *Leposoma snethlageae* Ávila-Pires, 1995
253. *Marinussaurus curupira* Peloso, Pellegrino, Rodrigues & Ávila-Pires, 2011
254. *Micrablepharus atticolus* Rodrigues, 1996
255. *Micrablepharus maximiliani* (Reinhardt & Luetken, 1862)
256. *Neusticurus bicarinatus* (Linnaeus, 1758)
257. *Neusticurus racenisi* Roze, 1958
258. *Neusticurus rudis* Boulenger, 1900
259. *Neusticurus tatei* Burt & Burt, 1931
260. *Nothobachia ablephara* Rodrigues, 1984
261. *Placosoma cipoense* Cunha, 1966
262. *Placosoma cordylinum* Tschudi, 1847
263. *Placosoma glabellum* (Peters, 1870)
264. *Potamites ecpleopus* (Cope, 1876)
265. *Potamites juruazensis* (Ávila-Pires & Vitt, 1998)
266. *Potamites ocellatus* (Sinitsin, 1930)
267. *Procellosaurinus erythrocerus* Rodrigues, 1991
268. *Procellosaurinus tetradactylus* Rodrigues, 1991
269. *Psilophthalmus paeminosus* Rodrigues, 1991
270. *Ptychoglossus brevifrontalis* Boulenger, 1912
271. *Rhachysaurus brachylepis* (Dixon, 1974)
272. *Scriptosaura catimbau* Rodrigues & Santos, 2008
273. *Stenolepis ridleyi* Boulenger, 1887
274. *Tretioscincus agilis* (Ruthven, 1916)
275. *Tretioscincus oriximinensis* Ávila-Pires, 1995
276. *Vanzosaura rubricauda* (Boulenger, 1902)

Scincidae (14 species)

277. *Mabuya agilis* (Raddi, 1823)
278. *Mabuya agmosticha* Rodrigues, 2000
279. *Mabuya arajara* Rebouças-Spieker, 1981
280. *Mabuya bistriata* (Spix, 1825)
281. *Mabuya caissara* Rebouças-Spieker, 1974
282. *Mabuya carvalhoi* Rebouças-Spieker & Vanzolini, 1990
283. *Mabuya dorsivittata* Cope, 1862

284. *Mabuya frenata* (Cope, 1862)
285. *Mabuya guaporicola* Dunn, 1936
286. *Mabuya heathi* Schmidt & Inger, 1951
287. *Mabuya macrorhyncha* Hoge, 1947
288. *Mabuya nigropalmata* Andersson, 1918
289. *Mabuya nigropunctata* (Spix, 1825)
290. *Trachylepis atlantica* (Schmidt, 1945)

SQUAMATA – FAMILIES OF AMPHISBAENIANS (67 species)

Amphisbaenidae (67 species)

291. *Amphisbaena absaberi* (Strüssmann & Carvalho, 2001)
292. *Amphisbaena acrobeles* (Ribeiro, Castro-Mello & Nogueira, 2009)
293. *Amphisbaena alba* Linnaeus, 1758
294. *Amphisbaena albocingulata* Boettger, 1885
295. *Amphisbaena amazonica* Vanzolini, 1951
296. *Amphisbaena anaemariae* Vanzolini, 1997
297. *Amphisbaena anomala* (Barbour, 1914)
298. *Amphisbaena arda* Rodrigues, 2003
299. *Amphisbaena arenaria* Vanzolini, 1991
300. *Amphisbaena bahiana* Vanzolini, 1964
301. *Amphisbaena bedai* (Vanzolini, 1991)
302. *Amphisbaena bilabialata* (Stimson, 1972)
303. *Amphisbaena bolivica* Mertens, 1929
304. *Amphisbaena brasiliiana* (Gray, 1865)
305. *Amphisbaena brevis* Strüssmann & Mott, 2009
306. *Amphisbaena camura* Cope, 1862
307. *Amphisbaena carli* Pinna, Mendonça, Bocchiglieri & Fernandes, 2010
308. *Amphisbaena carvalhoi* Gans, 1965
309. *Amphisbaena cerradensis* (Ribeiro, Vaz-Silva & Santos-Jr, 2008)
310. *Amphisbaena crisae* Vanzolini, 1997
311. *Amphisbaena cuiabana* (Strüssmann & Carvalho, 2001)
312. *Amphisbaena cunhai* Hoogmoed & Ávila-Pires, 1991
313. *Amphisbaena dubia* L. Müller, 1924
314. *Amphisbaena frontalis* Vanzolini, 1991
315. *Amphisbaena fuliginosa* Linnaeus, 1758
316. *Amphisbaena hastata* Vanzolini, 1991
317. *Amphisbaena heathi* Schmidt, 1936
318. *Amphisbaena hogei* Vanzolini, 1950
319. *Amphisbaena ibijara* Rodrigues, Andrade & Lima, 2003
320. *Amphisbaena ignatiana* Vanzolini, 1991
321. *Amphisbaena infraorbitale* (Bertold, 1859)
322. *Amphisbaena kingii* (Bell, 1833)
323. *Amphisbaena kisteumacheri* (Porto, Soares & Caramaschi, 2000)
324. *Amphisbaena kraoh* (Vanzolini, 1971)
325. *Amphisbaena leeseri* Gans, 1964
326. *Amphisbaena leucocephala* Peters, 1878
327. *Amphisbaena lumbricalis* Vanzolini, 1996
328. *Amphisbaena mensae* Castro-Mello, 2000
329. *Amphisbaena mertensii* Strauch, 1881
330. *Amphisbaena microcephala* (Wagler, 1824)

331. *Amphisbaena miringoera* Vanzolini, 1971
332. *Amphisbaena mitchelli* Procter, 1923
333. *Amphisbaena munoai* Klappenbach, 1966
334. *Amphisbaena neglecta* Dunn & Piatt, 1936
335. *Amphisbaena nigricauda* Gans, 1966
336. *Amphisbaena octostega* (Duméril, 1851)
337. *Amphisbaena polystega* (Duméril, 1851)
338. *Amphisbaena pretrei* Duméril & Bibron, 1839
339. *Amphisbaena prunicolor* (Cope, 1885)
340. *Amphisbaena ridley* Boulenger, 1890
341. *Amphisbaena roberti* Gans, 1964
342. *Amphisbaena sanctaeritae* Vanzolini, 1994
343. *Amphisbaena saxosa* (Castro-Mello, 2003)
344. *Amphisbaena scutigera* Hemprich, 1829
345. *Amphisbaena silvestrii* Boulenger, 1902
346. *Amphisbaena slevini* Schmidt, 1938
347. *Amphisbaena steindachneri* Strauch, 1881
348. *Amphisbaena supernumeraria* Mott, Rodrigues & Santos, 2009
349. *Amphisbaena talisiae* Vanzolini, 1995
350. *Amphisbaena trachura* Cope, 1885
351. *Amphisbaena tragorrhectes* Vanzolini, 1971
352. *Amphisbaena uroxena* Mott, Rodrigues, Freitas & Silva, 2008
353. *Amphisbaena vanzolinii* Gans, 1963
354. *Amphisbaena vermicularis* Wagler, 1824
355. *Amphisbaena wiedi* Vanzolini, 1951
356. *Amphisbaena wuchereri* (Peters, 1879)
357. *Mesobaena rhachicephala* Hoogmoed, Pinto, Rocha & Pereira, 2009

SQUAMATA – FAMILIES OF SNAKES (375 species)

Anomalepididae (7 species)

358. *Liotyphlops beui* (Amaral, 1924)
359. *Liotyphlops caissara* Centeno, Sawaya & Germano, 2010
360. *Liotyphlops schubarti* Vanzolini, 1948
361. *Liotyphlops ternetzii* (Boulenger, 1896)
362. *Liotyphlops trefauti* Freire, Caramaschi & Argôlo, 2007
363. *Liotyphlops wilderi* (Garman, 1883)
364. *Typhlophis squamosus* (Schlegel, 1839)

Leptotyphlopidae (15 species)

365. *Epictia australis* (Freiberg & Orejas-Miranda, 1968)
366. *Epictia borapeliotes* (Vanzolini, 1996)
367. *Epictia clinorostris* Arredondo & Zaher, 2010
368. *Epictia diaplocius* (Orejas-Miranda, 1969)
369. *Epictia munoai* (Orejas-Miranda, 1961)
370. *Epictia tenellus* (Klauber, 1939)
371. *Rena dimidiata* (Jan, 1861)
372. *Siagonodon acutirostris* Pinto & Curcio, 2011
373. *Siagonodon cupinensis* (Bailey & Carvalho, 1946)
374. *Siagonodon septemstriatus* (Schneider, 1801)
375. *Trilepida brasiliensis* (Laurent, 1949)

- 376. *Trilepida fuliginosa* (Passos, Caramaschi & Pinto, 2006)
- 377. *Trilepida koppesi* (Amaral, 1955)
- 378. *Trilepida macrolepis* (Peters, 1857)
- 379. *Trilepida salgueiroi* (Amaral, 1955)

Typhlopidae (6 species)

- 380. *Typhlops amoipira* Rodrigues & Juncá, 2002
- 381. *Typhlops brongersmianus* Vanzolini, 1976
- 382. *Typhlops minuisquamus* Dixon & Hendricks, 1979
- 383. *Typhlops paucisquamus* Dixon & Hendricks, 1979
- 384. *Typhlops reticulatus* (Linnaeus, 1758)
- 385. *Typhlops yonenagae* Rodrigues, 1991

Aniliidae (1 species)

- 386. *Anilius scytale* (Linnaeus, 1758)

Tropidophiidae (1 species)

- 387. *Tropidophis paucisquamis* (Müller, 1901)

Boidae (12 species)

- 388. *Boa constrictor* Linnaeus, 1758
- 389. *Corallus batesii* (Gray, 1860)
- 390. *Corallus caninus* (Linnaeus, 1758)
- 391. *Corallus cropanii* (Hoge, 1953)
- 392. *Corallus hortulanus* (Linnaeus, 1758)
- 393. *Epicrates assisi* Machado, 1945
- 394. *Epicrates cenchria* (Linnaeus, 1758)
- 395. *Epicrates crassus* Cope, 1862
- 396. *Epicrates maurus* Gray, 1849
- 397. *Eunectes deschauenseei* Dunn & Conant, 1936
- 398. *Eunectes murinus* (Linnaeus, 1758)
- 399. *Eunectes notaeus* Cope, 1862

Colubridae (278 species)

- 400. *Amnesteophis melanauchen* (Jan, 1863)
- 401. *Apostolepis albicolaris* Lema, 2002
- 402. *Apostolepis ambinigra* (Peters, 1869)
- 403. *Apostolepis ammodites* Ferrarezzi, Barbo & Albuquerque, 2005
- 404. *Apostolepis arenaria* Rodrigues, 1992
- 405. *Apostolepis assimilis* (Reinhardt, 1861)
- 406. *Apostolepis cearensis* Gomes, 1915
- 407. *Apostolepis cerradoensis* Lema, 2003
- 408. *Apostolepis christineae* Lema, 2002
- 409. *Apostolepis dimidiata* (Jan, 1862)
- 410. *Apostolepis dorbignyi* (Schlegel, 1837)
- 411. *Apostolepis flavotorquata* (Duméril, Bibron & Duméril, 1854)
- 412. *Apostolepis gaboi* Rodrigues, 1992
- 413. *Apostolepis goiasensis* Prado, 1942
- 414. *Apostolepis intermedia* Koslowsky, 1898
- 415. *Apostolepis lineata* Cope, 1887
- 416. *Apostolepis longicaudata* Amaral, 1921

417. *Apostolepis nelsonjorgei* Lema & Renner, 2004
418. *Apostolepis niceforoi* Amaral, 1935
419. *Apostolepis nigrolineata* (Peters, 1869)
420. *Apostolepis nigroterminata* Boulenger, 1896
421. *Apostolepis polylepis* Amaral, 1921
422. *Apostolepis pymi* Boulenger, 1903
423. *Apostolepis quirogai* Giraudo & Scrocchi, 1998
424. *Apostolepis striata* Lema, 2004
425. *Apostolepis vittata* (Cope, 1887)
426. *Atractus albuquerquei* Cunha & Nascimento, 1983
427. *Atractus alphonsehogeii* Cunha & Nascimento, 1983
428. *Atractus altagratiae* Passos & Fernandes, 2008
429. *Atractus badius* (Boie, 1827)
430. *Atractus caete* Passos, Fernandes, Bérnils & Moura-Leite, 2010
431. *Atractus caxiuana* Prudente & Santos-Costa, 2006
432. *Atractus edioi* Silva Jr., Silva, Ribeiro, Souza & Souza, 2005
433. *Atractus elaps* (Günther, 1858)
434. *Atractus emersoni* Silva, 2004
435. *Atractus flammigerus* (Boie, 1827)
436. *Atractus francoi* Passos, Fernandes, Bérnils & Moura-Leite, 2010
437. *Atractus guentheri* (Wucherer, 1861)
438. *Atractus insipidus* Roze, 1961
439. *Atractus latifrons* (Günther, 1868)
440. *Atractus maculatus* Günther, 1858
441. *Atractus major* Boulenger, 1894
442. *Atractus natans* Hoogmoed & Prudente, 2003
443. *Atractus pantostictus* Fernandes & Puerto, 1993
444. *Atractus paraguayensis* Werner, 1924
445. *Atractus poeppigi* (Jan, 1862)
446. *Atractus potschi* Fernandes, 1995
447. *Atractus reticulatus* (Boulenger, 1885)
448. *Atractus ronnie* Passos, Fernandes & Borges-Nojosa, 2007
449. *Atractus schach* (Boie, 1827)
450. *Atractus serranus* Amaral, 1930
451. *Atractus snethlageae* Cunha & Nascimento, 1983
452. *Atractus surucucu* Prudente & Passos, 2008
453. *Atractus taeniatus* Griffin, 1916
454. *Atractus thalesdelemai* Passos, Fernandes & Zanella, 2005
455. *Atractus torquatus* (Duméril, Bibron & Duméril, 1854)
456. *Atractus trihedrurus* Amaral, 1926
457. *Atractus trilineatus* Wagler, 1828
458. *Atractus zebrinus* (Jan, 1862)
459. *Atractus zidoki* Gasc & Rodrigues, 1979
460. *Boiruna maculata* (Boulenger, 1896)
461. *Boiruna sertaneja* Zaher, 1996
462. *Caaeteboia amarali* (Wettstein, 1930)
463. *Calamodontophis paucidens* (Amaral, 1935)
464. *Calamodontophis ronaldoi* Franco, Cintra & Lema, 2006
465. *Cercophis auratus* (Schlegel, 1837)
466. *Chironius bicarinatus* (Wied, 1820)
467. *Chironius carinatus* (Linnaeus, 1758)

468. *Chironius exoletus* (Linnaeus, 1758)
469. *Chironius flavolineatus* (Jan, 1863)
470. *Chironius foveatus* Bailey, 1955
471. *Chironius fuscus* (Linnaeus, 1758)
472. *Chironius laevicollis* (Wied, 1824)
473. *Chironius laurenti* Dixon, Wiest & Cei, 1993
474. *Chironius multiventris* Schmidt & Walker, 1943
475. *Chironius quadricarinatus* (Boie, 1827)
476. *Chironius scurrulus* (Wagler, 1824)
477. *Clelia clelia* (Daudin, 1803)
478. *Clelia hussami* Morato, Franco & Sanches, 2003
479. *Clelia plumbea* (Wied, 1820)
480. *Clelia rustica* (Cope, 1878)
481. *Coronelaps lepidus* (Reinhardt, 1861)
482. *Dendrophidion atlantica* Freire, Caramaschi & Gonçalves, 2010
483. *Dendrophidion dendrophis* (Schlegel, 1837)
484. *Dipsas albifrons* (Sauvage, 1884)
485. *Dipsas alternans* (Fischer, 1885)
486. *Dipsas bucephala* (Shaw, 1802)
487. *Dipsas catesbyi* (Sentzen, 1796)
488. *Dipsas copei* (Günther, 1872)
489. *Dipsas indica* Laurenti, 1768
490. *Dipsas pavonina* Schlegel, 1837
491. *Dipsas sazimai* Fernandes, Marques & Argôlo, 2010
492. *Dipsas variegata* (Duméril, Bibron & Duméril, 1854)
493. *Ditaxodon taeniatus* (Peters *in* Hensel, 1868)
494. *Drepanoides anomalus* (Jan, 1863)
495. *Drymarchon corais* (Boie, 1827)
496. *Drymobius rhombifer* (Günther, 1860)
497. *Drymoluber brazili* (Gomes, 1918)
498. *Drymoluber dichrous* (Peters, 1863)
499. *Echianthera amoena* (Jan, 1863)
500. *Echianthera cephalomaculata* Di-Bernardo, 1994
501. *Echianthera cephalostriata* Di-Bernardo, 1996
502. *Echianthera cyanopleura* (Cope, 1885)
503. *Echianthera melanostigma* (Wagler, 1824)
504. *Echianthera undulata* (Wied, 1824)
505. *Elapomorphus quinquelineatus* (Raddi, 1820)
506. *Elapomorphus wuchereri* Günther, 1861
507. *Erythrolamprus aesculapii* (Linnaeus, 1766)
508. *Gomesophis brasiliensis* (Gomes, 1918)
509. *Helicops angulatus* (Linnaeus, 1758)
510. *Helicops carinicaudus* (Wied, 1825)
511. *Helicops gomesi* Amaral, 1921
512. *Helicops hagmanni* Roux, 1910
513. *Helicops infrataeniatus* (Jan, 1865)
514. *Helicops leopardinus* (Schlegel, 1837)
515. *Helicops modestus* Günther, 1861
516. *Helicops polylepis* Günther, 1861
517. *Helicops tapajonicus* Frota, 2005
518. *Helicops trivittatus* (Gray, 1849)

519. *Hydrodynastes bicinctus* (Herrmann, 1804)
520. *Hydrodynastes gigas* (Duméril, Bibron & Duméril, 1854)
521. *Hydrodynastes melanogigas* Franco, Fernandes & Bentin, 2007
522. *Hydrops caesurus* Scrocchi, Ferreira, Giraudó, Ávila & Motte, 2005
523. *Hydrops martii* (Wagler, 1824)
524. *Hydrops triangularis* (Wagler, 1824)
525. *Imantodes cenchoa* (Linnaeus, 1758)
526. *Imantodes lentiferus* (Cope, 1894)
527. *Leptodeira annulata* (Linnaeus, 1758)
528. *Leptophis ahaetulla* (Linnaeus, 1758)
529. *Lioheterophis iheringi* Amaral, 1935
530. *Liophis almadensis* (Wagler, 1824)
531. *Liophis anomalus* (Günther, 1858)
532. *Liophis atraventer* Dixon & Thomas, 1985
533. *Liophis breviceps* Cope, 1860
534. *Liophis carajasensis* Cunha, Nascimento & Ávila-Pires, 1985
535. *Liophis cobella* (Linnaeus, 1758)
536. *Liophis dilepis* (Cope, 1862)
537. *Liophis festae* (Peracca, 1897)
538. *Liophis flavifrenatus* (Cope, 1862)
539. *Liophis frenatus* (Werner, 1909)
540. *Liophis jaegeri* (Günther, 1858)
541. *Liophis lineatus* (Linnaeus, 1758)
542. *Liophis longiventris* Amaral, 1925
543. *Liophis maryellenae* Dixon, 1985
544. *Liophis meridionalis* (Schenkel, 1901)
545. *Liophis miliaris* (Linnaeus, 1758)
546. *Liophis mimus* (Cope, 1868)
547. *Liophis mossoroensis* Hoge & Lima-Verde, 1972
548. *Liophis oligolepis* Boulenger, 1905
549. *Liophis paucidens* (Hoge, 1953)
550. *Liophis poecilogyrus* (Wied, 1825)
551. *Liophis reginae* (Linnaeus, 1758)
552. *Liophis semiaureus* (Cope, 1862)
553. *Liophis taeniogaster* Jan, 1863
554. *Liophis typhlus* (Linnaeus, 1758)
555. *Liophis viridis* Günther, 1862
556. *Masticophis mentovarius* (Duméril, Bibron & Duméril, 1854)
557. *Mastigodryas bifossatus* (Raddi, 1820)
558. *Mastigodryas boddaerti* (Sentzen, 1796)
559. *Mastigodryas moratoi* Montingelli & Zaher, 2011
560. *Mastigodryas pleei* (Duméril, Bibron & Duméril, 1854)
561. *Mussurana bicolor* (Peracca, 1904)
562. *Mussurana montana* (Franco, Marques & Puerto, 1997)
563. *Mussurana quimi* (Franco, Marques & Puerto, 1997)
564. *Ninia hudsoni* Parker, 1940
565. *Oxybelis aeneus* (Wagler, 1824)
566. *Oxybelis fulgidus* (Daudin, 1803)
567. *Oxyrhopus clathratus* Duméril, Bibron & Duméril, 1854
568. *Oxyrhopus formosus* (Wied, 1820)
569. *Oxyrhopus guibei* Hoge & Romano, 1978

570. *Oxyrhopus melanogenys* (Tschudi, 1845)
571. *Oxyrhopus occipitalis* Wagler in Spix, 1824
572. *Oxyrhopus petolaris* (Linnaeus, 1758)
573. *Oxyrhopus rhombifer* Duméril, Bibron & Duméril, 1854
574. *Oxyrhopus trigeminus* Duméril, Bibron & Duméril, 1854
575. *Oxyrhopus vanidicus* Lynch, 2009
576. *Phalotris concolor* Ferrarezzi, 1994
577. *Phalotris labiomaculatus* Lema, 2002
578. *Phalotris lativittatus* Ferrarezzi, 1994
579. *Phalotris lemniscatus* (Duméril, Bibron & Duméril, 1854)
580. *Phalotris matogrossensis* Lema, D'Agostini & Cappellari, 2005
581. *Phalotris mertensi* (Hoge, 1955)
582. *Phalotris multipunctatus* Puerto & Ferrarezzi, 1994
583. *Phalotris nasutus* (Gomes, 1915)
584. *Phalotris reticulatus* (Peters, 1860)
585. *Phalotris tricolor* (Duméril, Bibron & Duméril, 1854)
586. *Philodryas aestiva* (Duméril, Bibron & Duméril, 1854)
587. *Philodryas agassizii* (Jan, 1863)
588. *Philodryas argentea* (Daudin, 1803)
589. *Philodryas arnaldoi* (Amaral, 1933)
590. *Philodryas boulengeri* (Procter, 1923)
591. *Philodryas laticeps* Werner, 1900
592. *Philodryas livida* (Amaral, 1923)
593. *Philodryas mattogrossensis* Koslowsky, 1898
594. *Philodryas nattereri* Steindachner, 1870
595. *Philodryas olfersii* (Lichtenstein, 1823)
596. *Philodryas patagoniensis* (Girard, 1858)
597. *Philodryas psammophidea* Günther, 1872
598. *Philodryas viridissima* (Linnaeus, 1758)
599. *Phimophis chui* Rodrigues, 1993
600. *Phimophis guerini* (Duméril, Bibron & Duméril, 1854)
601. *Phimophis guianensis* (Troschel, 1848)
602. *Phimophis iglesiassi* (Gomes, 1915)
603. *Phimophis scriptorcibatus* Rodrigues, 1993
604. *Pliocercus euryzonus* Cope, 1862
605. *Pseudoboa coronata* Schneider, 1801
606. *Pseudoboa haasi* (Boettger, 1905)
607. *Pseudoboa martinsi* Zaher, Oliveira & Franco, 2008
608. *Pseudoboa neuwiedii* (Duméril, Bibron & Duméril, 1854)
609. *Pseudoboa nigra* (Duméril, Bibron & Duméril, 1854)
610. *Pseudoboa serrana* Morato, Moura-Leite, Prudente & Bérnils, 1995
611. *Pseudoeryx plicatilis* (Linnaeus, 1758)
612. *Pseustes cinnamomeus* (Wagler, 1824)
613. *Pseustes poecilonotus* (Günther, 1858)
614. *Pseustes sexcarinatus* (Wagler, 1824)
615. *Pseustes sulphureus* (Wagler, 1824)
616. *Psomophis genimaculatus* (Boettger, 1885)
617. *Psomophis joberti* (Sauvage, 1884)
618. *Psomophis obtusus* (Cope, 1864)
619. *Ptychophis flavovirgatus* Gomes, 1915
620. *Rhachidelus brazilii* Boulenger, 1908

621. *Rhinobothryum lentiginosum* (Scopoli, 1785)
622. *Sibon nebulata* (Linnaeus, 1758)
623. *Sibynomorphus lavillai* Scrocchi, Porto & Rey, 1993
624. *Sibynomorphus mikanii* (Schlegel, 1837)
625. *Sibynomorphus neuwiedi* (Ihering, 1911)
626. *Sibynomorphus turgidus* (Cope, 1868)
627. *Sibynomorphus ventrimaculatus* (Boulenger, 1885)
628. *Simophis rhinostoma* (Schlegel, 1837)
629. *Siphlophis cervinus* (Laurenti, 1768)
630. *Siphlophis compressus* (Daudin, 1803)
631. *Siphlophis leucocephalus* (Günther, 1863)
632. *Siphlophis longicaudatus* (Andersson, 1901)
633. *Siphlophis pulcher* (Raddi, 1820)
634. *Siphlophis worontzowi* (Prado, 1940)
635. *Sordellina punctata* (Peters, 1880)
636. *Spilotes pullatus* (Linnaeus, 1758)
637. *Taeniophallus affinis* (Günther, 1858)
638. *Taeniophallus bilineatus* (Fischer, 1885)
639. *Taeniophallus brevirostris* (Peters, 1863)
640. *Taeniophallus nicagus* (Cope, 1895)
641. *Taeniophallus occipitalis* (Jan, 1863)
642. *Taeniophallus persimilis* (Cope, 1869)
643. *Taeniophallus poecilopogon* (Cope, 1863)
644. *Taeniophallus quadriocellatus* Santos-Jr, Di-Bernardo & Lema, 2008
645. *Tantilla boipiranga* Sawaya & Sazima, 2003
646. *Tantilla marcovani* Lema, 2004
647. *Tantilla melanocephala* (Linnaeus, 1758)
648. *Thalesius viridis* (Werner, 1924)
649. *Thamnodynastes almae* Franco & Ferreira, 2003
650. *Thamnodynastes chaquensis* Bergna & Alvarez, 1993
651. *Thamnodynastes hypoconia* (Cope, 1860)
652. *Thamnodynastes lanei* Bailey, Thomas & Silva-Jr, 2005
653. *Thamnodynastes longicaudus* Franco, Ferreira. Marques & Sazima, 2003
654. *Thamnodynastes nattereri* (Mikan, 1828)
655. *Thamnodynastes pallidus* (Linnaeus, 1758)
656. *Thamnodynastes ramonriveroi* Manzanilla & Sánchez, 2005
657. *Thamnodynastes rutilus* (Prado, 1942)
658. *Thamnodynastes sertanejo* Bailey, Thomas & Silva-Jr, 2005
659. *Thamnodynastes strigatus* (Günther, 1858)
660. *Tomodon dorsatus* Duméril, Bibron & Duméril, 1854
661. *Tomodon ocellatus* Duméril, Bibron & Duméril, 1854
662. *Tropidodryas serra* (Schlegel, 1837)
663. *Tropidodryas striaticeps* (Cope, 1869)
664. *Umbrivaga pygmaea* (Cope, 1868)
665. *Uromacerina ricardinii* (Peracca, 1897)
666. *Xenodon dorbignyi* (Duméril, Bibron & Duméril, 1854)
667. *Xenodon guentheri* Boulenger, 1894
668. *Xenodon histricus* (Jan, 1863)
669. *Xenodon matogrossensis* (Scrocchi & Cruz, 1993)
670. *Xenodon merremii* (Wagler, 1824)
671. *Xenodon nattereri* (Steindachner, 1867)

- 672. *Xenodon neuwiedii* Günther, 1863
- 673. *Xenodon rabdocephalus* (Wied, 1824)
- 674. *Xenodon severus* (Linnaeus, 1758)
- 675. *Xenopholis scalaris* (Wucherer, 1861)
- 676. *Xenopholis undulatus* (Jensen, 1900)
- 677. *Xenopholis werdingorum* Jansen, Álvarez & Köhler, 2009

Elapidae (27 species)

- 678. *Leptomicrurus collaris* (Schlegel, 1837)
- 679. *Leptomicrurus narduccii* (Jan, 1863)
- 680. *Leptomicrurus scutiventris* (Cope, 1870)
- 681. *Micrurus albicinctus* Amaral, 1926
- 682. *Micrurus altirostris* (Cope, 1859)
- 683. *Micrurus annelatus* (Peters, 1871)
- 684. *Micrurus averyi* Schmidt, 1939
- 685. *Micrurus brasiliensis* Roze, 1967
- 686. *Micrurus corallinus* (Merrem, 1820)
- 687. *Micrurus decoratus* (Jan, 1858)
- 688. *Micrurus filiformis* (Günther, 1859)
- 689. *Micrurus frontalis* (Duméril, Bibron & Duméril, 1854)
- 690. *Micrurus hemprichii* (Jan, 1858)
- 691. *Micrurus ibiboboca* (Merrem, 1820)
- 692. *Micrurus langsdorffii* Wagler, 1824
- 693. *Micrurus lemniscatus* (Linnaeus, 1758)
- 694. *Micrurus nattereri* Schmidt, 1952
- 695. *Micrurus pacaraimae* Carvalho, 2002
- 696. *Micrurus paraensis* Cunha & Nascimento, 1973
- 697. *Micrurus psyches* (Daudin, 1803)
- 698. *Micrurus putumayensis* Lancini, 1962
- 699. *Micrurus pyrrhocryptus* (Cope, 1862)
- 700. *Micrurus remotus* Roze, 1987
- 701. *Micrurus silviae* Di-Bernardo, Borges-Martins & Silva, 2007
- 702. *Micrurus spixii* Wagler, 1824
- 703. *Micrurus surinamensis* (Cuvier, 1817)
- 704. *Micrurus tricolor* Hoge, 1956

Viperidae (28 species)

- 705. *Bothriopsis bilineata* (Wied, 1821)
- 706. *Bothriopsis taeniata* (Wagler, 1824)
- 707. *Bothrocophias hyoprora* (Amaral, 1935)
- 708. *Bothropoides alcatraz* (Marques, Martins & Sazima, 2002)
- 709. *Bothropoides diporus* (Cope, 1862)
- 710. *Bothropoides erythromelas* (Amaral, 1923)
- 711. *Bothropoides insularis* (Amaral, 1921)
- 712. *Bothropoides jararaca* (Wied, 1824)
- 713. *Bothropoides lutzi* (Miranda-Ribeiro, 1915)
- 714. *Bothropoides marmoratus* (Silva & Rodrigues, 2008)
- 715. *Bothropoides mattogrossensis* (Amaral, 1925)
- 716. *Bothropoides neuwiedi* (Wagler, 1824)
- 717. *Bothropoides pauloensis* (Amaral, 1925)
- 718. *Bothropoides pubescens* (Cope, 1870)

- 719. *Bothrops atrox* (Linnaeus, 1758)
- 720. *Bothrops brazili* Hoge, 1954
- 721. *Bothrops jararacussu* Lacerda, 1884
- 722. *Bothrops leucurus* Wagler, 1824
- 723. *Bothrops marajoensis* Hoge, 1966
- 724. *Bothrops moojeni* Hoge, 1966
- 725. *Bothrops muriciensis* Ferrarezzi & Freire, 2001
- 726. *Bothrops pirajai* Amaral, 1923
- 727. *Crotalus durissus* Linnaeus, 1758
- 728. *Lachesis muta* (Linnaeus, 1766)
- 729. *Rhinocerothis alternatus* (Duméril, Bibron & Duméril, 1854)
- 730. *Rhinocerothis cotiara* (Gomes, 1913)
- 731. *Rhinocerothis fonsecai* (Hoge & Belluomini, 1959)
- 732. *Rhinocerothis itapetiningae* (Boulenger, 1907)

[Back to Top](#)